



## Complete Collaboration Solution for Midsize Meeting Spaces

Solstice Conference paired with the Logitech® Rally Bar combines the reach of video conferencing with the power of rich, multi-participant content sharing to enhance the collaboration experience between onsite and remote users.

This room solution delivers the convenience of a traditional room system with the flexibility to use any conferencing service installed on the meeting host's laptop.

### Solstice Conference


- Multi-participant content sharing from any device
- Agnostic support for all major conferencing services
- Easy, one-step start from the meeting host's laptop
- Wirelessly connects the Logitech Rally Bar to the conference
- Enterprise-grade security and fully IT-compliant
- Cloud-based deployment management and analytics

### Logitech Rally Bar

- Ultra-HD video with expansive room coverage and lossless quality
- Intelligent camera that detects and frames meeting participants
- High-performance, room-filling sound with outstanding clarity
- Adaptive beamforming mic array that suppresses ambient noise
- Supports additional mic pods for larger room configurations

### Meeting Host Laptop

- Requires Windows or macOS laptops to host meetings
- Supports Zoom, Teams, and most other conferencing apps



## System Components

### Solstice Conference

Solstice Pod Gen3  
HDMI cable  
Power supply

### Logitech Rally Bar

Rally Bar  
Power supply  
AC power cord  
HDMI cable  
USB cable  
Remote control  
Lens caps

### Additional Requirements

Meeting host laptop  
(Windows or macOS)  
Web conferencing service  
(Teams, Zoom, etc.)

## Installation Instructions

1. Mount the Logitech Rally Bar, and connect it to power.
2. Connect the Rally Bar to the Solstice Pod via USB.
3. Attach the Solstice Pod to power and the local Ethernet and/or wireless network (PoE+ supported).
4. Connect the Pod to the display monitor via HDMI (outer HDMI 1 port recommended). An optional second display monitor can also be connected to the Pod.
5. (Optional) If using additional Rally Mic Pods (sold separately), connect the Rally Mic Pod Hub to the Rally Bar, then connect any optional Rally Mic Pods to the hub.
6. As a note, Mersive recommends configuring the Solstice Pod's basic settings, such as updating the display name to match the room name.

For conferencing support, meeting hosts simply install the Solstice app on their laptop device along with their web conferencing application of choice. As a note, the host laptop must be connected to the same network as the Pod.

## Technical Specifications

### Solstice Pod Gen3

Part #: SP-8000-E1



**Supported user devices** Windows, macOS, iOS, Android, Chromebook, Linux

**Number of users** Unlimited

**Number of content posts** Unlimited

**Solstice app features** Conferencing Support (meeting hosts only, Windows and macOS supported)  
Share desktop, application window, image file, video file  
Intuitive drag-and-drop layout control  
Wireless annotation via smartphone

**App-free sharing** AirPlay, Miracast, browser-based sharing, HDMI input

**Streaming video support** 4K UHD, Full HD, HD, SD

**Network connection** Ethernet, WiFi, VLAN (x3)

**Wireless frequency band** 2.4 GHz and 5 GHz;

**Security features** 2048-bit network encryption  
Firewall protection between networks  
802.1x authentication  
Access controls and moderation  
User authentication at runtime (optional)

**Additional features** Wireless USB peripheral support  
Dual display support  
Touch display support  
Microsoft Exchange and O365 calendar support  
Digital signage playback  
API for third-party integrations  
Cloud-based management and meeting analytics

**Warranty** 1-year limited hardware warranty with option to extend to 3 years

### Logitech Rally Bar

Part #: 960-001320

960-001308



**Conference camera** Logitech Rally Bar

**Microphones** 6 high-precision beam-forming mics  
Support for up to 3 Mic Pods

**Speakers** 2

**Remote control** Bluetooth remote control

**Video quality** 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps

**RightSense™ technologies\*** RightLight with WDR  
Low-light compensation  
Video noise reduction  
Low-light saturation optimization  
Renders natural skin tones for each participant  
Reduces backlighting and glare without darkening

**RightSight**  
Human figure detection  
Auto-frame participants at meeting start  
Auto-frame participants on-demand  
Auto-reframe when participants enter, leave, or change positions

**RightSound**  
Machine learning AI trained to distinguish human speech from other sounds  
AEC (Acoustic Echo Cancellation)  
VAD (Voice Activity Detector)  
Background noise suppression  
Auto-level loud and soft voices  
RightSound Mic Matrix  
Anti-vibration suspension

**Additional features** Exceptional video quality  
15X HD zoom (5X optical, 3X digital)  
Motorized pan and tilt, zoom  
Smart cabling and sleek industrial design  
Large, ultra low distortion speakers

**Mounting options** Rally mounting kit (optional)

**Warranty** 2-year limited warranty

Please contact [sales@mersive.com](mailto:sales@mersive.com) for purchase options or visit [logitech.com](http://logitech.com) for purchase options.

\* RightSense not currently supported with Solstice.