```
5 deploy.js X
scripts > JS deploy.js > ...
     // imports
      const { ethers, run, network } = require("hardhat")
      // async main
      async function main() {
  6
        const SimpleStorageFactory = await ethers.getContractFactory("SimpleStorage")
        console.log("Deploying contract...")
        const simpleStorage = await SimpleStorageFactory.deploy()
        await simpleStorage.deployed()
 10
        console.log(`Deployed contract to: ${simpleStorage.address}`)
 11
        // what happens when we deploy to our hardhat network?
 12
        if (network.config.chainId === 4 && process.env.ETHERSCAN_API_KEY) {
 13
          console.log("Waiting for block confirmations...")
          await simpleStorage.deployTransaction.wait(6)
 14
 15
          await verify(simpleStorage.address, [])
 16
 17
 18
        const currentValue = await simpleStorage.retrieve()
 19
        console.log('Current Value is: ${currentValue}')
 20
 21
        // Update the current value
        const transactionResponse = await simpleStorage.store(7)
 22
        await transactionResponse.wait(1)
 23
        const updatedValue = await simpleStorage.retrieve()
 24
 25
        console.log(`Updated Value is: ${updatedValue}`)
 26
 27
      // async function verify(contractAddress, args) {
 28
      const verify = async (contractAddress, args) => (
  console.log("Verifying contract...")
 29
 30
 31
        try {
 32
          await run("verify:verify", {
 33
            address: contractAddress,
 34
            constructorArguments: args,
 35
          })
        } catch (e) {
 36
        if (e.message.toLowerCase().includes("already verified")) {
 37
```