

The future of the NBA is on the Horizon*

Is it time for an expansion?

Yan Mezhiborsky

April 21, 2024

First sentence. Second sentence. Third sentence. Fourth sentence.

Table of contents

1	Introduction	2
2	Data	2
3	Model	3
3.1	Model set-up	3
3.1.1	Model justification	4
3.2	Model Prediction	5
4	Results	5
4.1	Per Game Stats Since 1980	5
4.2	Per Game Stats Since 2004	6
5	Discussion	7
5.1	Second discussion point	11
5.2	Third discussion point	11
5.3	Weaknesses and next steps	11
	Appendix	12
A	Additional data details	12
B	Model details	12
B.1	Posterior predictive check	12

*Code and data are available at: <https://github.com/Mezhi18/NBAExpansion> .

B.2 Diagnostics	12
References	14

1 Introduction

You can and should cross-reference sections and sub-sections. We use R Core Team (2023) and Wickham et al. (2019).

The remainder of this paper is structured as follows. Section 2....

Gebru et al. (2021)

2 Data

The data for this research paper was gathered from Sports Reference LLC (2024), a subsection of Sports Reference LLC. Sports Reference hosts many other subsections such as Baseball, Football, Soccer, and several college sports. From Sports Reference LLC (2024), we have access to extensive data, including individual player statistics, playoffs, and direct comparisons on the website.

The first data set includes the season summary from 1980 to 2024, this past season. From the specific table where the data was gathered, the per-game stats of each team by year are listed, along with percentages and the league average for the year, which we will focus on from this data set. Some of the variables included in this data set are points, assists, personal fouls, 3-point percentage, and several more. The main focus of the data set was points, assists, turnovers, blocks, steals, and total rebounds (the option was available to divide total rebounds into offensive and defensive rebounds per game). As these summaries are on the website in individual links, they needed to be individually downloaded and combined in R Core Team (2023). While it was a tedious process, the retrieval of data was done carefully and meticulously. In regards to cleaning this data set, other than combining all data sets, the year needed to be added for each season so that they would be distinguishable from one another. As the NBA season is played through two calendar years for simplicity, the decision was made to assign the calendar year in which the playoffs of that season were played (e.g., the 1999-2000 NBA Season was saved under the year 2000). Next, we added an additional column that gave us the amount of teams there were in each season as that column did not exist in the original data set. From here, we created another data set solely focused on the league average of every NBA season. This data set was selected for many reasons, other than the fact that it contains the most important statistics such as points, assists, and rebounds as stated before, but it also includes some less used statistics that can be used to analyze the NBA.

The next data set includes some of the highest scoring games in NBA history. The Sports Reference LLC (2024) link from which this data was gathered had a cutoff of 59 points in a game, so all the games recorded in this data set are from times when a player scored 59 points or more. In contrast to the previous data set, as these games were played on a single date, we do have the exact year they were played, but for consistency, the new date was again based on the year in which the playoffs were played, so even if the game was played in the fall of 2022 of the 2022-2023 NBA season, the year was saved as 2023. This needed to be carefully done as the postponement of the 2019-2020 NBA season due to the global pandemic, COVID-19, required a carefully chosen date for some of the games so that they would not accidentally fall in the range of the wrong season.

Lastly, we have the data set which is a summary of LeBron James' career. For this data set, very little cleaning was needed as Sports Reference LLC (2024) creates rather useful data tables. The reason this data was chosen, aside from the fact that LeBron is one of the greatest players in the history of basketball, he entered the league around the time of its expansion and is still an active NBA player, making him not only the perfect choice but the only logical one as well.

As stated before the the data retrieved from Sports Reference LLC (2024) was already rather clean, and for the sake of reproducibility and further updates on this topic and paper, it was decided to leave most of the unused stats within the clean data even if it was not used at this time.

3 Model

The goal of our modelling strategy is twofold. Firstly, I want to analyze what how much other basic statistics such as assists and rebounds have on PPG as well as the affect the number of teams in the league in comparison with the year have on the same points per game. Next, I would like to predict the PPG of the next three seasons depending on the number of teams that are in the league. Considering the NBA would likely expand only one team at a time we will be focusing on the potential PPG over the next three years with 30 teams, 31 teams, and 32 teams.

Here we briefly describe the Bayesian analysis model used to investigate the multiple linear regression model of PPG as described below.

3.1 Model set-up

Define y_i as the average number of points per game scored by a team through out the NBA season. Then α is the average assists per game, ρ the average rebounds per game, β is blocks per game, ψ is steals per game and lastly, τ is turnovers per game, ι is the year, and η is the number of teams.

$$y_i | \mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma) \quad (1)$$

$$\mu_i = \alpha + \rho_i + \beta_i + \xi_i + \tau_i + \iota_i + \eta_i \quad (2)$$

$$\alpha \sim \text{Normal}(0, 2.5) \quad (3)$$

$$\rho \sim \text{Normal}(0, 2.5) \quad (4)$$

$$\beta \sim \text{Normal}(0, 2.5) \quad (5)$$

$$\psi \sim \text{Normal}(0, 2.5) \quad (6)$$

$$\tau \sim \text{Normal}(0, 2.5) \quad (7)$$

$$\iota \sim \text{Normal}(0, 2.5) \quad (8)$$

$$\eta \sim \text{Normal}(0, 2.5) \quad (9)$$

$$\sigma \sim \text{Exponential}(1) \quad (10)$$

$$(11)$$

We run the model in R (R Core Team 2023) using the `rstanarm` package of Goodrich et al. (2022). We use the default priors from `rstanarm`.

3.1.1 Model justification

3.1.1.1 Positive Relationship

We expect a positive relationship between the points per game the statistics above: assists, rebounds, steals, blocks. The higher these variables are the higher points per game should be. While some seem directly correlated to points such as assists, as points need to be scored for an assist to be recorded, other such as rebounds and defensive statistics, i.e. blocks and steals may not seem to be directly correlated to points but they in fact are as from blocks and steals often point scoring opportunity are created as well as rebounds.

3.1.1.2 Negative Relationship

While for the previous variables we expect a positive relationship for number of teams and turnovers we expect a negative relationship, as of course turnovers would represent a point scoring opportunity lost, and the number of teams, the variable we will be focusing on, represent the dilution of talent per team as there would need to be a NBA expansion draft and team would lose some talent and the average team would be overall worse.

3.2 Model Prediction

Taking the variables from the previous Season we will look to predict the average points per game of the NBA over the next three years. This will include no change in teams an additional team and two additional teams added to the NBA for the 2024-2025 NBA season. Figure 1 will have the predicted data for the following three years.

Predicted Points Across Different Team Scenarios

Teams	2025	2026	2027
30	115.7962	115.8151	115.8341
31	113.1331	113.1520	113.1710
32	110.4700	110.4889	110.5079

Figure 1: PPG Prediction Through the 2027 Season

As we can see in Figure 1 the points per game drops as the the number of teams increases and the points per game increases every year as predicted. This shows us that the number of teams will in fact affect the points scored but as players get used to the new NBA and more talent enters the league through the draft and free agency(for those un-drafted and/or entering the league at an older age) the points per game will continue to rise again, or in the case of no teams being added the points per game will just rise.

We believe the is rather accurate when considering our historical data as we have relatively high R^2 value at $R^2 = 0.961$. Other such details can be found in Section B in the appendix.

4 Results

In the following section we will be looking at statistics since the 1979-80 NBA season. In particular we will be looking at points, rebounds, assists, steals, blocks, and turnovers. We will be analyzing how they have changed over the years in between expansions an particularly since the last NBA expansion in 2004.

4.1 Per Game Stats Since 1980

Since the 1979-80 NBA season there have been four expansions. The first, in 1980 when the Dallas Mavericks entered the league as the 23rd team. The subsequent expansion was in 1988 when the Charlotte Hornets(now New Orleans Pelicans) and the Miami Heat entered the league as the 24th and 25th teams. The following year in 1989, The Minnesota Timberwolves and The Orlando Magic brought the total up to 27 teams. Next, the Canadian expansion in 1995,

the Toronto Raptors and the Vancouver Grizzlies(now Memphis Grizzlies) were created and there were 29 teams. Lastly, the most recent expansion the Charlotte Bobcats(now Charlotte Hornets) were inducted into the league. This means it has been two decades since the last time a team was added into the NBA an the so called ‘Modern Expansion’ era concluded.




Figure 2: NBA Statistics since 1980

In Figure 2 we see the graphs of the previously mentioned statistics every year since 1980. The dashed vertical lines represent every year there was an expansion. We noticed that nearly all the statistics would drop after an expansion year. Indicating that our model likely made a correct prediction. While we look at steals and turnovers, which are highly related statistics have been trending on somewhat of a decline since 1980, indicating that either open court defense has gotten weaker over time or ball handling has gotten progressively better. In either scenario we must recall that the NBA is a source of entertainment th needs to generate money and while fans love offenses, better defenders would create a more competitive and therefore entertaining game. Lastly, if we look at points and assists in Figure 2 they seem to have a ‘U’ shape staring rather high in the 1980s taking a dive in the 1990s and early 2000s and coming back to a similar level in the modern NBA. Rebounds have a somewhat similar shape with a significant spike in the early 2000s.

4.2 Per Game Stats Since 2004

rrr

NBA Stats Over Years (Post-2004)




Figure 3: NBA Stats Since 2004

5 Discussion

rrrrr




Figure 4: High Scoring games(59+ pts)

TTTTT




Figure 5: High Scoring games(59+ pts) Since 1980

hhh




Figure 6: High Scoring games(70+ pts) Since 1980

hhh




Figure 7: Lebrons PPG as a Ratio of the League Average

hhh




Figure 8: League Average PPG vs Lebrons PPG

rselts

discussions ## First discussion point {#sec-first-point}

If my paper were 10 pages, then should be be at least 2.5 pages. The discussion is a chance to show off what you know and what you learnt from all this.

5.1 Second discussion point

5.2 Third discussion point

5.3 Weaknesses and next steps

Weaknesses and next steps should also be included.

Appendix

A Additional data details

B Model details

Linear NBA Model

B.1 Posterior predictive check

B.2 Diagnostics

	Points Model
(Intercept)	4.82 (137.00)
Year	0.02 (0.07)
AST	3.26 (0.24)
TRB	1.09 (0.38)
STL	−3.16 (0.93)
BLK	−6.47 (1.53)
TOV	0.18 (0.56)
Num_Teams	−0.26 (0.35)
Num.Obs.	45
R2	0.961
R2 Adj.	0.953
AIC	164.7
BIC	181.0
Log.Lik.	−73.374
RMSE	1.24

References

- Gebru, Timnit, Jamie Morgenstern, Briana Vecchione, Jennifer Wortman Vaughan, Hanna Wallach, Hal Daumé III, and Kate Crawford. 2021. “Datasheets for Datasets.” *Communications of the ACM* 64 (12): 86–92.
- Goodrich, Ben, Jonah Gabry, Imad Ali, and Sam Brilleman. 2022. “Rstanarm: Bayesian Applied Regression Modeling via Stan.” <https://mc-stan.org/rstanarm/>.
- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Sports Reference LLC. 2024. Basketball-Reference.com - Basketball Statistics and History. <https://www.basketball-reference.com/>.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D’Agostino McGowan, Romain François, Garrett Golemund, et al. 2019. “Welcome to the tidyverse.” *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.