

Finding the True MVP*

An NBA Analysis Through Linear Regression

Yan B. Mezhiborsky

December 3, 2024

First sentence. Second sentence. Third sentence. Fourth sentence.

Table of contents

1	Introduction	2
2	Data	2
2.1	Overview	2
2.2	Variables	3
2.2.1	All NBA Variables	3
2.2.2	Historical MVP Variable	3
2.3	Measurement	4
2.4	Outcome variable: MVP Index	4
3	Model	4
3.1	Model set-up	5
3.1.1	Model justification	5
3.1.2	Model Results	5
4	Results	6
5	Discussion	6
5.1	First discussion point	6
5.2	Second discussion point	6
5.3	Third discussion point	9
5.4	Weaknesses and next steps	9
	Appendix	10

*Code and data are available at: https://github.com/RohanAlexander/starter_folder.

A Additional data details	10
B Model details	10
B.1 Posterior predictive check	10
B.2 Diagnostics	10
References	11

1 Introduction

Overview paragraph

Estimand paragraph

Results paragraph

Why it matters paragraph

Telegraphing paragraph: The remainder of this paper is structured as follows. Section 2....

2 Data

2.1 Overview

We use the statistical programming language R (R Core Team 2023), as well as the following packages to help clean and manipulate our data, (Wickham et al. 2023), (Goodrich et al. 2022), (Wickham, François, et al. 2023), (Firke 2023), (Grolemund and Wickham 2023), (Arel-Bundock 2023), (Xie 2023), (Carpenter et al. 2023), (Zhu 2023). Using these packages we cleaned our data, added years for the data sets that only had seasons, referring to the basketball season, as well as helped create some nice tables, unlike the traditional R software can create.

Our data was collected from (Sports Reference LLC 2024), we collected data from every player that received a vote for any All-NBA teams since 1986, this includes a vote cast for the First All-NBA Team, the Second All-NBA Team, and the Third All-NBA Team. As we believed that taking the players that received votes for the MVP awards would result in a smaller sample. We also created a new statistic call `MVP_Index` that will be defined in Section 2.2. In addition, we collected a data set for all NBA MVPs since 1986, so we could compare to the ones we have chosen with the `MVP_Index`.

Following Alexander (2023), we use techniques and methods from this text we have analyzed the data using models, graphs, tables and other methods of data analysis to conduct our

research to find players that could have been MVPs and what the MVP for the following years will look like (statistically).

2.2 Variables

2.2.1 All NBA Variables

As we collected data from each year since 1986 individually, we have utilized the following variables:

- **Team:** Whether the player was in the 1st, 2nd, or 3rd All NBA Teams or OVR if they did not make the top three teams but still received a vote.
- **Pos:** The player's position including the generalized positions G, F, C, for Guard, Forward, and Center respectively.
- **Player:** The name of the NBA player.
- **Age:** The age of the NBA player.
- **Tm:** The three letter designation for the NBA team the player played for the year.
- **G:** Games played by the player.
- **MP:** Minutes played per game.
- **PTS:** Points per game.
- **TRB:** Total Rebounds per game, including offensive and defensive rebounds.
- **BLK:** Blocks per game
- **STL:** Steals Per game
- **WS:** The amount of wins allocated to the individual player

As each year has an individual data set we took PTS, TRB, AST, BLK, STL, and WS took the average for that year and normalized each player's statistics by dividing them by the average of that year with this we have created the MVP Index which we have defined as:

$$MVP_{Index} = 0.8PTS_{Norm} + 0.25AST_{Norm} + 0.25TRB_{Norm} + 0.1STL_{Norm} + 0.1BLK_{Norm} + 0.15WS_{Norm}$$

With this MVP Index we have created our own list of who could have been MVP based on statistics for that year, essentially comparing how good the player was to other players in the basketball season.

2.2.2 Historical MVP Variable

For our second set of data we have all MVPs since 1986 also sourced from (Sports Reference LLC 2024), and the variables that have been used are the following:

- **Player:** The name of the NBA player.

- **Year:** The year in which the player was selected as MVP.
- **Tm:** The three letter designation for the NBA team the player played for the year.
- **G:** Games played by the player.
- **MP:** Minutes played per game.
- **PTS:** Points per game.
- **TRB:** Total Rebounds per game, including offensive and defensive rebounds.
- **BLK:** Blocks per game
- **STL:** Steals Per game
- **WS:** The amount of wins allocated to the individual player

2.3 Measurement

Data collected in sports and more specifically basketball is rather simple. When an NBA game is being played there are people who's entire job is to keep track of a players statistics throughout the game, whenever a player makes a shot, or steals they ball it is being logged by that specific person. After the standard 82 games, there could be more or less under different circumstances such as COVID-19, injuries, or even trades all regular season statistics have been collected. As most of our in game statistics are based on the players 'per game' average, the total number of points blocks, etc., are recorded it is divided by the number of games the player played that season.

2.4 Outcome variable: MVP Index

Our outcome variable is the same as our estimand in Section 1. As **MVP Index** is dependent on our other statistics, Points, Assists, Rebounds, Steals, Blocks, and Win Shares. As we are studying MVPs in our paper this is our Variable of interest as it represents how good a player was in comparison to the other best players in the NBA that year, from the sample of players that have received any ALL NBA Team vote.

3 Model

The goal of our modelling strategy is twofold. Firstly, we will be using a linear regression model to predict the MVP Index of the mvp in the following year regardless of the player. This will tell us how much better we can expect the 2025 MVP to be compared to his fellow NBA players. Secondly, We will use another data set we have created by selecting players that had the highest MVP index in their respective year whether they had won MVP or not. So, Using both these predictions we will be able to compare whether we believe the player with the highest MVP index will in fact be the next NBA MVP.

Here we briefly describe the Linear analysis model used to investigate what the MVP Index of the next NBA MVP will be. For our model we will use collected data describe in Section 2.

Background details and diagnostics are included in Appendix B.

3.1 Model set-up

Define y_i as the number of seconds that the plane remained aloft. Then β_i is the wing width and γ_i is the wing length, both measured in millimeters.

$$y_i | \mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma) \quad (1)$$

$$\mu_i = \pi_i + \alpha_i + \rho_i + \beta_i + \xi_i + \omega_i \quad (2)$$

$$\mu \sim \text{Normal}(0, 2.5) \quad (3)$$

$$\pi \sim \text{Normal}(0, 2.5) \quad (4)$$

$$\alpha \sim \text{Normal}(0, 2.5) \quad (5)$$

$$\rho \sim \text{Normal}(0, 2.5) \quad (6)$$

$$\beta \sim \text{Normal}(0, 2.5) \quad (7)$$

$$\xi \sim \text{Normal}(0, 2.5) \quad (8)$$

$$\omega \sim \text{Normal}(0, 2.5) \quad (9)$$

$$\sigma \sim \text{Exponential}(1) \quad (10)$$

3.1.1 Model justification

We expect a positive relationship between the size of the wings and time spent aloft. In particular...

We can use maths by including latex between dollar signs, for instance θ .

3.1.2 Model Results

	Year	Simulated Data - Player	Simulated Data - MVP Index
1	2014	Kevin Durant	2.405868
2	2015	Russell Westbrook	2.398289
3	2016	Stephen Curry	2.278181
4	2017	Russell Westbrook	2.362328
5	2018	James Harden	2.297349
6	2019	James Harden	2.456584
7	2020	James Harden	2.263751

8	2021	Nikola Jokić	2.119867
9	2022	Nikola Jokić	2.260379
10	2023	Joel Embiid	2.156639
11	2024	Luka Dončić	2.200904
12	2025	Predicted MVP	2.450278
Historical Data - Player Historical Data - MVP Index			
1		Kevin Durant	2.405868
2		Stephen Curry	2.128396
3		Stephen Curry	2.278181
4		Russell Westbrook	2.362328
5		James Harden	2.297349
6		Giannis Antetokounmpo	2.292537
7		Giannis Antetokounmpo	2.154718
8		Nikola Jokić	2.119867
9		Nikola Jokić	2.260379
10		Joel Embiid	2.156639
11		Nikola Jokić	2.157337
12		Predicted MVP	2.401187

4 Results

Our results are summarized in [?@tbl-modelresults](#).

5 Discussion

5.1 First discussion point

If my paper were 10 pages, then should be at least 2.5 pages. The discussion is a chance to show off what you know and what you learnt from all this.

5.2 Second discussion point

Please don't use these as sub-heading labels - change them to be what your point actually is.

Scatter: Year vs. MVP Index




Figure 1: MVP index of of Historical and simulated MVPs




Figure 2: MVP PPG over Time




Figure 3: MVP RPG over Time




Figure 4: MVP ASG over Time

5.3 Third discussion point

5.4 Weaknesses and next steps

Weaknesses and next steps should also be included.

Appendix

A Additional data details

B Model details

Call:

```
lm(formula = MVP_index ~ PTS + AST + TRB + BLK + STL + WS, data = nba_master)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.27967	-0.06232	-0.00013	0.06198	0.33044

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1545172	0.0136329	11.33	<2e-16 ***
PTS	0.0337247	0.0005182	65.08	<2e-16 ***
AST	0.0445034	0.0012761	34.88	<2e-16 ***
TRB	0.0295472	0.0010966	26.95	<2e-16 ***
BLK	0.1125198	0.0041166	27.33	<2e-16 ***
STL	0.1060966	0.0056427	18.80	<2e-16 ***
WS	0.0199776	0.0009258	21.58	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.09672 on 1536 degrees of freedom

Multiple R-squared: 0.8992, Adjusted R-squared: 0.8988

F-statistic: 2284 on 6 and 1536 DF, p-value: < 2.2e-16

B.1 Posterior predictive check

B.2 Diagnostics

Checking the convergence of the MCMC algorithm

References

- Alexander, Rohan. 2023. *Telling Stories with Data*. Chapman; Hall/CRC. <https://tellingstorieswithdata.com/>.
- Arel-Bundock, Vincent. 2023. *Modelsummary: Beautiful and Customizable Model Summaries and Tables*. <https://CRAN.R-project.org/package=modelsummary>.
- Carpenter, Bob, Marco Inacio, Mitzi Morris, et al. 2023. *StanHeaders: C++ Header Files for Stan*. <https://CRAN.R-project.org/package=StanHeaders>.
- Firke, Sam. 2023. *Janitor: Simple Tools for Examining and Cleaning Dirty Data*. <https://CRAN.R-project.org/package=janitor>.
- Goodrich, Ben, Jonah Gabry, Imad Ali, and Sam Brilleman. 2022. “rstanarm: Bayesian applied regression modeling via Stan.” <https://mc-stan.org/rstanarm/>.
- Grolemund, Garrett, and Hadley Wickham. 2023. *Lubridate: Make Dealing with Dates a Little Easier*. <https://CRAN.R-project.org/package=lubridate>.
- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Sports Reference LLC. 2024. *Basketball-Reference.com - Basketball Statistics and History*. <https://www.basketball-reference.com/>.
- Wickham, Hadley et al. 2023. *The Tidyverse: Easily Install and Load the 'Tidyverse'*. <https://CRAN.R-project.org/package=tidyverse>.
- Wickham, Hadley, Romain François, Lionel Henry, and Kirill Müller. 2023. *Dplyr: A Grammar of Data Manipulation*. <https://CRAN.R-project.org/package=dplyr>.
- Xie, Yihui. 2023. *Knitr: A General-Purpose Package for Dynamic Report Generation in r*. <https://CRAN.R-project.org/package=knitr>.
- Zhu, Hao. 2023. *kableExtra: Construct Complex Table with 'Kable' and Pipe Syntax*. <https://CRAN.R-project.org/package=kableExtra>.