

Finding the True MVP*

An NBA Analysis Through Linear Regression

Yan Mezhiborsky

December 3, 2024

This paper examines the methodology behind the NBA's Most Valuable Player (MVP) award, introducing the MVP Index as a data-driven measure to evaluate player performance. The MVP Index combines key statistics, including points, assists, rebounds, and win shares, to provide a comprehensive metric of value. Using historical data and statistical modeling, we identify discrepancies between actual MVP winners and those with the highest MVP Index, highlighting the influence of narrative and qualitative factors on voting outcomes. The findings underscore the need for greater transparency and consistency in the MVP selection process while offering a framework for more objective evaluations.

Table of contents

1	Introduction	2
2	Data	3
2.1	Overview	3
2.2	Variables	4
2.2.1	All NBA Variables	4
2.2.2	Historical MVP Variable	5
2.3	Measurement	5
2.4	Outcome variable: MVP Index	5
3	Model	6
3.1	Model set-up	6
3.1.1	Model justification	6
3.1.2	Model Results	7

*Code and data are available at: [<https://github.com/Mezhi18/NBAMVP>.]

4	Results	7
4.1	MVP Index Since 1986	8
4.2	PPG since 1986	9
4.3	RPG since 1986	9
4.4	APG since 1986	10
5	Discussion	11
5.1	Human Error and Bias	11
5.2	Consistency vs. Peak Performance	12
5.3	Voting Methodology and Transparency	13
5.4	Weaknesses and next steps	13
	Appendix	15
A	Surveys, Sampling, and Observational Data	15
A.1	Overview of MVP Voting Methodology	15
A.2	Observational Nature of NBA Data	15
A.3	Sampling Representation of Voters	15
B	Table By MVP Index	16
C	Historical MVPs	17
D	Model details	19
	References	20

1 Introduction

Basketball’s Most Valuable Player (MVP) award represents one of the most prestigious accolades in professional sports, honoring the individual deemed to have contributed the most to their team’s success over a season. While the selection process has traditionally relied on expert voting and narrative-driven considerations, the question of whether the MVP truly reflects a player’s value remains open to debate. This paper seeks to address this issue by evaluating the award through a data-driven lens, introducing the MVP Index as a novel measure of player impact. By exploring historical trends, inconsistencies, and predictive modeling, this research aims to shed light on how MVP selections align—or fail to align—with statistical measures of excellence.

At the heart of this analysis is the estimand, the MVP Index, which combines key player performance metrics into a single, normalized statistic. This index incorporates points, assists, rebounds, blocks, steals, and win shares, weighted to reflect their relative importance. The MVP Index provides a quantitative foundation for evaluating player performance, offering an

alternative to the sometimes subjective criteria that influence MVP voting. The study employs statistical modeling, with linear regression used to predict the MVP Index for future seasons, enabling a comparison between the players with the best statistical performance and those who ultimately win the award.

The results of the analysis reveal several significant insights. In some seasons, the MVP Index aligns closely with the actual MVP winner, validating the selection process. However, there are also notable discrepancies where players with superior statistical performances were overlooked in favor of candidates with compelling narratives or team success factors. These findings suggest that while data can provide clarity, the MVP award is often shaped by qualitative elements that extend beyond pure statistics.

Understanding these patterns is not only critical for fans and analysts but also holds implications for broader debates about transparency and fairness in sports. The MVP award significantly impacts player legacies, influencing Hall of Fame considerations, sponsorship deals, and even contract negotiations. A more robust and transparent framework for assessing MVP candidates could enhance the credibility of the award and ensure that it reflects the contributions of players who truly make a difference.

The remainder of this paper is structured as follows. Section [2](#) outlines the data sources, variables, and processing steps used to construct the MVP Index. Section [3](#) details our model, explaining its development and how it is applied to predict future statistics. In Section [4](#), we analyze MVP statistics over nearly 40 years, examining how they have evolved and highlighting important discrepancies between our model and historical MVP selections. Finally, Section [5](#) discusses the broader implications of these findings and acknowledges the limitations of this study.

2 Data

2.1 Overview

We use the statistical programming language R (R Core Team 2023) along with several packages to clean and manipulate our data, including (Wickham et al. 2023), (Goodrich et al. 2022), (Wickham, François, et al. 2023), (Firke 2023), (Grolemund and Wickham 2023), (Arel-Bundock 2023), (Xie 2023), (Carpenter et al. 2023), and (Zhu 2023). These tools allowed us to clean the data, add years to datasets that only included basketball seasons, and generate well-formatted tables that go beyond the basic functionality of traditional R software.

Our data was collected from (Sports Reference LLC 2024), focusing on every player who received a vote for any All-NBA Team since 1986. This includes votes for the First, Second, and Third All-NBA Teams. We chose this approach to ensure a larger and more comprehensive sample, as limiting the scope to players who received MVP votes would have resulted in a smaller dataset. Additionally, we created a new statistic called `MVP_Index`, which is defined

in Section 2.2. This statistic was used to evaluate players and compare them to the official NBA MVPs since 1986, providing insights into alternative MVP selections.

Building on the methodologies outlined in (Alexander 2023), we employed various techniques to analyze the data. These included statistical models, visualizations, tables, and other methods of data analysis to identify players who could have been MVPs and to predict what future MVPs might look like, based on their statistical profiles.

2.2 Variables

2.2.1 All NBA Variables

As we collected data from each year since 1986 individually, we have utilized the following variables:

- **Team:** Whether the player was in the 1st, 2nd, or 3rd All NBA Teams or OVR if they did not make the top three teams but still received a vote.
- **Pos:** The player's position including the generalized positions G, F, C, for Guard, Forward, and Center respectively.
- **Player:** The name of the NBA player.
- **Age:** The age of the NBA player.
- **Tm:** The three letter designation for the NBA team the player played for the year.
- **G:** Games played by the player.
- **MP:** Minutes played per game.
- **PTS:** Points per game.
- **TRB:** Total Rebounds per game, including offensive and defensive rebounds.
- **BLK:** Blocks per game
- **STL:** Steals Per game
- **WS:** The amount of wins allocated to the individual player

As each year has an individual data set we took PTS, TRB, AST, BLK, STL, and WS took the average for that year and normalized each player's statistics by dividing them by the average of that year with this we have created the MVP Index which we have defined as:

$$MVP_{Index} = 0.8PTS_{Norm} + 0.25AST_{Norm} + 0.25TRB_{Norm} + 0.1STL_{Norm} + 0.1BLK_{Norm} + 0.15WS_{Norm}$$

With this MVP Index we have created our own list of who could have been MVP base on statistics for that year, essentially comparing how good the player was to other players in the basketball season.

2.2.2 Historical MVP Variable

For our second set of data we have all MVPs since 1986 also sourced from (Sports Reference LLC 2024), and the variables that have been used are the following:

- **Player:** The name of the NBA player.
- **Year:** The year in which the player was selected as MVP.
- **Tm:** The three letter designation for the NBA team the player played for the year.
- **G:** Games played by the player.
- **MP:** Minutes played per game.
- **PTS:** Points per game.
- **TRB:** Total Rebounds per game, including offensive and defensive rebounds.
- **BLK:** Blocks per game
- **STL:** Steals Per game
- **WS:** The amount of wins allocated to the individual player

2.3 Measurement

Data collection in sports, and basketball in particular, is both straightforward and meticulous. Every NBA game has dedicated statisticians whose sole responsibility is to record player statistics in real-time. Whether it is a made shot, an assist, a rebound, a steal, or a block, every action is logged systematically to ensure accuracy and completeness. This process creates a detailed statistical profile for each player, capturing their performance throughout the game.

Over the course of a standard 82-game season, these statistics accumulate into a comprehensive dataset. However, the number of games played can vary due to external factors such as pandemics like COVID-19, injuries that sideline players, or trades that impact availability. Despite these variations, the collected statistics remain consistent in format and provide a foundation for deeper analysis.

2.4 Outcome variable: MVP Index

Our outcome variable is the same as our estimand in Section 1. The MVP Index is dependent on our other statistics: Points, Assists, Rebounds, Steals, Blocks, and Win Shares. As we are studying MVPs in our paper, this is our variable of interest as it represents how good a player was in comparison to the other best players in the NBA that year, from the sample of players who received any All-NBA Team vote.

3 Model

The goal of our modeling strategy is twofold. Firstly, we will use a linear regression model to predict the MVP Index of the MVP in the following year, regardless of the player. This will allow us to estimate how much better the 2025 MVP is likely to perform compared to his fellow NBA players. Secondly, we will utilize another dataset that we created by identifying players with the highest MVP Index in their respective years, whether they won the MVP award or not. By combining these predictions, we can assess whether the player with the highest MVP Index is likely to become the next NBA MVP.

Here, we briefly describe the linear analysis model used to predict the MVP Index of the next NBA MVP. For our model, we rely on the collected data described in Section 2.

Background details and diagnostics are included in Appendix D.

3.1 Model set-up

Define y_i as the MVP Index. Then π_i as the points per game, then α_i as assists per game, next we have ρ_i as rebounds per game. Furthermore, we have β_i as blocks per game, then we have ξ_i for steals per game, lastly we have ω_i for win shares. With these variables we will be predicting the MVP Index for the following NBA season.

$$y_i | \mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma) \quad (1)$$

$$\mu_i = \pi_i + \alpha_i + \rho_i + \beta_i + \xi_i + \omega_i \quad (2)$$

$$\pi \sim \text{Normal}(0, 2.5) \quad (3)$$

$$\alpha \sim \text{Normal}(0, 2.5) \quad (4)$$

$$\rho \sim \text{Normal}(0, 2.5) \quad (5)$$

$$\beta \sim \text{Normal}(0, 2.5) \quad (6)$$

$$\xi \sim \text{Normal}(0, 2.5) \quad (7)$$

$$\omega \sim \text{Normal}(0, 2.5) \quad (8)$$

$$\sigma \sim \text{Exponential}(1) \quad (9)$$

3.1.1 Model justification

We expect a positive relationship between MVP Index and points, assists, rebounds, blocks, steals, and win shares, as these variables collectively define the MVP Index. Additionally, we anticipate a positive relationship because all these statistics indicate strong player performance. The larger any one of these statistics is, the larger the MVP Index will be for the respective player. However, a player who does not acquire many blocks or assists will not necessarily

Table 1

have a low MVP rating; they will simply need to compensate with higher performance in other areas. As shown in Section D, the model has a p-value of less than 2.2×10^{-16} , which is very low and gives us confidence that the model is accurate.

3.1.2 Model Results

Below, we reference Table 1, which presents the MVPs from the last 10 years, along with an additional unknown MVP with a projected MVP Index score. This table includes both historical data with past MVP winners and data we have created independently. Our data identifies players with the highest MVP Index within their respective years, which may not necessarily be the same players who were officially awarded the MVP that year.

As seen in the table, the historical data predicts a player to have an MVP Index of 2.40, while our data suggests that the player with the highest MVP Index will have a score of 2.45. This indicates it is likely that the player with the highest MVP Index will not be the one selected as the MVP. For example, in the 2024 season, the MVP was awarded to Nikola Jokic, who had an MVP Index score of 2.16. However, Luka Doncic, another strong contender for the award, had an MVP Index of 2.20, which was higher than Jokic's score, further highlighting this discrepancy.

As we have learned from Table 1 and which we can see in Section B it is obvious that the MVP is not always the player that performs the best statistically, as LeBron James would have won 8 MVP awards before entering the 2013-2014 season, which would be 8 MVP awards in 10 years. Therefore, there must be other factors excluding the statistics we were looking at, such as human error or prejudice, team success, and overall story telling which we will look further into in Section 5.

4 Results

In this section, we examine key basketball statistics since 1986, beginning with the MVP Index, followed by points per game (PPG), rebounds per game (RPG), and assists per game (APG). The graphs will compare historical MVPs with players from each year who had the highest MVP Index. Analyzing these trends will provide insight into how these statistics have evolved over time among the NBA's elite players and may reveal which statistics are valued more in practice compared to the official MVP selection process.




Figure 1: MVP index of of Historical and simulated MVPs

4.1 MVP Index Since 1986

In Figure 1, we observe that both graphs fluctuate significantly until the 2020s, where they converge around an MVP Index score of 2.2. This trend could suggest several possibilities. One explanation might be that MVPs are becoming less impactful, but this is highly unlikely and not supported by the evidence. A more plausible explanation is that the competition among players is becoming stronger and more consistent over time. It is important to remember that the MVP Index depends as much on the performance of all players in the dataset as it does on the individual player being evaluated.

For example, the 2004-05 and 2005-06 seasons show a notable dip in the MVP Index for historical MVPs. This can be attributed to Phoenix Suns' point guard Steve Nash, who won back-to-back MVP awards during those seasons. Interestingly, Nash did not rank in the top 10 for MVP Index, with two of his teammates, Amar'e Stoudemire and Shawn Marion, both achieving higher Index scores. While Nash's MVP selections remain some of the most debated in the past 20 years, it is important to consider the factors NBA analysts likely valued at the time. Nash's team experienced considerable success, even though they fell short of winning a championship. Furthermore, Nash was recognized for his exceptional leadership, serving as both a floor general and a mentor.

This raises critical questions: Did Nash truly deserve those MVP awards? And, perhaps more importantly, is the selection process for determining the MVP inherently flawed?

4.2 PPG since 1986




Figure 2: MVP PPG over Time

We will now examine Figure 2, which illustrates the points per game (PPG) of MVPs over the years. Similar to Figure 1, this graph shows fluctuations in the data; however, unlike the MVP Index, the values do not appear to converge around a single point. Instead, this graph reveals an interesting trend: for both Simulated MVPs and Historical MVPs, there seems to be an increasing baseline as well as an increasing upper limit. While the data points fluctuate year to year, the overall range of PPG among MVPs is expanding, with both higher peaks and higher troughs.

A notable exception to this trend is Steve Nash, the only MVP since 1986 to win the award while scoring under 20 PPG, as discussed in Section 4.1. Excluding this outlier, the graphs suggest that over time MVPs, whether simulated or historical, are scoring more points on average, even those players who traditionally score less. This observation aligns with findings from (Mezhiborsky 2024), confirming that scoring among top-tier players has been steadily increasing over the years.

4.3 RPG since 1986

In Figure 3, we examine rebounds per game, providing additional insight into the type of MVPs and what was prioritized at different points in time. There is a notable dip in rebounds between the mid-2000s and the mid-2010s in both the Historical Data and Simulated MVPs.




Figure 3: MVP RPG over Time

This period reflects a lack of “big men,” such as centers and power forwards, who traditionally dominate rebounds on their teams. Until the late 2010s, rebounding was largely the domain of these larger players, but during this time, there seems to have been a vacuum of elite big men.

The early 2000s saw dominant rebounders like Shaquille O’Neal, Tim Duncan, and Kevin Garnett. However, their era was followed by a noticeable void until the emergence of smaller players, such as Russell Westbrook, who began recording higher rebound numbers. In the late 2010s and early 2020s, elite big men like Giannis Antetokounmpo, Nikola Jokic, and Joel Embiid rose to prominence. One of these three players has won the MVP award in each of the last six years, which accounts for the significant increase in rebounds observed in the later years of the graph.

4.4 APG since 1986

Lastly, we examine Figure 4, which graphs assists per game over time since 1986. Similar to Figure 3, there is a dip in assists per game among both Historical MVPs and Simulated MVPs during the 1990s and early 2000s. This period was dominated by big men, who were known more for their rebounding abilities than their passing skills. However, we see a gradual increase in assists per game during the 2010s and 2020s, with a small outlier in Joel Embiid in 2023.




Figure 4: MVP ASG over Time

After reviewing these visuals, we can conclude that each of these statistics exhibits a somewhat growing trend. While the growth may not always be consistent, it does appear to exist. This suggests that MVPs in the modern NBA are increasingly likely to be selected if they are well-rounded players, athletes who not only score points and rebound effectively but also contribute as unselfish teammates by creating scoring opportunities through their passing.

5 Discussion

5.1 Human Error and Bias

We must remember that, at the end of the day, the MVP is selected by a group of NBA analysts who come together once a year to cast their ballots for the player they believe deserves the award. It is also important to note that the award is called the “Most Valuable Player” and not the “Best Player” award, emphasizing that the recipient is deemed the most valuable to their team, rather than simply the best overall player. While the human element in voting allows analysts to consider both quantifiable statistics and intangible factors, such as leadership, teammate morale, and on- and off-court behavior, this subjective process introduces room for bias. Machines, in contrast, would likely base their decisions on a purely quantitative measure, such as an MVP Index similar to ours, and choose the player with the highest score.

Human bias can sometimes lead to controversial outcomes. For example, in 2016, Stephen Curry became the first unanimous MVP, receiving all 131 votes. In contrast, in 2013, LeBron James received 120 out of 121 votes, with the remaining vote going to Carmelo Anthony. While Carmelo had a strong season, LeBron's performance that year was exceptional, combining statistical dominance with a second NBA championship win against one of the most well-constructed teams in league history. This example underscores that even a trustworthy and well intentioned group of analysts is still human and prone to occasional error or bias.

Additionally, the selection of an MVP can sometimes reflect narrative-driven decisions that align with storytelling or commercial interests. For instance, when Derrick Rose won the MVP in 2011, few would argue he was the best player in the world. By nearly every statistical measure, LeBron James had a superior season, and his team, the Miami Heat, achieved greater playoff success. However, Rose's story resonated with fans—he was the hometown hero of Chicago, a city looking to rekindle its basketball glory from the Michael Jordan era. This compelling narrative undoubtedly contributed to his MVP selection, illustrating how storytelling can occasionally influence outcomes in ways that deviate from purely objective criteria.

5.2 Consistency vs. Peak Performance

Averages do not show everything. It is possible for a player to be incredibly inconsistent for their team, playing well against weaker opponents while struggling against stronger ones. This could lead to impressive average stats that fail to reflect their performance when the team needed them most. On the other hand, peak performance, where a player dominates in key moments, often captures attention and can overshadow an otherwise inconsistent season. The MVP debate often centers around this tension between reliability and brilliance. A player who delivers steady, high-level contributions throughout the season provides a reliable foundation for their team's success. These players might not always have headline-grabbing moments, but their ability to perform well in nearly every game can be the difference between making the playoffs or falling short. Their contributions build trust among teammates and coaches, as they can be relied upon to deliver in critical situations time and time again.

In contrast, players who showcase moments of sheer brilliance often become the face of the league. These athletes might not exhibit the same game to game reliability, but their ability to dominate in spectacular fashion leaves a lasting impression on fans and voters alike. Peak performers can change the momentum of a season with game-winning shots, record-breaking performances, or memorable battles against top opponents. However, their inconsistency can leave teams vulnerable during less-publicized matchups or critical stretches of the season. Ultimately, the MVP conversation remains an evolving debate, shaped by both quantitative measures and subjective interpretations of what makes a player "most valuable."

5.3 Voting Methodology and Transparency

The voting methodology and transparency in the NBA, particularly for awards like the MVP, have significant implications for the league's credibility and fan engagement. The MVP award is determined by a panel of sportswriters and broadcasters from the United States and Canada, with each voter ranking their top five candidates. Points are assigned on a weighted scale, and the player with the highest total is named MVP. While this system allows for expert analysis, transparency remains a recurring discussion point. Critics often call for more public access to the detailed ballots to ensure accountability and minimize potential biases. The NBA has made strides in recent years by releasing voters' choices post-award, fostering a culture of openness. However, debates about the inclusion of diverse perspectives, potential regional biases, and the weight given to narrative versus statistical performance continue to shape the conversation around fairness and transparency in the voting process.

5.4 Weaknesses and next steps

First, what would have been ideal especially in terms of using our model, would have been to take players from the all 30 NBA teams, and download the data from these players and have our model analyze the data so we would have an actual name of a player for our predicted MVP Index and not just the score. While this would have been great time constraints and other external factors hindered us from implementing this further analysis.

Second, for a more accurate MVP Index we could have sampled the entire league instead of the top 20-30 players, as this would have made a more accurate model as well as made the great players look much more exceptional with regards to the MVP Index, as we have only sampled players who have received at least one vote for an NBA team, this leads to the average statistics we used to normalize our stats. This ended up making the Phenomenal players look great, and the great players look average, and the good players look sub par.

Next, team records are also incredibly important for MVP, if a player played incredibly one season but barely made the playoffs, or even did not at all, the player likely should not be receiving the MVP award, as how much worse could said team get if they weren't that good with the so called "best" player in the league. Unfortunately we were not able to include team record, team win percentage, or even player win percentage if we do not want to include the games a player may have missed. Unfortunately this data was not included in either type of data set that we sourced from (Sports Reference LLC 2024), and due to time constraints downloading potentially dozens if not hundreds additional data sets did not seem to be the best use of time in our case.

Lastly, as mentioned in Section 5.1 the MVP award does not solely rely on statistics and quantifiable factors. While, stats are heavily used in the decision for choosing the MVP there are other, non tangible factors that must be taken into account, otherwise incredibly selfish players who do not help their teams have a much higher chance of winning.

Our next steps, would like be to monitor this NBA season closely potentially add some of the data mentioned earlier in Section 5.4, such as win percentage, and individual historical statistics to more accurate predict the model. We would also like to revisit this paper tat the end of this NBA season once the NBA awards are announced and see how we could improve our model and how accurate it was in predicting the MVP Index of the next MVP.

Appendix

A Surveys, Sampling, and Observational Data

A.1 Overview of MVP Voting Methodology

The MVP award voting process relies on a panel of sportswriters and broadcasters across the United States and Canada, with each voter ranking their top five players. The point system allocates 10 points for a first-place vote, 7 for second, 5 for third, 3 for fourth, and 1 for fifth. The player with the highest total points is named the MVP. While this system ensures broad coverage across media markets, it introduces potential biases rooted in the selection of voters, the weighting system, and the lack of transparency in the criteria used by individual voters (Schmitz 2023).

A.2 Observational Nature of NBA Data

MVP voting data is inherently observational, reflecting subjective decisions rather than controlled experiments. This reliance on subjective assessments introduces variability, as voters may prioritize narrative driven criteria such as team success, leadership, or memorable moments over statistical performance. Observational data like this cannot account for unmeasured factors, such as voters' implicit biases or media-driven narratives. Additionally, players on historically successful teams or those in larger markets may receive disproportionate attention, skewing the outcomes.

A.3 Sampling Representation of Voters

The panel of voters is not a random sample of all stakeholders in the NBA community. Instead, it is a curated group of media professionals, which may underrepresent certain perspectives, such as fans, coaches, or analytics experts. This introduces a potential sampling bias that could influence the results. For example, regional biases might favor players from large-market teams, while recency bias could elevate players with late-season surges. Simulation studies could explore the extent of these biases by randomly reweighting votes or introducing new voter segments, e.g., analytics specialists.

##Simulation of MVP Voting Under Different Scenarios

To examine the robustness of MVP outcomes, simulations were conducted to evaluate how changes to the voting methodology could influence results. For instance, adjusting the weight given to statistical performance in vote tallies revealed several seasons where the MVP Index-aligned winner differed from the historically selected MVP. Similarly, experimenting with alternative weighting schemes, such as assigning equal points for all top-five rankings instead

of a tiered system, led to notable shifts in the final outcomes. These simulations highlight the significant role that methodological choices play in shaping MVP selections, showing that even small adjustments can result in different winners. By simulating different voting scenarios, it becomes clear that the current system is sensitive to how votes are counted and weighted, underscoring the need for transparency and careful consideration of methodology.

B Table By MVP Index

	Year	Player	MVP_index	PTS	AST	TRB	BLK	STL	WS	Source
1	1986	Larry Bird	2.173793	25.8	6.8	9.8	0.6	2.0	15.8	Simulated MVPs
2	1987	Michael Jordan	2.440668	37.1	4.6	5.2	1.5	2.9	16.9	Simulated MVPs
3	1988	Michael Jordan	2.582764	35.0	5.9	5.5	1.6	3.2	21.2	Simulated MVPs
4	1989	Michael Jordan	2.548866	32.5	8.0	8.0	0.8	2.9	19.8	Simulated MVPs
5	1990	Hakeem Olajuwon	2.471915	24.3	2.9	14.0	4.6	2.1	11.2	Simulated MVPs
6	1991	David Robinson	2.410097	25.6	2.5	13.0	3.9	1.5	17.0	Simulated MVPs
7	1992	David Robinson	2.383681	23.2	2.7	12.2	4.5	2.3	13.9	Simulated MVPs
8	1993	Hakeem Olajuwon	2.646521	26.1	3.5	13.0	4.2	1.8	15.8	Simulated MVPs
9	1994	David Robinson	2.778428	29.8	4.8	10.7	3.3	1.7	20.0	Simulated MVPs
10	1995	David Robinson	2.643401	27.6	2.9	10.8	3.2	1.7	17.5	Simulated MVPs
11	1996	David Robinson	2.419458	25.0	3.0	12.2	3.3	1.4	18.3	Simulated MVPs
12	1997	Shaquille O'Neal	2.229996	26.2	3.1	12.5	2.9	0.9	8.0	Simulated MVPs
13	1998	Shaquille O'Neal	2.356842	28.3	2.4	11.4	2.4	0.7	10.2	Simulated MVPs
14	1999	Shaquille O'Neal	2.235782	26.3	2.3	10.7	1.7	0.7	9.0	Simulated MVPs
15	2000	Shaquille O'Neal	2.568962	29.7	3.8	13.6	3.0	0.5	18.6	Simulated MVPs
16	2001	Shaquille O'Neal	2.342722	28.7	3.7	12.7	2.8	0.6	14.9	Simulated MVPs
17	2002	Tim Duncan	2.331213	25.5	3.7	12.7	2.5	0.7	17.8	Simulated MVPs
18	2003	Tracy McGrady	2.412863	32.1	5.5	6.5	0.8	1.7	16.1	Simulated MVPs
19	2004	Kevin Garnett	2.492411	24.2	5.0	13.9	2.2	1.5	18.3	Simulated MVPs
20	2005	LeBron James	2.274034	27.2	7.2	7.4	0.7	2.2	14.3	Simulated MVPs
21	2006	LeBron James	2.318547	31.4	6.6	7.0	0.8	1.6	16.3	Simulated MVPs
22	2007	Kobe Bryant	2.155932	31.6	5.4	5.7	0.5	1.4	13.0	Simulated MVPs
23	2008	LeBron James	2.433659	30.0	7.2	7.9	1.1	1.8	15.2	Simulated MVPs
24	2009	LeBron James	2.468354	28.4	7.2	7.6	1.1	1.7	20.3	Simulated MVPs
25	2010	LeBron James	2.525520	29.7	8.6	7.3	1.0	1.6	18.5	Simulated MVPs
26	2011	LeBron James	2.354880	26.7	7.0	7.5	0.6	1.6	15.6	Simulated MVPs
27	2012	LeBron James	2.414567	27.1	6.2	7.9	0.8	1.9	14.5	Simulated MVPs
28	2013	LeBron James	2.545409	26.8	7.3	8.0	0.9	1.7	19.3	Simulated MVPs
29	2014	Kevin Durant	2.405868	32.0	5.5	7.4	0.7	1.3	19.2	Simulated MVPs
30	2015	Russell Westbrook	2.398289	28.1	8.6	7.3	0.2	2.1	10.6	Simulated MVPs
31	2016	Stephen Curry	2.278181	30.1	6.7	5.4	0.2	2.1	17.9	Simulated MVPs
32	2017	Russell Westbrook	2.362328	31.6	10.4	10.7	0.4	1.6	13.1	Simulated MVPs

33	2018	James Harden	2.297349	30.4	8.8	5.4	0.7	1.8	15.4	Simulated MVPs
34	2019	James Harden	2.456584	36.1	7.5	6.6	0.7	2.0	15.2	Simulated MVPs
35	2020	James Harden	2.263751	34.3	7.5	6.6	0.9	1.8	13.1	Simulated MVPs
36	2021	Nikola Jokić	2.119867	26.4	8.3	10.8	0.7	1.3	15.6	Simulated MVPs
37	2022	Nikola Jokić	2.260379	27.1	7.9	13.8	0.9	1.5	15.2	Simulated MVPs
38	2023	Joel Embiid	2.156639	33.1	4.2	10.2	1.7	1.0	12.3	Simulated MVPs
39	2024	Luka Dončić	2.200904	33.9	9.8	9.2	0.5	1.4	12.0	Simulated MVPs

C Historical MVPs

	Season	Lg	Player	Voting	Age	Tm	G	MP	PTS	TRB	AST	STL
2	2023-24	NBA	Nikola Jokić	(V)	28	DEN	79	34.6	26.4	12.4	9.0	1.4
3	2022-23	NBA	Joel Embiid	(V)	28	PHI	66	34.6	33.1	10.2	4.2	1.0
4	2021-22	NBA	Nikola Jokić	(V)	26	DEN	74	33.5	27.1	13.8	7.9	1.5
5	2020-21	NBA	Nikola Jokić	(V)	25	DEN	72	34.6	26.4	10.8	8.3	1.3
6	2019-20	NBA	Giannis Antetokounmpo	(V)	25	MIL	63	30.4	29.5	13.6	5.6	1.0
7	2018-19	NBA	Giannis Antetokounmpo	(V)	24	MIL	72	32.8	27.7	12.5	5.9	1.3
8	2017-18	NBA	James Harden	(V)	28	HOU	72	35.4	30.4	5.4	8.8	1.8
9	2016-17	NBA	Russell Westbrook	(V)	28	OKC	81	34.6	31.6	10.7	10.4	1.6
10	2015-16	NBA	Stephen Curry	(V)	27	GSW	79	34.2	30.1	5.4	6.7	2.1
11	2014-15	NBA	Stephen Curry	(V)	26	GSW	80	32.7	23.8	4.3	7.7	2.0
12	2013-14	NBA	Kevin Durant	(V)	25	OKC	81	38.5	32.0	7.4	5.5	1.3
13	2012-13	NBA	LeBron James	(V)	28	MIA	76	37.9	26.8	8.0	7.3	1.7
14	Dec-11	NBA	LeBron James	(V)	27	MIA	62	37.5	27.1	7.9	6.2	1.9
15	Nov-10	NBA	Derrick Rose	(V)	22	CHI	81	37.4	25.0	4.1	7.7	1.0
16	Oct-09	NBA	LeBron James	(V)	25	CLE	76	39.0	29.7	7.3	8.6	1.6
17	Sep-08	NBA	LeBron James	(V)	24	CLE	81	37.7	28.4	7.6	7.2	1.7
18	Aug-07	NBA	Kobe Bryant	(V)	29	LAL	82	38.9	28.3	6.3	5.4	1.8
19	Jul-06	NBA	Dirk Nowitzki	(V)	28	DAL	78	36.2	24.6	8.9	3.4	0.7
20	Jun-05	NBA	Steve Nash	(V)	31	PHO	79	35.4	18.8	4.2	10.5	0.8
21	May-04	NBA	Steve Nash	(V)	30	PHO	75	34.3	15.5	3.3	11.5	1.0
22	Apr-03	NBA	Kevin Garnett	(V)	27	MIN	82	39.4	24.2	13.9	5.0	1.5
23	Mar-02	NBA	Tim Duncan	(V)	26	SAS	81	39.3	23.3	12.9	3.9	0.7
24	Feb-01	NBA	Tim Duncan	(V)	25	SAS	82	40.6	25.5	12.7	3.7	0.7
25	Jan-00	NBA	Allen Iverson	(V)	25	PHI	71	42.0	31.1	3.8	4.6	2.5
26	1999-00	NBA	Shaquille O'Neal	(V)	27	LAL	79	40.0	29.7	13.6	3.8	0.5
27	1998-99	NBA	Karl Malone	(V)	35	UTA	49	37.4	23.8	9.4	4.1	1.3
28	1997-98	NBA	Michael Jordan	(V)	34	CHI	82	38.8	28.7	5.8	3.5	1.7
29	1996-97	NBA	Karl Malone	(V)	33	UTA	82	36.6	27.4	9.9	4.5	1.4
30	1995-96	NBA	Michael Jordan	(V)	32	CHI	82	37.7	30.4	6.6	4.3	2.2
31	1994-95	NBA	David Robinson	(V)	29	SAS	81	38.0	27.6	10.8	2.9	1.7

32	1993-94	NBA	Hakeem Olajuwon	(V)	31	HOU	80	41.0	27.3	11.9	3.6	1.6
33	1992-93	NBA	Charles Barkley	(V)	29	PHO	76	37.6	25.6	12.2	5.1	1.6
34	1991-92	NBA	Michael Jordan	(V)	28	CHI	80	38.8	30.1	6.4	6.1	2.3
35	1990-91	NBA	Michael Jordan	(V)	27	CHI	82	37.0	31.5	6.0	5.5	2.7
36	1989-90	NBA	Magic Johnson	(V)	30	LAL	79	37.2	22.3	6.6	11.5	1.7
37	1988-89	NBA	Magic Johnson	(V)	29	LAL	77	37.5	22.5	7.9	12.8	1.8
38	1987-88	NBA	Michael Jordan	(V)	24	CHI	82	40.4	35.0	5.5	5.9	3.2
39	1986-87	NBA	Magic Johnson	(V)	27	LAL	80	36.3	23.9	6.3	12.2	1.7
40	1985-86	NBA	Larry Bird	(V)	29	BOS	82	38.0	25.8	9.8	6.8	2.0

	BLK	FG.	X3P.	FT.	WS	WS.48
2	0.9	0.583	0.359	0.817	17.0	0.299
3	1.7	0.548	0.330	0.857	12.3	0.259
4	0.9	0.583	0.337	0.810	15.2	0.296
5	0.7	0.566	0.388	0.868	15.6	0.301
6	1.0	0.553	0.304	0.633	11.1	0.279
7	1.5	0.578	0.256	0.729	14.4	0.292
8	0.7	0.449	0.367	0.858	15.4	0.289
9	0.4	0.425	0.343	0.845	13.1	0.224
10	0.2	0.504	0.454	0.908	17.9	0.318
11	0.2	0.487	0.443	0.914	15.7	0.288
12	0.7	0.503	0.391	0.873	19.2	0.295
13	0.9	0.565	0.406	0.753	19.3	0.322
14	0.8	0.531	0.362	0.771	14.5	0.298
15	0.6	0.445	0.332	0.858	13.1	0.208
16	1.0	0.503	0.333	0.767	18.5	0.299
17	1.1	0.489	0.344	0.780	20.3	0.318
18	0.5	0.459	0.361	0.840	13.8	0.208
19	0.8	0.502	0.416	0.904	16.3	0.278
20	0.2	0.512	0.439	0.921	12.4	0.212
21	0.1	0.502	0.431	0.887	10.9	0.203
22	2.2	0.499	0.256	0.791	18.3	0.272
23	2.9	0.513	0.273	0.710	16.5	0.248
24	2.5	0.508	0.100	0.799	17.8	0.257
25	0.3	0.420	0.320	0.814	11.8	0.190
26	3.0	0.574	0.000	0.524	18.6	0.283
27	0.6	0.493	0.000	0.788	9.6	0.252
28	0.5	0.465	0.238	0.784	15.8	0.238
29	0.6	0.550	0.000	0.755	16.7	0.268
30	0.5	0.495	0.427	0.834	20.4	0.317
31	3.2	0.530	0.300	0.774	17.5	0.273
32	3.7	0.528	0.421	0.716	14.3	0.210
33	1.0	0.520	0.305	0.765	14.4	0.242
34	0.9	0.519	0.270	0.832	17.7	0.274

```

35 1.0 0.539 0.312 0.851 20.3 0.321
36 0.4 0.480 0.384 0.890 16.5 0.270
37 0.3 0.509 0.314 0.911 16.1 0.267
38 1.6 0.535 0.132 0.841 21.2 0.308
39 0.5 0.522 0.205 0.848 15.9 0.263
40 0.6 0.496 0.423 0.896 15.8 0.244

```

D Model details

Call:

```
lm(formula = MVP_index ~ PTS + AST + TRB + BLK + STL + WS, data = nba_master)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.27967	-0.06232	-0.00013	0.06198	0.33044

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1545172	0.0136329	11.33	<2e-16 ***
PTS	0.0337247	0.0005182	65.08	<2e-16 ***
AST	0.0445034	0.0012761	34.88	<2e-16 ***
TRB	0.0295472	0.0010966	26.95	<2e-16 ***
BLK	0.1125198	0.0041166	27.33	<2e-16 ***
STL	0.1060966	0.0056427	18.80	<2e-16 ***
WS	0.0199776	0.0009258	21.58	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.09672 on 1536 degrees of freedom

Multiple R-squared: 0.8992, Adjusted R-squared: 0.8988

F-statistic: 2284 on 6 and 1536 DF, p-value: < 2.2e-16

References

- Alexander, Rohan. 2023. *Telling Stories with Data*. Chapman; Hall/CRC. <https://tellingstorieswithdata.com/>.
- Arel-Bundock, Vincent. 2023. *Modelsummary: Beautiful and Customizable Model Summaries and Tables*. <https://CRAN.R-project.org/package=modelsummary>.
- Carpenter, Bob, Marco Inacio, Mitzi Morris, et al. 2023. *StanHeaders: C++ Header Files for Stan*. <https://CRAN.R-project.org/package=StanHeaders>.
- Firke, Sam. 2023. *Janitor: Simple Tools for Examining and Cleaning Dirty Data*. <https://CRAN.R-project.org/package=janitor>.
- Goodrich, Ben, Jonah Gabry, Imad Ali, and Sam Brilleman. 2022. “rstanarm: Bayesian applied regression modeling via Stan.” <https://mc-stan.org/rstanarm/>.
- Grolemund, Garrett, and Hadley Wickham. 2023. *Lubridate: Make Dealing with Dates a Little Easier*. <https://CRAN.R-project.org/package=lubridate>.
- Mezhiborsky, Yan. 2024. “The Future of the NBA Is on the Horizon.” <https://github.com/Mezhi18/NBAExpansion>.
- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Schmitz, Tim. 2023. “Why the Right Player Usually Wins the MVP, and Why Voter Fatigue Might Actually Be Good.” 2023. <https://quantimschmitz.com/2023/03/25/the-nba-mvp-voting-system-is-actually-good-and-voter-fatigue-might-actually-make-it-better/>.
- Sports Reference LLC. 2024. Basketball-Reference.com - Basketball Statistics and History. <https://www.basketball-reference.com/>.
- Wickham, Hadley et al. 2023. *The Tidyverse: Easily Install and Load the 'Tidyverse'*. <https://CRAN.R-project.org/package=tidyverse>.
- Wickham, Hadley, Romain François, Lionel Henry, and Kirill Müller. 2023. *Dplyr: A Grammar of Data Manipulation*. <https://CRAN.R-project.org/package=dplyr>.
- Xie, Yihui. 2023. *Knitr: A General-Purpose Package for Dynamic Report Generation in r*. <https://CRAN.R-project.org/package=knitr>.
- Zhu, Hao. 2023. *kableExtra: Construct Complex Table with 'Kable' and Pipe Syntax*. <https://CRAN.R-project.org/package=kableExtra>.