Introduction to Machine Learning Analysis report on Assignment 7 (b) SMO SVM

Name - Prateek Mishra Roll Number - IIT2018199

Question:

To learn how to train and predict a soft margin-SVM with RBF kernel using SMO algorithm.

Dataset : Heart Disease Dataset(in CSV format) 303 rows, 14 columns

```
1 f1,f2,f3,f4,f5,f6,f7,f8,f9,f10,f11,f12,f13,y
2 63.0,1.0,1.0,145.0,233.0,1.0,2.0,150.0,0.0,2.3,3.0,0.0,6.0,0
3 67.0,1.0,4.0,160.0,286.0,0.0,2.0,108.0,1.0,1.5,2.0,3.0,3.0,1
4 67.0,1.0,4.0,120.0,229.0,0.0,2.0,129.0,1.0,2.6,2.0,2.0,7.0,1
5 37.0,1.0,3.0,130.0,250.0,0.0,0.0,187.0,0.0,3.5,3.0,0.0,3.0,0
6 41.0,0.0,2.0,130.0,204.0,0.0,2.0,172.0,0.0,1.4,1.0,0.0,3.0,0
7 56.0,1.0,2.0,120.0,236.0,0.0,0.0,178.0,0.0,0.8,1.0,0.0,3.0,0
8 62.0,0.0,4.0,140.0,268.0,0.0,2.0,160.0,0.0,3.6,3.0,2.0,3.0,1
```

The following steps were taken to make a SVM model using the SMO algorithm.

Data Preprocessing:

Data was splitted into features and prediction(X and Y)

- The data was shuffled.
- Data was feature scaled
- Data was splitted into 70% training and 30% test set.

Modelling:

The solution used a RBF kernel for the SVM classifier. The data was input from a csv file and the output is projected on the standard output.

Analysis:

Both of the algorithms were run for 10 times as the data was shuffled before running the algorithm.

The results obtained were as follows.

- 1. The accuracy of the algorithm was around 75% on average.
- 2. The maximum accuracy obtained was 81% and the minimum obtained was 67%