

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	783	0	14,903	0	29,638	0	44,371	0	59,097	0	73,822	0	88,547	0	103,273	0	117,998	0	132,723
1/4	983	1/4	15,210	1/4	29,945	1/4	44,678	1/4	59,403	1/4	74,129	1/4	88,854	1/4	103,579	1/4	118,305	1/4	133,030
1/2	1,183	1/2	15,517	1/2	30,252	1/2	44,985	1/2	59,710	1/2	74,436	1/2	89,161	1/2	103,886	1/2	118,611	1/2	133,337
3/4	1,383	3/4	15,824	3/4	30,559	3/4	45,292	3/4	60,017	3/4	74,742	3/4	89,468	3/4	104,193	3/4	118,918	3/4	133,643
1	1,584	1	16,131	1	30,866	1	45,599	1	60,324	1	75,049	1	89,774	1	104,500	1	119,225	1	133,950
1/4	1,848	1/4	16,438	1/4	31,173	1/4	45,906	1/4	60,631	1/4	75,356	1/4	90,081	1/4	104,806	1/4	119,532	1/4	134,257
1/2	2,113	1/2	16,745	1/2	31,480	1/2	46,212	1/2	60,937	1/2	75,663	1/2	90,388	1/2	105,113	1/2	119,838	1/2	134,564
3/4	2,377	3/4	17,052	3/4	31,787	3/4	46,519	3/4	61,244	3/4	75,969	3/4	90,695	3/4	105,420	3/4	120,145	3/4	134,870
2	2,641	2	17,359	2	32,094	2	46,826	2	61,551	2	76,276	2	91,001	2	105,727	2	120,452	2	135,177
1/4	2,944	1/4	17,666	1/4	32,401	1/4	47,133	1/4	61,858	1/4	76,583	1/4	91,308	1/4	106,033	1/4	120,759	1/4	135,484
1/2	3,247	1/2	17,973	1/2	32,708	1/2	47,439	1/2	62,164	1/2	76,890	1/2	91,615	1/2	106,340	1/2	121,066	1/2	135,791
3/4	3,550	3/4	18,280	3/4	33,014	3/4	47,746	3/4	62,471	3/4	77,197	3/4	91,922	3/4	106,647	3/4	121,372	3/4	136,098
3	3,852	3	18,587	3	33,321	3	48,053	3	62,778	3	77,503	3	92,229	3	106,954	3	121,679	3	136,404
1/4	4,159	1/4	18,894	1/4	33,628	1/4	48,360	1/4	63,085	1/4	77,810	1/4	92,535	1/4	107,261	1/4	121,986	1/4	136,711
1/2	4,466	1/2	19,201	1/2	33,935	1/2	48,667	1/2	63,392	1/2	78,117	1/2	92,842	1/2	107,567	1/2	122,293	1/2	137,018
3/4	4,773	3/4	19,508	3/4	34,242	3/4	48,973	3/4	63,698	3/4	78,424	3/4	93,149	3/4	107,874	3/4	122,599	3/4	137,325
4	5,080	4	19,815	4	34,549	4	49,280	4	64,005	4	78,730	4	93,456	4	108,181	4	122,906	4	137,631
1/4	5,387	1/4	20,122	1/4	34,856	1/4	49,587	1/4	64,312	1/4	79,037	1/4	93,762	1/4	108,488	1/4	123,213	1/4	137,938
1/2	5,694	1/2	20,429	1/2	35,163	1/2	49,894	1/2	64,619	1/2	79,344	1/2	94,069	1/2	108,794	1/2	123,520	1/2	138,245
3/4	6,001	3/4	20,736	3/4	35,470	3/4	50,200	3/4	64,925	3/4	79,651	3/4	94,376	3/4	109,101	3/4	123,827	3/4	138,552
5	6,308	5	21,043	5	35,777	5	50,507	5	65,232	5	79,957	5	94,683	5	109,408	5	124,133	5	138,859
1/4	6,615	1/4	21,350	1/4	36,084	1/4	50,814	1/4	65,539	1/4	80,264	1/4	94,990	1/4	109,715	1/4	124,440	1/4	139,165
1/2	6,922	1/2	21,657	1/2	36,391	1/2	51,121	1/2	65,846	1/2	80,571	1/2	95,296	1/2	110,022	1/2	124,747	1/2	139,472
3/4	7,229	3/4	21,964	3/4	36,698	3/4	51,427	3/4	66,153	3/4	80,878	3/4	95,603	3/4	110,328	3/4	125,054	3/4	139,779
6	7,536	6	22,271	6	37,005	6	51,734	6	66,459	6	81,185	6	95,910	6	110,635	6	125,360	6	140,086
1/4	7,843	1/4	22,578	1/4	37,312	1/4	52,041	1/4	66,766	1/4	81,491	1/4	96,217	1/4	110,942	1/4	125,667	1/4	140,392
1/2	8,150	1/2	22,885	1/2	37,619	1/2	52,348	1/2	67,073	1/2	81,798	1/2	96,523	1/2	111,249	1/2	125,974	1/2	140,699
3/4	8,457	3/4	23,191	3/4	37,926	3/4	52,654	3/4	67,380	3/4	82,105	3/4	96,830	3/4	111,555	3/4	126,281	3/4	141,006
7	8,764	7	23,498	7	38,233	7	52,961	7	67,686	7	82,412	7	97,137	7	111,862	7	126,588	7	141,313
1/4	9,071	1/4	23,805	1/4	38,540	1/4	53,268	1/4	67,993	1/4	82,718	1/4	97,444	1/4	112,169	1/4	126,894	1/4	141,620
1/2	9,378	1/2	24,112	1/2	38,847	1/2	53,575	1/2	68,300	1/2	83,025	1/2	97,751	1/2	112,476	1/2	127,201	1/2	141,926
3/4	9,685	3/4	24,419	3/4	39,154	3/4	53,882	3/4	68,607	3/4	83,332	3/4	98,057	3/4	112,783	3/4	127,508	3/4	142,233
8	9,992	8	24,726	8	39,461	8	54,188	8	68,914	8	83,639	8	98,364	8	113,089	8	127,815	8	142,540
1/4	10,299	1/4	25,033	1/4	39,768	1/4	54,495	1/4	69,220	1/4	83,946	1/4	98,671	1/4	113,396	1/4	128,121	1/4	142,847
1/2	10,606	1/2	25,340	1/2	40,075	1/2	54,802	1/2	69,527	1/2	84,252	1/2	98,978	1/2	113,703	1/2	128,428	1/2	143,153
3/4	10,913	3/4	25,647	3/4	40,382	3/4	55,109	3/4	69,834	3/4	84,559	3/4	99,284	3/4	114,010	3/4	128,735	3/4	143,460
9	11,220	9	25,954	9	40,689	9	55,415	9	70,141	9	84,866	9	99,591	9	114,316	9	129,042	9	143,767
1/4	11,527	1/4	26,261	1/4	40,995	1/4	55,722	1/4	70,447	1/4	85,173	1/4	99,898	1/4	114,623	1/4	129,348	1/4	144,074
1/2	11,834	1/2	26,568	1/2	41,302	1/2	56,029	1/2	70,754	1/2	85,479	1/2	100,205	1/2	114,930	1/2	129,655	1/2	144,381
3/4	12,141	3/4	26,875	3/4	41,609	3/4	56,336	3/4	71,061	3/4	85,786	3/4	100,512	3/4	115,237	3/4	129,962	3/4	144,687
10	12,448	10	27,182	10	41,916	10	56,642	10	71,368	10	86,093	10	100,818	10	115,544	10	130,269	10	144,994
1/4	12,755	1/4	27,489	1/4	42,223	1/4	56,949	1/4	71,675	1/4	86,400	1/4	101,125	1/4	115,850	1/4	130,576	1/4	145,301
1/2	13,061	1/2	27,796	1/2	42,530	1/2	57,256	1/2	71,981	1/2	86,707	1/2	101,432	1/2	116,157	1/2	130,882	1/2	145,608
3/4	13,368	3/4	28,103	3/4	42,837	3/4	57,563	3/4	72,288	3/4	87,013	3/4	101,739	3/4	116,464	3/4	131,189	3/4	145,914
11	13,675	11	28,410	11	43,144	11	57,870	11	72,595	11	87,320	11	102,045	11	116,771	11	131,496	11	146,221
1/4	13,982	1/4	28,717	1/4	43,451	1/4	58,176	1/4	72,902	1/4	87,627	1/4	102,352	1/4	117,077	1/4	131,803	1/4	146,528
1/2	14,289	1/2	29,024	1/2	43,757	1/2	58,483	1/2	73,208	1/2	87,934	1/2	102,659	1/2	117,384	1/2	132,109	1/2	146,835
3/4	14,596	3/4	29,331	3/4	44,064	3/4	58,790	3/4	73,515	3/4	88,240	3/4	102,966	3/4	117,691	3/4	132,416	3/4	147,142

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06


CAPACITIES GIVEN IN WHOLE GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,448	0	162,174	0	176,899	0	191,624	0	206,349	0	217,838	0		0		0		0	
1/4	147,755	1/4	162,480	1/4	177,206	1/4	191,931	1/4	206,656	1/8	217,857	1/4	1	1/4		1/4		1/4	
1/2	148,062	1/2	162,787	1/2	177,512	1/2	192,238	1/2	206,963	1/2		1/2		1/2		1/2		1/2	
3/4	148,369	3/4	163,094	3/4	177,819	3/4	192,544	3/4	207,270	3/4		3/4		3/4		3/4		3/4	
1	148,675	1	163,401	1	178,126	1	192,851	1	207,576	1		1		1		1		1	
1/4	148,982	1/4	163,707	1/4	178,433	1/4	193,158	1/4	207,883	1/4		1/4		1/4		1/4		1/4	
1/2	149,289	1/2	164,014	1/2	178,739	1/2	193,465	1/2	208,190	1/2		1/2		1/2		1/2		1/2	
3/4	149,596	3/4	164,321	3/4	179,046	3/4	193,772	3/4	208,497	3/4		3/4		3/4		3/4		3/4	
2	149,903	2	164,628	2	179,353	2	194,078	2	208,804	2		2		2		2		2	
1/4	150,209	1/4	164,935	1/4	179,660	1/4	194,385	1/4	209,110	1/4		1/4		1/4		1/4		1/4	
1/2	150,516	1/2	165,241	1/2	179,967	1/2	194,692	1/2	209,417	1/2		1/2		1/2		1/2		1/2	
3/4	150,823	3/4	165,548	3/4	180,273	3/4	194,999	3/4	209,724	3/4		3/4		3/4		3/4		3/4	
3	151,130	3	165,855	3	180,580	3	195,305	3	210,031	3		3		3		3		3	
1/4	151,436	1/4	166,162	1/4	180,887	1/4	195,612	1/4	210,337	1/4		1/4		1/4		1/4		1/4	
1/2	151,743	1/2	166,468	1/2	181,194	1/2	195,919	1/2	210,644	1/2		1/2		1/2		1/2		1/2	
3/4	152,050	3/4	166,775	3/4	181,500	3/4	196,226	3/4	210,951	3/4		3/4		3/4		3/4		3/4	
4	152,357	4	167,082	4	181,807	4	196,533	4	211,258	4		4		4		4		4	
1/4	152,664	1/4	167,389	1/4	182,114	1/4	196,839	1/4	211,565	1/4		1/4		1/4		1/4		1/4	
1/2	152,970	1/2	167,696	1/2	182,421	1/2	197,146	1/2	211,872	1/2		1/2		1/2		1/2		1/2	
3/4	153,277	3/4	168,002	3/4	182,728	3/4	197,453	3/4	212,178	3/4		3/4		3/4		3/4		3/4	
5	153,584	5	168,309	5	183,034	5	197,760	5	212,485	5		5		5		5		5	
1/4	153,891	1/4	168,616	1/4	183,341	1/4	198,066	1/4	212,792	1/4		1/4		1/4		1/4		1/4	
1/2	154,197	1/2	168,923	1/2	183,648	1/2	198,373	1/2	213,098	1/2		1/2		1/2		1/2		1/2	
3/4	154,504	3/4	169,229	3/4	183,955	3/4	198,680	3/4	213,404	3/4		3/4		3/4		3/4		3/4	
6	154,811	6	169,536	6	184,261	6	198,987	6	213,710	6		6		6		6		6	
1/4	155,118	1/4	169,843	1/4	184,568	1/4	199,294	1/4	214,006	1/4		1/4		1/4		1/4		1/4	
1/2	155,424	1/2	170,150	1/2	184,875	1/2	199,600	1/2	214,302	1/2		1/2		1/2		1/2		1/2	
3/4	155,731	3/4	170,457	3/4	185,182	3/4	199,907	3/4	214,597	3/4		3/4		3/4		3/4		3/4	
7	156,038	7	170,763	7	185,489	7	200,214	7	214,893	7		7		7		7		7	
1/4	156,345	1/4	171,070	1/4	185,795	1/4	200,521	1/4	215,143	1/4		1/4		1/4		1/4		1/4	
1/2	156,652	1/2	171,377	1/2	186,102	1/2	200,827	1/2	215,392	1/2		1/2		1/2		1/2		1/2	
3/4	156,958	3/4	171,684	3/4	186,409	3/4	201,134	3/4	215,641	3/4		3/4		3/4		3/4		3/4	
8	157,265	8	171,990	8	186,716	8	201,441	8	215,891	8		8		8		8		8	
1/4	157,572	1/4	172,297	1/4	187,022	1/4	201,748	1/4	216,089	1/4		1/4		1/4		1/4		1/4	
1/2	157,879	1/2	172,604	1/2	187,329	1/2	202,055	1/2	216,287	1/2		1/2		1/2		1/2		1/2	
3/4	158,185	3/4	172,911	3/4	187,636	3/4	202,361	3/4	216,486	3/4		3/4		3/4		3/4		3/4	
9	158,492	9	173,218	9	187,943	9	202,668	9	216,684	9		9		9		9		9	
1/4	158,799	1/4	173,524	1/4	188,250	1/4	202,975	1/4	216,831	1/4		1/4		1/4		1/4		1/4	
1/2	159,106	1/2	173,831	1/2	188,556	1/2	203,282	1/2	216,978	1/2		1/2		1/2		1/2		1/2	
3/4	159,413	3/4	174,138	3/4	188,863	3/4	203,588	3/4	217,125	3/4		3/4		3/4		3/4		3/4	
10	159,719	10	174,445	10	189,170	10	203,895	10	217,272	10		10		10		10		10	
1/4	160,026	1/4	174,751	1/4	189,477	1/4	204,202	1/4	217,368	1/4		1/4		1/4		1/4		1/4	
1/2	160,333	1/2	175,058	1/2	189,783	1/2	204,509	1/2	217,464	1/2		1/2		1/2		1/2		1/2	
3/4	160,640	3/4	175,365	3/4	190,090	3/4	204,815	3/4	217,560	3/4		3/4		3/4		3/4		3/4	
11	160,946	11	175,672	11	190,397	11	205,122	11	217,656	11		11		11		11		11	
1/4	161,253	1/4	175,979	1/4	190,704	1/4	205,429	1/4	217,701	1/4		1/4		1/4		1/4		1/4	
1/2	161,560	1/2	176,285	1/2	191,011	1/2	205,736	1/2	217,747	1/2		1/2		1/2		1/2		1/2	
3/4	161,867	3/4	176,592	3/4	191,317	3/4	206,043	3/4	217,792	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06


CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	783	0	14,903	0	29,638	0	44,369	0	59,098	0	73,833	0	88,569	0	103,304	0	118,039	0	132,774
1/4	975	1/4	15,210	1/4	29,945	1/4	44,676	1/4	59,405	1/4	74,140	1/4	88,876	1/4	103,611	1/4	118,346	1/4	133,081
1/2	1,166	1/2	15,517	1/2	30,252	1/2	44,983	1/2	59,712	1/2	74,447	1/2	89,183	1/2	103,918	1/2	118,653	1/2	133,388
3/4	1,358	3/4	15,824	3/4	30,559	3/4	45,290	3/4	60,019	3/4	74,754	3/4	89,490	3/4	104,225	3/4	118,960	3/4	133,695
1	1,550	1	16,131	1	30,866	1	45,596	1	60,326	1	75,061	1	89,796	1	104,532	1	119,267	1	134,002
1/4	1,819	1/4	16,438	1/4	31,173	1/4	45,903	1/4	60,633	1/4	75,368	1/4	90,103	1/4	104,839	1/4	119,574	1/4	134,309
1/2	2,087	1/2	16,745	1/2	31,480	1/2	46,210	1/2	60,940	1/2	75,675	1/2	90,410	1/2	105,146	1/2	119,881	1/2	134,616
3/4	2,356	3/4	17,052	3/4	31,787	3/4	46,517	3/4	61,247	3/4	75,982	3/4	90,717	3/4	105,453	3/4	120,188	3/4	134,923
2	2,625	2	17,359	2	32,094	2	46,823	2	61,554	2	76,289	2	91,024	2	105,760	2	120,495	2	135,230
1/4	2,932	1/4	17,666	1/4	32,401	1/4	47,130	1/4	61,861	1/4	76,596	1/4	91,331	1/4	106,067	1/4	120,802	1/4	135,537
1/2	3,238	1/2	17,973	1/2	32,708	1/2	47,437	1/2	62,168	1/2	76,903	1/2	91,638	1/2	106,374	1/2	121,109	1/2	135,844
3/4	3,545	3/4	18,280	3/4	33,014	3/4	47,744	3/4	62,475	3/4	77,210	3/4	91,945	3/4	106,681	3/4	121,416	3/4	136,151
3	3,852	3	18,587	3	33,321	3	48,050	3	62,782	3	77,517	3	92,252	3	106,987	3	121,723	3	136,458
1/4	4,159	1/4	18,894	1/4	33,628	1/4	48,357	1/4	63,089	1/4	77,824	1/4	92,559	1/4	107,294	1/4	122,030	1/4	136,765
1/2	4,466	1/2	19,201	1/2	33,935	1/2	48,664	1/2	63,396	1/2	78,131	1/2	92,866	1/2	107,601	1/2	122,337	1/2	137,072
3/4	4,773	3/4	19,508	3/4	34,242	3/4	48,971	3/4	63,703	3/4	78,438	3/4	93,173	3/4	107,908	3/4	122,644	3/4	137,379
4	5,080	4	19,815	4	34,549	4	49,277	4	64,010	4	78,745	4	93,480	4	108,215	4	122,951	4	137,686
1/4	5,387	1/4	20,122	1/4	34,856	1/4	49,584	1/4	64,317	1/4	79,052	1/4	93,787	1/4	108,522	1/4	123,258	1/4	137,993
1/2	5,694	1/2	20,429	1/2	35,163	1/2	49,891	1/2	64,624	1/2	79,359	1/2	94,094	1/2	108,829	1/2	123,565	1/2	138,300
3/4	6,001	3/4	20,736	3/4	35,470	3/4	50,198	3/4	64,931	3/4	79,666	3/4	94,401	3/4	109,136	3/4	123,872	3/4	138,607
5	6,308	5	21,043	5	35,777	5	50,504	5	65,238	5	79,973	5	94,708	5	109,443	5	124,179	5	138,914
1/4	6,615	1/4	21,350	1/4	36,084	1/4	50,811	1/4	65,545	1/4	80,280	1/4	95,015	1/4	109,750	1/4	124,485	1/4	139,221
1/2	6,922	1/2	21,657	1/2	36,391	1/2	51,118	1/2	65,852	1/2	80,587	1/2	95,322	1/2	110,057	1/2	124,792	1/2	139,528
3/4	7,229	3/4	21,964	3/4	36,698	3/4	51,425	3/4	66,159	3/4	80,894	3/4	95,629	3/4	110,364	3/4	125,099	3/4	139,835
6	7,536	6	22,271	6	37,005	6	51,732	6	66,466	6	81,201	6	95,936	6	110,671	6	125,406	6	140,142
1/4	7,843	1/4	22,578	1/4	37,312	1/4	52,038	1/4	66,773	1/4	81,508	1/4	96,243	1/4	110,978	1/4	125,713	1/4	140,449
1/2	8,150	1/2	22,885	1/2	37,618	1/2	52,345	1/2	67,080	1/2	81,815	1/2	96,550	1/2	111,285	1/2	126,020	1/2	140,756
3/4	8,457	3/4	23,191	3/4	37,925	3/4	52,652	3/4	67,387	3/4	82,122	3/4	96,857	3/4	111,592	3/4	126,327	3/4	141,063
7	8,764	7	23,498	7	38,232	7	52,959	7	67,694	7	82,429	7	97,164	7	111,899	7	126,634	7	141,370
1/4	9,071	1/4	23,805	1/4	38,539	1/4	53,266	1/4	68,001	1/4	82,736	1/4	97,471	1/4	112,206	1/4	126,941	1/4	141,677
1/2	9,378	1/2	24,112	1/2	38,846	1/2	53,573	1/2	68,308	1/2	83,043	1/2	97,778	1/2	112,513	1/2	127,248	1/2	141,983
3/4	9,685	3/4	24,419	3/4	39,153	3/4	53,880	3/4	68,615	3/4	83,350	3/4	98,085	3/4	112,820	3/4	127,555	3/4	142,290
8	9,992	8	24,726	8	39,460	8	54,187	8	68,922	8	83,657	8	98,392	8	113,127	8	127,862	8	142,597
1/4	10,299	1/4	25,033	1/4	39,767	1/4	54,494	1/4	69,229	1/4	83,964	1/4	98,699	1/4	113,434	1/4	128,169	1/4	142,904
1/2	10,606	1/2	25,340	1/2	40,074	1/2	54,801	1/2	69,536	1/2	84,271	1/2	99,006	1/2	113,741	1/2	128,476	1/2	143,211
3/4	10,913	3/4	25,647	3/4	40,381	3/4	55,107	3/4	69,843	3/4	84,578	3/4	99,313	3/4	114,048	3/4	128,783	3/4	143,518
9	11,220	9	25,954	9	40,688	9	55,414	9	70,150	9	84,885	9	99,620	9	114,355	9	129,090	9	143,825
1/4	11,527	1/4	26,261	1/4	40,994	1/4	55,721	1/4	70,457	1/4	85,192	1/4	99,927	1/4	114,662	1/4	129,397	1/4	144,132
1/2	11,834	1/2	26,568	1/2	41,301	1/2	56,028	1/2	70,764	1/2	85,499	1/2	100,234	1/2	114,969	1/2	129,704	1/2	144,439
3/4	12,141	3/4	26,875	3/4	41,608	3/4	56,335	3/4	71,071	3/4	85,806	3/4	100,541	3/4	115,276	3/4	130,011	3/4	144,746
10	12,448	10	27,182	10	41,915	10	56,642	10	71,378	10	86,113	10	100,848	10	115,583	10	130,318	10	145,053
1/4	12,755	1/4	27,489	1/4	42,222	1/4	56,949	1/4	71,685	1/4	86,420	1/4	101,155	1/4	115,890	1/4	130,625	1/4	145,360
1/2	13,061	1/2	27,796	1/2	42,529	1/2	57,256	1/2	71,992	1/2	86,727	1/2	101,462	1/2	116,197	1/2	130,932	1/2	145,667
3/4	13,368	3/4	28,103	3/4	42,835	3/4	57,563	3/4	72,298	3/4	87,034	3/4	101,769	3/4	116,504	3/4	131,239	3/4	145,974
11	13,675	11	28,410	11	43,142	11	57,870	11	72,605	11	87,341	11	102,076	11	116,811	11	131,546	11	146,281
1/4	13,982	1/4	28,717	1/4	43,449	1/4	58,177	1/4	72,912	1/4	87,648	1/4	102,383	1/4	117,118	1/4	131,853	1/4	146,588
1/2	14,289	1/2	29,024	1/2	43,756	1/2	58,484	1/2	73,219	1/2	87,955	1/2	102,690	1/2	117,425	1/2	132,160	1/2	146,895
3/4	14,596	3/4	29,331	3/4	44,062	3/4	58,791	3/4	73,526	3/4	88,262	3/4	102,997	3/4	117,732	3/4	132,467	3/4	147,202

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06



CAPACITIES GIVEN IN WHOLE GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,509	0	162,244	0	176,979	0	191,715	0	206,450	0	217,962	0		0		0		0	
1/4	147,816	1/4	162,551	1/4	177,286	1/4	192,022	1/4	206,757	1/4		1/4		1/4		1/4		1/4	
1/2	148,123	1/2	162,858	1/2	177,593	1/2	192,329	1/2	207,064	1/2		1/2		1/2		1/2		1/2	
3/4	148,430	3/4	163,165	3/4	177,900	3/4	192,636	3/4	207,371	3/4		3/4		3/4		3/4		3/4	
1	148,737	1	163,472	1	178,207	1	192,943	1	207,678	1		1		1		1		1	
1/4	149,044	1/4	163,779	1/4	178,514	1/4	193,250	1/4	207,985	1/4		1/4		1/4		1/4		1/4	
1/2	149,351	1/2	164,086	1/2	178,821	1/2	193,557	1/2	208,292	1/2		1/2		1/2		1/2		1/2	
3/4	149,658	3/4	164,393	3/4	179,128	3/4	193,863	3/4	208,599	3/4		3/4		3/4		3/4		3/4	
2	149,965	2	164,700	2	179,435	2	194,170	2	208,906	2		2		2		2		2	
1/4	150,272	1/4	165,007	1/4	179,742	1/4	194,477	1/4	209,213	1/4		1/4		1/4		1/4		1/4	
1/2	150,579	1/2	165,314	1/2	180,049	1/2	194,784	1/2	209,520	1/2		1/2		1/2		1/2		1/2	
3/4	150,886	3/4	165,621	3/4	180,356	3/4	195,091	3/4	209,827	3/4		3/4		3/4		3/4		3/4	
3	151,193	3	165,928	3	180,663	3	195,398	3	210,134	3		3		3		3		3	
1/4	151,500	1/4	166,235	1/4	180,970	1/4	195,705	1/4	210,441	1/4		1/4		1/4		1/4		1/4	
1/2	151,807	1/2	166,542	1/2	181,277	1/2	196,012	1/2	210,748	1/2		1/2		1/2		1/2		1/2	
3/4	152,114	3/4	166,849	3/4	181,584	3/4	196,319	3/4	211,055	3/4		3/4		3/4		3/4		3/4	
4	152,421	4	167,156	4	181,891	4	196,626	4	211,361	4		4		4		4		4	
1/4	152,728	1/4	167,463	1/4	182,198	1/4	196,933	1/4	211,668	1/4		1/4		1/4		1/4		1/4	
1/2	153,035	1/2	167,770	1/2	182,505	1/2	197,240	1/2	211,975	1/2		1/2		1/2		1/2		1/2	
3/4	153,342	3/4	168,077	3/4	182,812	3/4	197,547	3/4	212,282	3/4		3/4		3/4		3/4		3/4	
5	153,649	5	168,384	5	183,119	5	197,854	5	212,589	5		5		5		5		5	
1/4	153,956	1/4	168,691	1/4	183,426	1/4	198,161	1/4	212,896	1/4		1/4		1/4		1/4		1/4	
1/2	154,263	1/2	168,998	1/2	183,733	1/2	198,468	1/2	213,203	1/2		1/2		1/2		1/2		1/2	
3/4	154,570	3/4	169,305	3/4	184,040	3/4	198,775	3/4	213,510	3/4		3/4		3/4		3/4		3/4	
6	154,877	6	169,612	6	184,347	6	199,082	6	213,817	6		6		6		6		6	
1/4	155,184	1/4	169,919	1/4	184,654	1/4	199,389	1/4	214,118	1/4		1/4		1/4		1/4		1/4	
1/2	155,491	1/2	170,226	1/2	184,961	1/2	199,696	1/2	214,419	1/2		1/2		1/2		1/2		1/2	
3/4	155,798	3/4	170,533	3/4	185,268	3/4	200,003	3/4	214,719	3/4		3/4		3/4		3/4		3/4	
7	156,105	7	170,840	7	185,575	7	200,310	7	215,020	7		7		7		7		7	
1/4	156,412	1/4	171,147	1/4	185,882	1/4	200,617	1/4	215,269	1/4		1/4		1/4		1/4		1/4	
1/2	156,719	1/2	171,454	1/2	186,189	1/2	200,924	1/2	215,519	1/2		1/2		1/2		1/2		1/2	
3/4	157,026	3/4	171,761	3/4	186,496	3/4	201,231	3/4	215,768	3/4		3/4		3/4		3/4		3/4	
8	157,333	8	172,068	8	186,803	8	201,538	8	216,017	8		8		8		8		8	
1/4	157,640	1/4	172,375	1/4	187,110	1/4	201,845	1/4	216,216	1/4		1/4		1/4		1/4		1/4	
1/2	157,947	1/2	172,682	1/2	187,417	1/2	202,152	1/2	216,414	1/2		1/2		1/2		1/2		1/2	
3/4	158,254	3/4	172,989	3/4	187,724	3/4	202,459	3/4	216,612	3/4		3/4		3/4		3/4		3/4	
9	158,561	9	173,296	9	188,031	9	202,766	9	216,810	9		9		9		9		9	
1/4	158,868	1/4	173,603	1/4	188,338	1/4	203,073	1/4	216,958	1/4		1/4		1/4		1/4		1/4	
1/2	159,174	1/2	173,910	1/2	188,645	1/2	203,380	1/2	217,105	1/2		1/2		1/2		1/2		1/2	
3/4	159,481	3/4	174,217	3/4	188,952	3/4	203,687	3/4	217,252	3/4		3/4		3/4		3/4		3/4	
10	159,788	10	174,524	10	189,259	10	203,994	10	217,399	10		10		10		10		10	
1/4	160,095	1/4	174,831	1/4	189,566	1/4	204,301	1/4	217,495	1/4		1/4		1/4		1/4		1/4	
1/2	160,402	1/2	175,138	1/2	189,873	1/2	204,608	1/2	217,591	1/2		1/2		1/2		1/2		1/2	
3/4	160,709	3/4	175,445	3/4	190,180	3/4	204,915	3/4	217,687	3/4		3/4		3/4		3/4		3/4	
11	161,016	11	175,752	11	190,487	11	205,222	11	217,783	11		11		11		11		11	
1/4	161,323	1/4	176,059	1/4	190,794	1/4	205,529	1/4	217,827	1/4		1/4		1/4		1/4		1/4	
1/2	161,630	1/2	176,366	1/2	191,101	1/2	205,836	1/2	217,872	1/2		1/2		1/2		1/2		1/2	
3/4	161,937	3/4	176,672	3/4	191,408	3/4	206,143	3/4	217,917	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	797	0	15,246	0	30,329	0	45,389	0	60,394	0	75,477	0	90,561	0	105,644	0	120,728	0	135,811
1/4	994	1/4	15,560	1/4	30,644	1/4	45,700	1/4	60,708	1/4	75,791	1/4	90,875	1/4	105,958	1/4	121,042	1/4	136,125
1/2	1,190	1/2	15,874	1/2	30,958	1/2	46,012	1/2	61,022	1/2	76,106	1/2	91,189	1/2	106,273	1/2	121,356	1/2	136,440
3/4	1,387	3/4	16,189	3/4	31,272	3/4	46,323	3/4	61,336	3/4	76,420	3/4	91,503	3/4	106,587	3/4	121,670	3/4	136,754
1	1,583	1	16,503	1	31,586	1	46,635	1	61,651	1	76,734	1	91,818	1	106,901	1	121,985	1	137,068
1/4	1,858	1/4	16,817	1/4	31,901	1/4	46,946	1/4	61,965	1/4	77,048	1/4	92,132	1/4	107,215	1/4	122,299	1/4	137,382
1/2	2,133	1/2	17,131	1/2	32,215	1/2	47,257	1/2	62,279	1/2	77,363	1/2	92,446	1/2	107,530	1/2	122,613	1/2	137,697
3/4	2,408	3/4	17,446	3/4	32,529	3/4	47,569	3/4	62,593	3/4	77,677	3/4	92,760	3/4	107,844	3/4	122,927	3/4	138,011
2	2,683	2	17,760	2	32,843	2	47,880	2	62,907	2	77,991	2	93,074	2	108,158	2	123,241	2	138,325
1/4	2,997	1/4	18,074	1/4	33,158	1/4	48,192	1/4	63,222	1/4	78,305	1/4	93,389	1/4	108,472	1/4	123,556	1/4	138,639
1/2	3,311	1/2	18,388	1/2	33,472	1/2	48,503	1/2	63,536	1/2	78,619	1/2	93,703	1/2	108,786	1/2	123,870	1/2	138,953
3/4	3,625	3/4	18,702	3/4	33,786	3/4	48,815	3/4	63,850	3/4	78,934	3/4	94,017	3/4	109,101	3/4	124,184	3/4	139,268
3	3,939	3	19,017	3	34,100	3	49,126	3	64,164	3	79,248	3	94,331	3	109,415	3	124,498	3	139,582
1/4	4,253	1/4	19,331	1/4	34,414	1/4	49,437	1/4	64,479	1/4	79,562	1/4	94,646	1/4	109,729	1/4	124,813	1/4	139,896
1/2	4,567	1/2	19,645	1/2	34,729	1/2	49,749	1/2	64,793	1/2	79,876	1/2	94,960	1/2	110,043	1/2	125,127	1/2	140,210
3/4	4,881	3/4	19,959	3/4	35,043	3/4	50,060	3/4	65,107	3/4	80,191	3/4	95,274	3/4	110,358	3/4	125,441	3/4	140,525
4	5,195	4	20,274	4	35,357	4	50,372	4	65,421	4	80,505	4	95,588	4	110,672	4	125,755	4	140,839
1/4	5,509	1/4	20,588	1/4	35,671	1/4	50,683	1/4	65,736	1/4	80,819	1/4	95,903	1/4	110,986	1/4	126,070	1/4	141,153
1/2	5,824	1/2	20,902	1/2	35,986	1/2	50,995	1/2	66,050	1/2	81,133	1/2	96,217	1/2	111,300	1/2	126,384	1/2	141,467
3/4	6,138	3/4	21,216	3/4	36,300	3/4	51,306	3/4	66,364	3/4	81,448	3/4	96,531	3/4	111,615	3/4	126,698	3/4	141,782
5	6,452	5	21,531	5	36,614	5	51,617	5	66,678	5	81,762	5	96,845	5	111,929	5	127,012	5	142,096
1/4	6,766	1/4	21,845	1/4	36,928	1/4	51,929	1/4	66,993	1/4	82,076	1/4	97,160	1/4	112,243	1/4	127,327	1/4	142,410
1/2	7,080	1/2	22,159	1/2	37,242	1/2	52,240	1/2	67,307	1/2	82,390	1/2	97,474	1/2	112,557	1/2	127,641	1/2	142,724
3/4	7,394	3/4	22,473	3/4	37,556	3/4	52,552	3/4	67,621	3/4	82,705	3/4	97,788	3/4	112,872	3/4	127,955	3/4	143,039
6	7,708	6	22,788	6	37,871	6	52,863	6	67,935	6	83,019	6	98,102	6	113,186	6	128,269	6	143,353
1/4	8,022	1/4	23,102	1/4	38,185	1/4	53,176	1/4	68,250	1/4	83,333	1/4	98,417	1/4	113,500	1/4	128,584	1/4	143,667
1/2	8,336	1/2	23,416	1/2	38,499	1/2	53,489	1/2	68,564	1/2	83,647	1/2	98,731	1/2	113,814	1/2	128,898	1/2	143,981
3/4	8,650	3/4	23,730	3/4	38,813	3/4	53,802	3/4	68,878	3/4	83,962	3/4	99,045	3/4	114,129	3/4	129,212	3/4	144,296
7	8,964	7	24,045	7	39,127	7	54,114	7	69,192	7	84,276	7	99,359	7	114,443	7	129,526	7	144,610
1/4	9,278	1/4	24,359	1/4	39,442	1/4	54,427	1/4	69,507	1/4	84,590	1/4	99,674	1/4	114,757	1/4	129,841	1/4	144,924
1/2	9,592	1/2	24,673	1/2	39,756	1/2	54,740	1/2	69,821	1/2	84,904	1/2	99,988	1/2	115,071	1/2	130,155	1/2	145,238
3/4	9,907	3/4	24,987	3/4	40,070	3/4	55,053	3/4	70,135	3/4	85,218	3/4	100,302	3/4	115,385	3/4	130,469	3/4	145,552
8	10,221	8	25,302	8	40,384	8	55,366	8	70,449	8	85,533	8	100,616	8	115,700	8	130,783	8	145,867
1/4	10,535	1/4	25,616	1/4	40,698	1/4	55,680	1/4	70,763	1/4	85,847	1/4	100,930	1/4	116,014	1/4	131,097	1/4	146,181
1/2	10,849	1/2	25,930	1/2	41,012	1/2	55,994	1/2	71,078	1/2	86,161	1/2	101,245	1/2	116,328	1/2	131,412	1/2	146,495
3/4	11,163	3/4	26,244	3/4	41,327	3/4	56,308	3/4	71,392	3/4	86,475	3/4	101,559	3/4	116,642	3/4	131,726	3/4	146,809
9	11,477	9	26,558	9	41,641	9	56,623	9	71,706	9	86,790	9	101,873	9	116,957	9	132,040	9	147,124
1/4	11,791	1/4	26,873	1/4	41,955	1/4	56,937	1/4	72,020	1/4	87,104	1/4	102,187	1/4	117,271	1/4	132,354	1/4	147,438
1/2	12,105	1/2	27,187	1/2	42,269	1/2	57,251	1/2	72,335	1/2	87,418	1/2	102,502	1/2	117,585	1/2	132,669	1/2	147,752
3/4	12,419	3/4	27,501	3/4	42,583	3/4	57,565	3/4	72,649	3/4	87,732	3/4	102,816	3/4	117,899	3/4	132,983	3/4	148,066
10	12,733	10	27,815	10	42,897	10	57,880	10	72,963	10	88,047	10	103,130	10	118,214	10	133,297	10	148,381
1/4	13,047	1/4	28,130	1/4	43,209	1/4	58,194	1/4	73,277	1/4	88,361	1/4	103,444	1/4	118,528	1/4	133,611	1/4	148,695
1/2	13,361	1/2	28,444	1/2	43,520	1/2	58,508	1/2	73,592	1/2	88,675	1/2	103,759	1/2	118,842	1/2	133,926	1/2	149,009
3/4	13,675	3/4	28,758	3/4	43,832	3/4	58,822	3/4	73,906	3/4	88,989	3/4	104,073	3/4	119,156	3/4	134,240	3/4	149,323
11	13,990	11	29,072	11	44,143	11	59,137	11	74,220	11	89,304	11	104,387	11	119,471	11	134,554	11	149,638
1/4	14,304	1/4	29,387	1/4	44,455	1/4	59,451	1/4	74,534	1/4	89,618	1/4	104,701	1/4	119,785	1/4	134,868	1/4	149,952
1/2	14,618	1/2	29,701	1/2	44,766	1/2	59,765	1/2	74,849	1/2	89,932	1/2	105,016	1/2	120,099	1/2	135,183	1/2	150,266
3/4	14,932	3/4	30,015	3/4	45,077	3/4	60,079	3/4	75,163	3/4	90,246	3/4	105,330	3/4	120,413	3/4	135,497	3/4	150,580

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
 DATE COMPUTED: 5/18/06 BY: WHF
 DATE ISSUED: 5/22/06



CAPACITIES GIVEN IN WHOLE GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,895	0	165,978	0	181,062	0	196,145	0	211,229	0	222,698	0		0		0		0	
1/4	151,209	1/4	166,292	1/4	181,376	1/4	196,459	1/4	211,543	1/4		1/4		1/4		1/4		1/4	
1/2	151,523	1/2	166,607	1/2	181,690	1/2	196,774	1/2	211,857	1/2		1/2		1/2		1/2		1/2	
3/4	151,837	3/4	166,921	3/4	182,004	3/4	197,088	3/4	212,171	3/4		3/4		3/4		3/4		3/4	
1	152,152	1	167,235	1	182,319	1	197,402	1	212,486	1		1		1		1		1	
1/4	152,466	1/4	167,549	1/4	182,633	1/4	197,716	1/4	212,800	1/4		1/4		1/4		1/4		1/4	
1/2	152,780	1/2	167,864	1/2	182,947	1/2	198,031	1/2	213,114	1/2		1/2		1/2		1/2		1/2	
3/4	153,094	3/4	168,178	3/4	183,261	3/4	198,345	3/4	213,428	3/4		3/4		3/4		3/4		3/4	
2	153,408	2	168,492	2	183,575	2	198,659	2	213,742	2		2		2		2		2	
1/4	153,723	1/4	168,806	1/4	183,890	1/4	198,973	1/4	214,057	1/4		1/4		1/4		1/4		1/4	
1/2	154,037	1/2	169,120	1/2	184,204	1/2	199,287	1/2	214,371	1/2		1/2		1/2		1/2		1/2	
3/4	154,351	3/4	169,435	3/4	184,518	3/4	199,602	3/4	214,685	3/4		3/4		3/4		3/4		3/4	
3	154,665	3	169,749	3	184,832	3	199,916	3	214,999	3		3		3		3		3	
1/4	154,980	1/4	170,063	1/4	185,147	1/4	200,230	1/4	215,314	1/4		1/4		1/4		1/4		1/4	
1/2	155,294	1/2	170,377	1/2	185,461	1/2	200,544	1/2	215,628	1/2		1/2		1/2		1/2		1/2	
3/4	155,608	3/4	170,692	3/4	185,775	3/4	200,859	3/4	215,942	3/4		3/4		3/4		3/4		3/4	
4	155,922	4	171,006	4	186,089	4	201,173	4	216,256	4		4		4		4		4	
1/4	156,237	1/4	171,320	1/4	186,404	1/4	201,487	1/4	216,571	1/4		1/4		1/4		1/4		1/4	
1/2	156,551	1/2	171,634	1/2	186,718	1/2	201,801	1/2	216,885	1/2		1/2		1/2		1/2		1/2	
3/4	156,865	3/4	171,949	3/4	187,032	3/4	202,116	3/4	217,199	3/4		3/4		3/4		3/4		3/4	
5	157,179	5	172,263	5	187,346	5	202,430	5	217,513	5		5		5		5		5	
1/4	157,494	1/4	172,577	1/4	187,661	1/4	202,744	1/4	217,828	1/4		1/4		1/4		1/4		1/4	
1/2	157,808	1/2	172,891	1/2	187,975	1/2	203,058	1/2	218,142	1/2		1/2		1/2		1/2		1/2	
3/4	158,122	3/4	173,206	3/4	188,289	3/4	203,373	3/4	218,456	3/4		3/4		3/4		3/4		3/4	
6	158,436	6	173,520	6	188,603	6	203,687	6	218,770	6		6		6		6		6	
1/4	158,751	1/4	173,834	1/4	188,918	1/4	204,001	1/4	219,065	1/4		1/4		1/4		1/4		1/4	
1/2	159,065	1/2	174,148	1/2	189,232	1/2	204,315	1/2	219,360	1/2		1/2		1/2		1/2		1/2	
3/4	159,379	3/4	174,463	3/4	189,546	3/4	204,630	3/4	219,654	3/4		3/4		3/4		3/4		3/4	
7	159,693	7	174,777	7	189,860	7	204,944	7	219,949	7		7		7		7		7	
1/4	160,008	1/4	175,091	1/4	190,175	1/4	205,258	1/4	220,191	1/4		1/4		1/4		1/4		1/4	
1/2	160,322	1/2	175,405	1/2	190,489	1/2	205,572	1/2	220,433	1/2		1/2		1/2		1/2		1/2	
3/4	160,636	3/4	175,719	3/4	190,803	3/4	205,886	3/4	220,675	3/4		3/4		3/4		3/4		3/4	
8	160,950	8	176,034	8	191,117	8	206,201	8	220,918	8		8		8		8		8	
1/4	161,264	1/4	176,348	1/4	191,431	1/4	206,515	1/4	221,107	1/4		1/4		1/4		1/4		1/4	
1/2	161,579	1/2	176,662	1/2	191,746	1/2	206,829	1/2	221,297	1/2		1/2		1/2		1/2		1/2	
3/4	161,893	3/4	176,976	3/4	192,060	3/4	207,143	3/4	221,487	3/4		3/4		3/4		3/4		3/4	
9	162,207	9	177,291	9	192,374	9	207,458	9	221,677	9		9		9		9		9	
1/4	162,521	1/4	177,605	1/4	192,688	1/4	207,772	1/4	221,814	1/4		1/4		1/4		1/4		1/4	
1/2	162,836	1/2	177,919	1/2	193,003	1/2	208,086	1/2	221,952	1/2		1/2		1/2		1/2		1/2	
3/4	163,150	3/4	178,233	3/4	193,317	3/4	208,400	3/4	222,089	3/4		3/4		3/4		3/4		3/4	
10	163,464	10	178,548	10	193,631	10	208,715	10	222,227	10		10		10		10		10	
1/4	163,778	1/4	178,862	1/4	193,945	1/4	209,029	1/4	222,312	1/4		1/4		1/4		1/4		1/4	
1/2	164,093	1/2	179,176	1/2	194,260	1/2	209,343	1/2	222,397	1/2		1/2		1/2		1/2		1/2	
3/4	164,407	3/4	179,490	3/4	194,574	3/4	209,657	3/4	222,482	3/4		3/4		3/4		3/4		3/4	
11	164,721	11	179,805	11	194,888	11	209,972	11	222,567	11		11		11		11		11	
1/4	165,035	1/4	180,119	1/4	195,202	1/4	210,286	1/4	222,600	1/4		1/4		1/4		1/4		1/4	
1/2	165,350	1/2	180,433	1/2	195,517	1/2	210,600	1/2	222,633	1/2		1/2		1/2		1/2		1/2	
3/4	165,664	3/4	180,747	3/4	195,831	3/4	210,914	3/4	222,666	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
 DATE COMPUTED: 5/18/06 BY: WHF
 DATE ISSUED: 5/22/06



CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	797	0	15,246	0	30,329	0	45,389	0	60,394	0	75,477	0	90,561	0	105,644	0	120,728	0	135,811
1/4	994	1/4	15,560	1/4	30,644	1/4	45,700	1/4	60,708	1/4	75,791	1/4	90,875	1/4	105,958	1/4	121,042	1/4	136,125
1/2	1,190	1/2	15,874	1/2	30,958	1/2	46,012	1/2	61,022	1/2	76,106	1/2	91,189	1/2	106,273	1/2	121,356	1/2	136,440
3/4	1,387	3/4	16,189	3/4	31,272	3/4	46,323	3/4	61,336	3/4	76,420	3/4	91,503	3/4	106,587	3/4	121,670	3/4	136,754
1	1,583	1	16,503	1	31,586	1	46,635	1	61,651	1	76,734	1	91,818	1	106,901	1	121,985	1	137,068
1/4	1,858	1/4	16,817	1/4	31,901	1/4	46,946	1/4	61,965	1/4	77,048	1/4	92,132	1/4	107,215	1/4	122,299	1/4	137,382
1/2	2,133	1/2	17,131	1/2	32,215	1/2	47,257	1/2	62,279	1/2	77,363	1/2	92,446	1/2	107,530	1/2	122,613	1/2	137,697
3/4	2,408	3/4	17,446	3/4	32,529	3/4	47,569	3/4	62,593	3/4	77,677	3/4	92,760	3/4	107,844	3/4	122,927	3/4	138,011
2	2,683	2	17,760	2	32,843	2	47,880	2	62,907	2	77,991	2	93,074	2	108,158	2	123,241	2	138,325
1/4	2,997	1/4	18,074	1/4	33,158	1/4	48,192	1/4	63,222	1/4	78,305	1/4	93,389	1/4	108,472	1/4	123,556	1/4	138,639
1/2	3,311	1/2	18,388	1/2	33,472	1/2	48,503	1/2	63,536	1/2	78,619	1/2	93,703	1/2	108,786	1/2	123,870	1/2	138,953
3/4	3,625	3/4	18,702	3/4	33,786	3/4	48,815	3/4	63,850	3/4	78,934	3/4	94,017	3/4	109,101	3/4	124,184	3/4	139,268
3	3,939	3	19,017	3	34,100	3	49,126	3	64,164	3	79,248	3	94,331	3	109,415	3	124,498	3	139,582
1/4	4,253	1/4	19,331	1/4	34,414	1/4	49,437	1/4	64,479	1/4	79,562	1/4	94,646	1/4	109,729	1/4	124,813	1/4	139,896
1/2	4,567	1/2	19,645	1/2	34,729	1/2	49,749	1/2	64,793	1/2	79,876	1/2	94,960	1/2	110,043	1/2	125,127	1/2	140,210
3/4	4,881	3/4	19,959	3/4	35,043	3/4	50,060	3/4	65,107	3/4	80,191	3/4	95,274	3/4	110,358	3/4	125,441	3/4	140,525
4	5,195	4	20,274	4	35,357	4	50,372	4	65,421	4	80,505	4	95,588	4	110,672	4	125,755	4	140,839
1/4	5,509	1/4	20,588	1/4	35,671	1/4	50,683	1/4	65,736	1/4	80,819	1/4	95,903	1/4	110,986	1/4	126,070	1/4	141,153
1/2	5,824	1/2	20,902	1/2	35,986	1/2	50,995	1/2	66,050	1/2	81,133	1/2	96,217	1/2	111,300	1/2	126,384	1/2	141,467
3/4	6,138	3/4	21,216	3/4	36,300	3/4	51,306	3/4	66,364	3/4	81,448	3/4	96,531	3/4	111,615	3/4	126,698	3/4	141,782
5	6,452	5	21,531	5	36,614	5	51,617	5	66,678	5	81,762	5	96,845	5	111,929	5	127,012	5	142,096
1/4	6,766	1/4	21,845	1/4	36,928	1/4	51,929	1/4	66,993	1/4	82,076	1/4	97,160	1/4	112,243	1/4	127,327	1/4	142,410
1/2	7,080	1/2	22,159	1/2	37,242	1/2	52,240	1/2	67,307	1/2	82,390	1/2	97,474	1/2	112,557	1/2	127,641	1/2	142,724
3/4	7,394	3/4	22,473	3/4	37,556	3/4	52,552	3/4	67,621	3/4	82,705	3/4	97,788	3/4	112,872	3/4	127,955	3/4	143,039
6	7,708	6	22,788	6	37,871	6	52,863	6	67,935	6	83,019	6	98,102	6	113,186	6	128,269	6	143,353
1/4	8,022	1/4	23,102	1/4	38,185	1/4	53,176	1/4	68,250	1/4	83,333	1/4	98,417	1/4	113,500	1/4	128,584	1/4	143,667
1/2	8,336	1/2	23,416	1/2	38,499	1/2	53,489	1/2	68,564	1/2	83,647	1/2	98,731	1/2	113,814	1/2	128,898	1/2	143,981
3/4	8,650	3/4	23,730	3/4	38,813	3/4	53,802	3/4	68,878	3/4	83,962	3/4	99,045	3/4	114,129	3/4	129,212	3/4	144,296
7	8,964	7	24,045	7	39,127	7	54,114	7	69,192	7	84,276	7	99,359	7	114,443	7	129,526	7	144,610
1/4	9,278	1/4	24,359	1/4	39,442	1/4	54,427	1/4	69,507	1/4	84,590	1/4	99,674	1/4	114,757	1/4	129,841	1/4	144,924
1/2	9,592	1/2	24,673	1/2	39,756	1/2	54,740	1/2	69,821	1/2	84,904	1/2	99,988	1/2	115,071	1/2	130,155	1/2	145,238
3/4	9,907	3/4	24,987	3/4	40,070	3/4	55,053	3/4	70,135	3/4	85,218	3/4	100,302	3/4	115,385	3/4	130,469	3/4	145,552
8	10,221	8	25,302	8	40,384	8	55,366	8	70,449	8	85,533	8	100,616	8	115,700	8	130,783	8	145,867
1/4	10,535	1/4	25,616	1/4	40,698	1/4	55,680	1/4	70,763	1/4	85,847	1/4	100,930	1/4	116,014	1/4	131,097	1/4	146,181
1/2	10,849	1/2	25,930	1/2	41,012	1/2	55,994	1/2	71,078	1/2	86,161	1/2	101,245	1/2	116,328	1/2	131,412	1/2	146,495
3/4	11,163	3/4	26,244	3/4	41,327	3/4	56,308	3/4	71,392	3/4	86,475	3/4	101,559	3/4	116,642	3/4	131,726	3/4	146,809
9	11,477	9	26,558	9	41,641	9	56,623	9	71,706	9	86,790	9	101,873	9	116,957	9	132,040	9	147,124
1/4	11,791	1/4	26,873	1/4	41,955	1/4	56,937	1/4	72,020	1/4	87,104	1/4	102,187	1/4	117,271	1/4	132,354	1/4	147,438
1/2	12,105	1/2	27,187	1/2	42,269	1/2	57,251	1/2	72,335	1/2	87,418	1/2	102,502	1/2	117,585	1/2	132,669	1/2	147,752
3/4	12,419	3/4	27,501	3/4	42,583	3/4	57,565	3/4	72,649	3/4	87,732	3/4	102,816	3/4	117,899	3/4	132,983	3/4	148,066
10	12,733	10	27,815	10	42,897	10	57,880	10	72,963	10	88,047	10	103,130	10	118,214	10	133,297	10	148,381
1/4	13,047	1/4	28,130	1/4	43,209	1/4	58,194	1/4	73,277	1/4	88,361	1/4	103,444	1/4	118,528	1/4	133,611	1/4	148,695
1/2	13,361	1/2	28,444	1/2	43,520	1/2	58,508	1/2	73,592	1/2	88,675	1/2	103,759	1/2	118,842	1/2	133,926	1/2	149,009
3/4	13,675	3/4	28,758	3/4	43,832	3/4	58,822	3/4	73,906	3/4	88,989	3/4	104,073	3/4	119,156	3/4	134,240	3/4	149,323
11	13,990	11	29,072	11	44,143	11	59,137	11	74,220	11	89,304	11	104,387	11	119,471	11	134,554	11	149,638
1/4	14,304	1/4	29,387	1/4	44,455	1/4	59,451	1/4	74,534	1/4	89,618	1/4	104,701	1/4	119,785	1/4	134,868	1/4	149,952
1/2	14,618	1/2	29,701	1/2	44,766	1/2	59,765	1/2	74,849	1/2	89,932	1/2	105,016	1/2	120,099	1/2	135,183	1/2	150,266
3/4	14,932	3/4	30,015	3/4	45,077	3/4	60,079	3/4	75,163	3/4	90,246	3/4	105,330	3/4	120,413	3/4	135,497	3/4	150,580

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06



CAPACITIES GIVEN IN WHOLE GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,895	0	165,978	0	181,062	0	196,145	0	211,229	0	222,698	0		0		0		0	
1/4	151,209	1/4	166,292	1/4	181,376	1/4	196,459	1/4	211,543	1/4		1/4		1/4		1/4		1/4	
1/2	151,523	1/2	166,607	1/2	181,690	1/2	196,774	1/2	211,857	1/2		1/2		1/2		1/2		1/2	
3/4	151,837	3/4	166,921	3/4	182,004	3/4	197,088	3/4	212,171	3/4		3/4		3/4		3/4		3/4	
1	152,152	1	167,235	1	182,319	1	197,402	1	212,486	1		1		1		1		1	
1/4	152,466	1/4	167,549	1/4	182,633	1/4	197,716	1/4	212,800	1/4		1/4		1/4		1/4		1/4	
1/2	152,780	1/2	167,864	1/2	182,947	1/2	198,031	1/2	213,114	1/2		1/2		1/2		1/2		1/2	
3/4	153,094	3/4	168,178	3/4	183,261	3/4	198,345	3/4	213,428	3/4		3/4		3/4		3/4		3/4	
2	153,408	2	168,492	2	183,575	2	198,659	2	213,742	2		2		2		2		2	
1/4	153,723	1/4	168,806	1/4	183,890	1/4	198,973	1/4	214,057	1/4		1/4		1/4		1/4		1/4	
1/2	154,037	1/2	169,120	1/2	184,204	1/2	199,287	1/2	214,371	1/2		1/2		1/2		1/2		1/2	
3/4	154,351	3/4	169,435	3/4	184,518	3/4	199,602	3/4	214,685	3/4		3/4		3/4		3/4		3/4	
3	154,665	3	169,749	3	184,832	3	199,916	3	214,999	3		3		3		3		3	
1/4	154,980	1/4	170,063	1/4	185,147	1/4	200,230	1/4	215,314	1/4		1/4		1/4		1/4		1/4	
1/2	155,294	1/2	170,377	1/2	185,461	1/2	200,544	1/2	215,628	1/2		1/2		1/2		1/2		1/2	
3/4	155,608	3/4	170,692	3/4	185,775	3/4	200,859	3/4	215,942	3/4		3/4		3/4		3/4		3/4	
4	155,922	4	171,006	4	186,089	4	201,173	4	216,256	4		4		4		4		4	
1/4	156,237	1/4	171,320	1/4	186,404	1/4	201,487	1/4	216,571	1/4		1/4		1/4		1/4		1/4	
1/2	156,551	1/2	171,634	1/2	186,718	1/2	201,801	1/2	216,885	1/2		1/2		1/2		1/2		1/2	
3/4	156,865	3/4	171,949	3/4	187,032	3/4	202,116	3/4	217,199	3/4		3/4		3/4		3/4		3/4	
5	157,179	5	172,263	5	187,346	5	202,430	5	217,513	5		5		5		5		5	
1/4	157,494	1/4	172,577	1/4	187,661	1/4	202,744	1/4	217,828	1/4		1/4		1/4		1/4		1/4	
1/2	157,808	1/2	172,891	1/2	187,975	1/2	203,058	1/2	218,142	1/2		1/2		1/2		1/2		1/2	
3/4	158,122	3/4	173,206	3/4	188,289	3/4	203,373	3/4	218,456	3/4		3/4		3/4		3/4		3/4	
6	158,436	6	173,520	6	188,603	6	203,687	6	218,770	6		6		6		6		6	
1/4	158,751	1/4	173,834	1/4	188,918	1/4	204,001	1/4	219,065	1/4		1/4		1/4		1/4		1/4	
1/2	159,065	1/2	174,148	1/2	189,232	1/2	204,315	1/2	219,360	1/2		1/2		1/2		1/2		1/2	
3/4	159,379	3/4	174,463	3/4	189,546	3/4	204,630	3/4	219,654	3/4		3/4		3/4		3/4		3/4	
7	159,693	7	174,777	7	189,860	7	204,944	7	219,949	7		7		7		7		7	
1/4	160,008	1/4	175,091	1/4	190,175	1/4	205,258	1/4	220,191	1/4		1/4		1/4		1/4		1/4	
1/2	160,322	1/2	175,405	1/2	190,489	1/2	205,572	1/2	220,433	1/2		1/2		1/2		1/2		1/2	
3/4	160,636	3/4	175,719	3/4	190,803	3/4	205,886	3/4	220,675	3/4		3/4		3/4		3/4		3/4	
8	160,950	8	176,034	8	191,117	8	206,201	8	220,918	8		8		8		8		8	
1/4	161,264	1/4	176,348	1/4	191,431	1/4	206,515	1/4	221,107	1/4		1/4		1/4		1/4		1/4	
1/2	161,579	1/2	176,662	1/2	191,746	1/2	206,829	1/2	221,297	1/2		1/2		1/2		1/2		1/2	
3/4	161,893	3/4	176,976	3/4	192,060	3/4	207,143	3/4	221,487	3/4		3/4		3/4		3/4		3/4	
9	162,207	9	177,291	9	192,374	9	207,458	9	221,677	9		9		9		9		9	
1/4	162,521	1/4	177,605	1/4	192,688	1/4	207,772	1/4	221,814	1/4		1/4		1/4		1/4		1/4	
1/2	162,836	1/2	177,919	1/2	193,003	1/2	208,086	1/2	221,952	1/2		1/2		1/2		1/2		1/2	
3/4	163,150	3/4	178,233	3/4	193,317	3/4	208,400	3/4	222,089	3/4		3/4		3/4		3/4		3/4	
10	163,464	10	178,548	10	193,631	10	208,715	10	222,227	10		10		10		10		10	
1/4	163,778	1/4	178,862	1/4	193,945	1/4	209,029	1/4	222,312	1/4		1/4		1/4		1/4		1/4	
1/2	164,093	1/2	179,176	1/2	194,260	1/2	209,343	1/2	222,397	1/2		1/2		1/2		1/2		1/2	
3/4	164,407	3/4	179,490	3/4	194,574	3/4	209,657	3/4	222,482	3/4		3/4		3/4		3/4		3/4	
11	164,721	11	179,805	11	194,888	11	209,972	11	222,567	11		11		11		11		11	
1/4	165,035	1/4	180,119	1/4	195,202	1/4	210,286	1/4	222,600	1/4		1/4		1/4		1/4		1/4	
1/2	165,350	1/2	180,433	1/2	195,517	1/2	210,600	1/2	222,633	1/2		1/2		1/2		1/2		1/2	
3/4	165,664	3/4	180,747	3/4	195,831	3/4	210,914	3/4	222,666	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06


CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	797	0	15,231	0	30,299	0	45,365	0	60,429	0	75,498	0	90,567	0	105,636	0	120,706	0	135,775
1/4	1,001	1/4	15,545	1/4	30,613	1/4	45,678	1/4	60,743	1/4	75,812	1/4	90,881	1/4	105,950	1/4	121,020	1/4	136,089
1/2	1,206	1/2	15,859	1/2	30,927	1/2	45,992	1/2	61,057	1/2	76,126	1/2	91,195	1/2	106,264	1/2	121,333	1/2	136,403
3/4	1,411	3/4	16,173	3/4	31,241	3/4	46,306	3/4	61,371	3/4	76,440	3/4	91,509	3/4	106,578	3/4	121,647	3/4	136,717
1	1,616	1	16,486	1	31,555	1	46,620	1	61,685	1	76,754	1	91,823	1	106,892	1	121,961	1	137,030
1/4	1,886	1/4	16,800	1/4	31,869	1/4	46,934	1/4	61,999	1/4	77,068	1/4	92,137	1/4	107,206	1/4	122,275	1/4	137,344
1/2	2,157	1/2	17,114	1/2	32,183	1/2	47,247	1/2	62,313	1/2	77,382	1/2	92,451	1/2	107,520	1/2	122,589	1/2	137,658
3/4	2,427	3/4	17,428	3/4	32,497	3/4	47,561	3/4	62,627	3/4	77,696	3/4	92,765	3/4	107,834	3/4	122,903	3/4	137,972
2	2,697	2	17,742	2	32,811	2	47,875	2	62,941	2	78,010	2	93,079	2	108,148	2	123,217	2	138,286
1/4	3,007	1/4	18,056	1/4	33,124	1/4	48,189	1/4	63,255	1/4	78,324	1/4	93,393	1/4	108,462	1/4	123,531	1/4	138,600
1/2	3,316	1/2	18,370	1/2	33,438	1/2	48,503	1/2	63,569	1/2	78,638	1/2	93,707	1/2	108,776	1/2	123,845	1/2	138,914
3/4	3,626	3/4	18,684	3/4	33,752	3/4	48,816	3/4	63,882	3/4	78,952	3/4	94,021	3/4	109,090	3/4	124,159	3/4	139,228
3	3,935	3	18,998	3	34,066	3	49,130	3	64,196	3	79,266	3	94,335	3	109,404	3	124,473	3	139,542
1/4	4,249	1/4	19,312	1/4	34,380	1/4	49,444	1/4	64,510	1/4	79,579	1/4	94,649	1/4	109,718	1/4	124,787	1/4	139,856
1/2	4,563	1/2	19,626	1/2	34,694	1/2	49,758	1/2	64,824	1/2	79,893	1/2	94,963	1/2	110,032	1/2	125,101	1/2	140,170
3/4	4,877	3/4	19,940	3/4	35,008	3/4	50,071	3/4	65,138	3/4	80,207	3/4	95,276	3/4	110,346	3/4	125,415	3/4	140,484
4	5,190	4	20,254	4	35,322	4	50,385	4	65,452	4	80,521	4	95,590	4	110,660	4	125,729	4	140,798
1/4	5,504	1/4	20,567	1/4	35,636	1/4	50,699	1/4	65,766	1/4	80,835	1/4	95,904	1/4	110,973	1/4	126,043	1/4	141,112
1/2	5,818	1/2	20,881	1/2	35,950	1/2	51,013	1/2	66,080	1/2	81,149	1/2	96,218	1/2	111,287	1/2	126,357	1/2	141,426
3/4	6,132	3/4	21,195	3/4	36,263	3/4	51,327	3/4	66,394	3/4	81,463	3/4	96,532	3/4	111,601	3/4	126,670	3/4	141,740
5	6,445	5	21,509	5	36,577	5	51,640	5	66,708	5	81,777	5	96,846	5	111,915	5	126,984	5	142,053
1/4	6,759	1/4	21,823	1/4	36,891	1/4	51,954	1/4	67,022	1/4	82,091	1/4	97,160	1/4	112,229	1/4	127,298	1/4	142,367
1/2	7,073	1/2	22,137	1/2	37,205	1/2	52,268	1/2	67,336	1/2	82,405	1/2	97,474	1/2	112,543	1/2	127,612	1/2	142,681
3/4	7,387	3/4	22,451	3/4	37,519	3/4	52,582	3/4	67,650	3/4	82,719	3/4	97,788	3/4	112,857	3/4	127,926	3/4	142,995
6	7,700	6	22,765	6	37,833	6	52,895	6	67,964	6	83,033	6	98,102	6	113,171	6	128,240	6	143,309
1/4	8,014	1/4	23,079	1/4	38,147	1/4	53,209	1/4	68,278	1/4	83,347	1/4	98,416	1/4	113,485	1/4	128,554	1/4	143,623
1/2	8,328	1/2	23,393	1/2	38,460	1/2	53,523	1/2	68,592	1/2	83,661	1/2	98,730	1/2	113,799	1/2	128,868	1/2	143,937
3/4	8,642	3/4	23,707	3/4	38,774	3/4	53,837	3/4	68,906	3/4	83,975	3/4	99,044	3/4	114,113	3/4	129,182	3/4	144,251
7	8,955	7	24,021	7	39,088	7	54,151	7	69,219	7	84,289	7	99,358	7	114,427	7	129,496	7	144,565
1/4	9,269	1/4	24,335	1/4	39,402	1/4	54,465	1/4	69,533	1/4	84,603	1/4	99,672	1/4	114,741	1/4	129,810	1/4	144,879
1/2	9,583	1/2	24,649	1/2	39,716	1/2	54,778	1/2	69,847	1/2	84,916	1/2	99,986	1/2	115,055	1/2	130,124	1/2	145,193
3/4	9,897	3/4	24,962	3/4	40,030	3/4	55,092	3/4	70,161	3/4	85,230	3/4	100,300	3/4	115,369	3/4	130,438	3/4	145,507
8	10,211	8	25,276	8	40,344	8	55,406	8	70,475	8	85,544	8	100,613	8	115,683	8	130,752	8	145,821
1/4	10,524	1/4	25,590	1/4	40,657	1/4	55,720	1/4	70,789	1/4	85,858	1/4	100,927	1/4	115,996	1/4	131,066	1/4	146,135
1/2	10,838	1/2	25,904	1/2	40,971	1/2	56,034	1/2	71,103	1/2	86,172	1/2	101,241	1/2	116,310	1/2	131,380	1/2	146,449
3/4	11,152	3/4	26,218	3/4	41,285	3/4	56,348	3/4	71,417	3/4	86,486	3/4	101,555	3/4	116,624	3/4	131,693	3/4	146,763
9	11,466	9	26,532	9	41,599	9	56,662	9	71,731	9	86,800	9	101,869	9	116,938	9	132,007	9	147,077
1/4	11,779	1/4	26,846	1/4	41,913	1/4	56,976	1/4	72,045	1/4	87,114	1/4	102,183	1/4	117,252	1/4	132,321	1/4	147,390
1/2	12,093	1/2	27,160	1/2	42,227	1/2	57,290	1/2	72,359	1/2	87,428	1/2	102,497	1/2	117,566	1/2	132,635	1/2	147,704
3/4	12,407	3/4	27,474	3/4	42,541	3/4	57,604	3/4	72,673	3/4	87,742	3/4	102,811	3/4	117,880	3/4	132,949	3/4	148,018
10	12,721	10	27,788	10	42,854	10	57,918	10	72,987	10	88,056	10	103,125	10	118,194	10	133,263	10	148,332
1/4	13,034	1/4	28,102	1/4	43,168	1/4	58,232	1/4	73,301	1/4	88,370	1/4	103,439	1/4	118,508	1/4	133,577	1/4	148,573
1/2	13,348	1/2	28,416	1/2	43,482	1/2	58,546	1/2	73,615	1/2	88,684	1/2	103,753	1/2	118,822	1/2	133,891	1/2	148,814
3/4	13,662	3/4	28,730	3/4	43,796	3/4	58,859	3/4	73,929	3/4	88,998	3/4	104,067	3/4	119,136	3/4	134,205	3/4	149,054
11	13,976	11	29,044	11	44,110	11	59,173	11	74,243	11	89,312	11	104,381	11	119,450	11	134,519	11	149,295
1/4	14,289	1/4	29,357	1/4	44,423	1/4	59,487	1/4	74,556	1/4	89,626	1/4	104,695	1/4	119,764	1/4	134,833	1/4	149,525
1/2	14,603	1/2	29,671	1/2	44,737	1/2	59,801	1/2	74,870	1/2	89,939	1/2	105,009	1/2	120,078	1/2	135,147	1/2	149,755
3/4	14,917	3/4	29,985	3/4	45,051	3/4	60,115	3/4	75,184	3/4	90,253	3/4	105,323	3/4	120,392	3/4	135,461	3/4	149,985

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06



CAPACITIES GIVEN IN WHOLE GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,216	0	161,264	0	172,313	0	183,361	0	194,410	0		0		0		0		0	
1/4	150,446	1/4	161,494	1/4	172,543	1/4	183,591	1/4	194,640	1/4		1/4		1/4		1/4		1/4	
1/2	150,676	1/2	161,724	1/2	172,773	1/2	183,821	1/2	194,870	1/2		1/2		1/2		1/2		1/2	
3/4	150,906	3/4	161,955	3/4	173,003	3/4	184,052	3/4	195,100	3/4		3/4		3/4		3/4		3/4	
1	151,136	1	162,185	1	173,233	1	184,282	1	195,330	1		1		1		1		1	
1/4	151,366	1/4	162,415	1/4	173,464	1/4	184,512	1/4	195,561	1/4		1/4		1/4		1/4		1/4	
1/2	151,597	1/2	162,645	1/2	173,694	1/2	184,742	1/2	195,791	1/2		1/2		1/2		1/2		1/2	
3/4	151,827	3/4	162,875	3/4	173,924	3/4	184,972	3/4	196,021	3/4		3/4		3/4		3/4		3/4	
2	152,057	2	163,106	2	174,154	2	185,203	2	196,251	2		2		2		2		2	
1/4	152,287	1/4	163,336	1/4	174,384	1/4	185,433	1/4	196,481	1/4		1/4		1/4		1/4		1/4	
1/2	152,517	1/2	163,566	1/2	174,614	1/2	185,663	1/2	196,711	1/2		1/2		1/2		1/2		1/2	
3/4	152,748	3/4	163,796	3/4	174,845	3/4	185,893	3/4	196,942	3/4		3/4		3/4		3/4		3/4	
3	152,978	3	164,026	3	175,075	3	186,123	3	197,172	3		3		3		3		3	
1/4	153,208	1/4	164,256	1/4	175,305	1/4	186,353	1/4	197,402	1/4		1/4		1/4		1/4		1/4	
1/2	153,438	1/2	164,487	1/2	175,535	1/2	186,584	1/2	197,632	1/2		1/2		1/2		1/2		1/2	
3/4	153,668	3/4	164,717	3/4	175,765	3/4	186,814	3/4	197,862	3/4		3/4		3/4		3/4		3/4	
4	153,898	4	164,947	4	175,995	4	187,044	4	198,092	4		4		4		4		4	
1/4	154,129	1/4	165,177	1/4	176,226	1/4	187,274	1/4	198,323	1/4		1/4		1/4		1/4		1/4	
1/2	154,359	1/2	165,407	1/2	176,456	1/2	187,504	1/2	198,553	1/2		1/2		1/2		1/2		1/2	
3/4	154,589	3/4	165,637	3/4	176,686	3/4	187,735	3/4	198,783	3/4		3/4		3/4		3/4		3/4	
5	154,819	5	165,868	5	176,916	5	187,965	5	199,013	5		5		5		5		5	
1/4	155,049	1/4	166,098	1/4	177,146	1/4	188,195	1/4	199,243	1/4		1/4		1/4		1/4		1/4	
1/2	155,279	1/2	166,328	1/2	177,377	1/2	188,425	1/2	199,474	1/2		1/2		1/2		1/2		1/2	
3/4	155,510	3/4	166,558	3/4	177,607	3/4	188,655	3/4	199,704	3/4		3/4		3/4		3/4		3/4	
6	155,740	6	166,788	6	177,837	6	188,885	6	199,934	6		6		6		6		6	
1/4	155,970	1/4	167,019	1/4	178,067	1/4	189,116	1/4	200,139	1/4		1/4		1/4		1/4		1/4	
1/2	156,200	1/2	167,249	1/2	178,297	1/2	189,346	1/2	200,344	1/2		1/2		1/2		1/2		1/2	
3/4	156,430	3/4	167,479	3/4	178,527	3/4	189,576	3/4	200,549	3/4		3/4		3/4		3/4		3/4	
7	156,661	7	167,709	7	178,758	7	189,806	7	200,754	7		7		7		7		7	
1/4	156,891	1/4	167,939	1/4	178,988	1/4	190,036	1/4	200,922	1/4		1/4		1/4		1/4		1/4	
1/2	157,121	1/2	168,169	1/2	179,218	1/2	190,266	1/2	201,090	1/2		1/2		1/2		1/2		1/2	
3/4	157,351	3/4	168,400	3/4	179,448	3/4	190,497	3/4	201,257	3/4		3/4		3/4		3/4		3/4	
8	157,581	8	168,630	8	179,678	8	190,727	8	201,425	8		8		8		8		8	
1/4	157,811	1/4	168,860	1/4	179,908	1/4	190,957	1/4	201,555	1/4		1/4		1/4		1/4		1/4	
1/2	158,042	1/2	169,090	1/2	180,139	1/2	191,187	1/2	201,684	1/2		1/2		1/2		1/2		1/2	
3/4	158,272	3/4	169,320	3/4	180,369	3/4	191,417	3/4	201,814	3/4		3/4		3/4		3/4		3/4	
9	158,502	9	169,550	9	180,599	9	191,648	9	201,943	9		9		9		9		9	
1/4	158,732	1/4	169,781	1/4	180,829	1/4	191,878	1/4	202,034	1/4		1/4		1/4		1/4		1/4	
1/2	158,962	1/2	170,011	1/2	181,059	1/2	192,108	1/2	202,125	1/2		1/2		1/2		1/2		1/2	
3/4	159,193	3/4	170,241	3/4	181,290	3/4	192,338	3/4	202,216	3/4		3/4		3/4		3/4		3/4	
10	159,423	10	170,471	10	181,520	10	192,568	10	202,308	10		10		10		10		10	
1/4	159,653	1/4	170,701	1/4	181,750	1/4	192,798	1/4	202,360	1/4		1/4		1/4		1/4		1/4	
1/2	159,883	1/2	170,932	1/2	181,980	1/2	193,029	1/2	202,413	1/2		1/2		1/2		1/2		1/2	
3/4	160,113	3/4	171,162	3/4	182,210	3/4	193,259	3/4	202,466	3/4		3/4		3/4		3/4		3/4	
11	160,343	11	171,392	11	182,440	11	193,489	11	202,519	11		11		11		11		11	
1/4	160,574	1/4	171,622	1/4	182,671	1/4	193,719	1/8	202,543	1/4		1/4		1/4		1/4		1/4	
1/2	160,804	1/2	171,852	1/2	182,901	1/2	193,949	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,034	3/4	172,082	3/4	183,131	3/4	194,179	3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	797	0	15,231	0	30,299	0	45,365	0	60,429	0	75,498	0	90,567	0	105,636	0	120,706	0	135,775
1/4	1,001	1/4	15,545	1/4	30,613	1/4	45,678	1/4	60,743	1/4	75,812	1/4	90,881	1/4	105,950	1/4	121,020	1/4	136,089
1/2	1,206	1/2	15,859	1/2	30,927	1/2	45,992	1/2	61,057	1/2	76,126	1/2	91,195	1/2	106,264	1/2	121,333	1/2	136,403
3/4	1,411	3/4	16,173	3/4	31,241	3/4	46,306	3/4	61,371	3/4	76,440	3/4	91,509	3/4	106,578	3/4	121,647	3/4	136,717
1	1,616	1	16,486	1	31,555	1	46,620	1	61,685	1	76,754	1	91,823	1	106,892	1	121,961	1	137,030
1/4	1,886	1/4	16,800	1/4	31,869	1/4	46,934	1/4	61,999	1/4	77,068	1/4	92,137	1/4	107,206	1/4	122,275	1/4	137,344
1/2	2,157	1/2	17,114	1/2	32,183	1/2	47,247	1/2	62,313	1/2	77,382	1/2	92,451	1/2	107,520	1/2	122,589	1/2	137,658
3/4	2,427	3/4	17,428	3/4	32,497	3/4	47,561	3/4	62,627	3/4	77,696	3/4	92,765	3/4	107,834	3/4	122,903	3/4	137,972
2	2,697	2	17,742	2	32,811	2	47,875	2	62,941	2	78,010	2	93,079	2	108,148	2	123,217	2	138,286
1/4	3,007	1/4	18,056	1/4	33,124	1/4	48,189	1/4	63,255	1/4	78,324	1/4	93,393	1/4	108,462	1/4	123,531	1/4	138,600
1/2	3,316	1/2	18,370	1/2	33,438	1/2	48,503	1/2	63,569	1/2	78,638	1/2	93,707	1/2	108,776	1/2	123,845	1/2	138,914
3/4	3,626	3/4	18,684	3/4	33,752	3/4	48,816	3/4	63,882	3/4	78,952	3/4	94,021	3/4	109,090	3/4	124,159	3/4	139,228
3	3,935	3	18,998	3	34,066	3	49,130	3	64,196	3	79,266	3	94,335	3	109,404	3	124,473	3	139,542
1/4	4,249	1/4	19,312	1/4	34,380	1/4	49,444	1/4	64,510	1/4	79,579	1/4	94,649	1/4	109,718	1/4	124,787	1/4	139,856
1/2	4,563	1/2	19,626	1/2	34,694	1/2	49,758	1/2	64,824	1/2	79,893	1/2	94,963	1/2	110,032	1/2	125,101	1/2	140,170
3/4	4,877	3/4	19,940	3/4	35,008	3/4	50,071	3/4	65,138	3/4	80,207	3/4	95,276	3/4	110,346	3/4	125,415	3/4	140,484
4	5,190	4	20,254	4	35,322	4	50,385	4	65,452	4	80,521	4	95,590	4	110,660	4	125,729	4	140,798
1/4	5,504	1/4	20,567	1/4	35,636	1/4	50,699	1/4	65,766	1/4	80,835	1/4	95,904	1/4	110,973	1/4	126,043	1/4	141,112
1/2	5,818	1/2	20,881	1/2	35,950	1/2	51,013	1/2	66,080	1/2	81,149	1/2	96,218	1/2	111,287	1/2	126,357	1/2	141,426
3/4	6,132	3/4	21,195	3/4	36,263	3/4	51,327	3/4	66,394	3/4	81,463	3/4	96,532	3/4	111,601	3/4	126,670	3/4	141,740
5	6,445	5	21,509	5	36,577	5	51,640	5	66,708	5	81,777	5	96,846	5	111,915	5	126,984	5	142,053
1/4	6,759	1/4	21,823	1/4	36,891	1/4	51,954	1/4	67,022	1/4	82,091	1/4	97,160	1/4	112,229	1/4	127,298	1/4	142,367
1/2	7,073	1/2	22,137	1/2	37,205	1/2	52,268	1/2	67,336	1/2	82,405	1/2	97,474	1/2	112,543	1/2	127,612	1/2	142,681
3/4	7,387	3/4	22,451	3/4	37,519	3/4	52,582	3/4	67,650	3/4	82,719	3/4	97,788	3/4	112,857	3/4	127,926	3/4	142,995
6	7,700	6	22,765	6	37,833	6	52,895	6	67,964	6	83,033	6	98,102	6	113,171	6	128,240	6	143,309
1/4	8,014	1/4	23,079	1/4	38,147	1/4	53,209	1/4	68,278	1/4	83,347	1/4	98,416	1/4	113,485	1/4	128,554	1/4	143,623
1/2	8,328	1/2	23,393	1/2	38,460	1/2	53,523	1/2	68,592	1/2	83,661	1/2	98,730	1/2	113,799	1/2	128,868	1/2	143,937
3/4	8,642	3/4	23,707	3/4	38,774	3/4	53,837	3/4	68,906	3/4	83,975	3/4	99,044	3/4	114,113	3/4	129,182	3/4	144,251
7	8,955	7	24,021	7	39,088	7	54,151	7	69,219	7	84,289	7	99,358	7	114,427	7	129,496	7	144,565
1/4	9,269	1/4	24,335	1/4	39,402	1/4	54,465	1/4	69,533	1/4	84,603	1/4	99,672	1/4	114,741	1/4	129,810	1/4	144,879
1/2	9,583	1/2	24,649	1/2	39,716	1/2	54,778	1/2	69,847	1/2	84,916	1/2	99,986	1/2	115,055	1/2	130,124	1/2	145,193
3/4	9,897	3/4	24,962	3/4	40,030	3/4	55,092	3/4	70,161	3/4	85,230	3/4	100,300	3/4	115,369	3/4	130,438	3/4	145,507
8	10,211	8	25,276	8	40,344	8	55,406	8	70,475	8	85,544	8	100,613	8	115,683	8	130,752	8	145,821
1/4	10,524	1/4	25,590	1/4	40,657	1/4	55,720	1/4	70,789	1/4	85,858	1/4	100,927	1/4	115,996	1/4	131,066	1/4	146,135
1/2	10,838	1/2	25,904	1/2	40,971	1/2	56,034	1/2	71,103	1/2	86,172	1/2	101,241	1/2	116,310	1/2	131,380	1/2	146,449
3/4	11,152	3/4	26,218	3/4	41,285	3/4	56,348	3/4	71,417	3/4	86,486	3/4	101,555	3/4	116,624	3/4	131,693	3/4	146,763
9	11,466	9	26,532	9	41,599	9	56,662	9	71,731	9	86,800	9	101,869	9	116,938	9	132,007	9	147,077
1/4	11,779	1/4	26,846	1/4	41,913	1/4	56,976	1/4	72,045	1/4	87,114	1/4	102,183	1/4	117,252	1/4	132,321	1/4	147,390
1/2	12,093	1/2	27,160	1/2	42,227	1/2	57,290	1/2	72,359	1/2	87,428	1/2	102,497	1/2	117,566	1/2	132,635	1/2	147,704
3/4	12,407	3/4	27,474	3/4	42,541	3/4	57,604	3/4	72,673	3/4	87,742	3/4	102,811	3/4	117,880	3/4	132,949	3/4	148,018
10	12,721	10	27,788	10	42,854	10	57,918	10	72,987	10	88,056	10	103,125	10	118,194	10	133,263	10	148,332
1/4	13,034	1/4	28,102	1/4	43,168	1/4	58,232	1/4	73,301	1/4	88,370	1/4	103,439	1/4	118,508	1/4	133,577	1/4	148,573
1/2	13,348	1/2	28,416	1/2	43,482	1/2	58,546	1/2	73,615	1/2	88,684	1/2	103,753	1/2	118,822	1/2	133,891	1/2	148,814
3/4	13,662	3/4	28,730	3/4	43,796	3/4	58,859	3/4	73,929	3/4	88,998	3/4	104,067	3/4	119,136	3/4	134,205	3/4	149,054
11	13,976	11	29,044	11	44,110	11	59,173	11	74,243	11	89,312	11	104,381	11	119,450	11	134,519	11	149,295
1/4	14,289	1/4	29,357	1/4	44,423	1/4	59,487	1/4	74,556	1/4	89,626	1/4	104,695	1/4	119,764	1/4	134,833	1/4	149,525
1/2	14,603	1/2	29,671	1/2	44,737	1/2	59,801	1/2	74,870	1/2	89,939	1/2	105,009	1/2	120,078	1/2	135,147	1/2	149,755
3/4	14,917	3/4	29,985	3/4	45,051	3/4	60,115	3/4	75,184	3/4	90,253	3/4	105,323	3/4	120,392	3/4	135,461	3/4	149,985

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06


CAPACITIES GIVEN IN WHOLE GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,216	0	161,264	0	172,313	0	183,361	0	194,410	0		0		0		0		0	
1/4	150,446	1/4	161,494	1/4	172,543	1/4	183,591	1/4	194,640	1/4		1/4		1/4		1/4		1/4	
1/2	150,676	1/2	161,724	1/2	172,773	1/2	183,821	1/2	194,870	1/2		1/2		1/2		1/2		1/2	
3/4	150,906	3/4	161,955	3/4	173,003	3/4	184,052	3/4	195,100	3/4		3/4		3/4		3/4		3/4	
1	151,136	1	162,185	1	173,233	1	184,282	1	195,330	1		1		1		1		1	
1/4	151,366	1/4	162,415	1/4	173,464	1/4	184,512	1/4	195,561	1/4		1/4		1/4		1/4		1/4	
1/2	151,597	1/2	162,645	1/2	173,694	1/2	184,742	1/2	195,791	1/2		1/2		1/2		1/2		1/2	
3/4	151,827	3/4	162,875	3/4	173,924	3/4	184,972	3/4	196,021	3/4		3/4		3/4		3/4		3/4	
2	152,057	2	163,106	2	174,154	2	185,203	2	196,251	2		2		2		2		2	
1/4	152,287	1/4	163,336	1/4	174,384	1/4	185,433	1/4	196,481	1/4		1/4		1/4		1/4		1/4	
1/2	152,517	1/2	163,566	1/2	174,614	1/2	185,663	1/2	196,711	1/2		1/2		1/2		1/2		1/2	
3/4	152,748	3/4	163,796	3/4	174,845	3/4	185,893	3/4	196,942	3/4		3/4		3/4		3/4		3/4	
3	152,978	3	164,026	3	175,075	3	186,123	3	197,172	3		3		3		3		3	
1/4	153,208	1/4	164,256	1/4	175,305	1/4	186,353	1/4	197,402	1/4		1/4		1/4		1/4		1/4	
1/2	153,438	1/2	164,487	1/2	175,535	1/2	186,584	1/2	197,632	1/2		1/2		1/2		1/2		1/2	
3/4	153,668	3/4	164,717	3/4	175,765	3/4	186,814	3/4	197,862	3/4		3/4		3/4		3/4		3/4	
4	153,898	4	164,947	4	175,995	4	187,044	4	198,092	4		4		4		4		4	
1/4	154,129	1/4	165,177	1/4	176,226	1/4	187,274	1/4	198,323	1/4		1/4		1/4		1/4		1/4	
1/2	154,359	1/2	165,407	1/2	176,456	1/2	187,504	1/2	198,553	1/2		1/2		1/2		1/2		1/2	
3/4	154,589	3/4	165,637	3/4	176,686	3/4	187,735	3/4	198,783	3/4		3/4		3/4		3/4		3/4	
5	154,819	5	165,868	5	176,916	5	187,965	5	199,013	5		5		5		5		5	
1/4	155,049	1/4	166,098	1/4	177,146	1/4	188,195	1/4	199,243	1/4		1/4		1/4		1/4		1/4	
1/2	155,279	1/2	166,328	1/2	177,377	1/2	188,425	1/2	199,474	1/2		1/2		1/2		1/2		1/2	
3/4	155,510	3/4	166,558	3/4	177,607	3/4	188,655	3/4	199,704	3/4		3/4		3/4		3/4		3/4	
6	155,740	6	166,788	6	177,837	6	188,885	6	199,934	6		6		6		6		6	
1/4	155,970	1/4	167,019	1/4	178,067	1/4	189,116	1/4	200,139	1/4		1/4		1/4		1/4		1/4	
1/2	156,200	1/2	167,249	1/2	178,297	1/2	189,346	1/2	200,344	1/2		1/2		1/2		1/2		1/2	
3/4	156,430	3/4	167,479	3/4	178,527	3/4	189,576	3/4	200,549	3/4		3/4		3/4		3/4		3/4	
7	156,661	7	167,709	7	178,758	7	189,806	7	200,754	7		7		7		7		7	
1/4	156,891	1/4	167,939	1/4	178,988	1/4	190,036	1/4	200,922	1/4		1/4		1/4		1/4		1/4	
1/2	157,121	1/2	168,169	1/2	179,218	1/2	190,266	1/2	201,090	1/2		1/2		1/2		1/2		1/2	
3/4	157,351	3/4	168,400	3/4	179,448	3/4	190,497	3/4	201,257	3/4		3/4		3/4		3/4		3/4	
8	157,581	8	168,630	8	179,678	8	190,727	8	201,425	8		8		8		8		8	
1/4	157,811	1/4	168,860	1/4	179,908	1/4	190,957	1/4	201,555	1/4		1/4		1/4		1/4		1/4	
1/2	158,042	1/2	169,090	1/2	180,139	1/2	191,187	1/2	201,684	1/2		1/2		1/2		1/2		1/2	
3/4	158,272	3/4	169,320	3/4	180,369	3/4	191,417	3/4	201,814	3/4		3/4		3/4		3/4		3/4	
9	158,502	9	169,550	9	180,599	9	191,648	9	201,943	9		9		9		9		9	
1/4	158,732	1/4	169,781	1/4	180,829	1/4	191,878	1/4	202,034	1/4		1/4		1/4		1/4		1/4	
1/2	158,962	1/2	170,011	1/2	181,059	1/2	192,108	1/2	202,125	1/2		1/2		1/2		1/2		1/2	
3/4	159,193	3/4	170,241	3/4	181,290	3/4	192,338	3/4	202,216	3/4		3/4		3/4		3/4		3/4	
10	159,423	10	170,471	10	181,520	10	192,568	10	202,308	10		10		10		10		10	
1/4	159,653	1/4	170,701	1/4	181,750	1/4	192,798	1/4	202,360	1/4		1/4		1/4		1/4		1/4	
1/2	159,883	1/2	170,932	1/2	181,980	1/2	193,029	1/2	202,413	1/2		1/2		1/2		1/2		1/2	
3/4	160,113	3/4	171,162	3/4	182,210	3/4	193,259	3/4	202,466	3/4		3/4		3/4		3/4		3/4	
11	160,343	11	171,392	11	182,440	11	193,489	11	202,519	11		11		11		11		11	
1/4	160,574	1/4	171,622	1/4	182,671	1/4	193,719	1/8	202,543	1/4		1/4		1/4		1/4		1/4	
1/2	160,804	1/2	171,852	1/2	182,901	1/2	193,949	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,034	3/4	172,082	3/4	183,131	3/4	194,179	3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06

GAUGE HEIGHT - PORT: 7' 0 1/2"

GAUGE HEIGHT - STBD: 7' 0 3/8"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	995	0	1,989	0	2,984	0	3,978	0		0		0		0		0	
1/4	21	1/4	1,015	1/4	2,010	1/4	3,004	1/4	3,999	1/4		1/4		1/4		1/4		1/4	
1/2	41	1/2	1,036	1/2	2,031	1/2	3,025	1/2	4,020	1/2		1/2		1/2		1/2		1/2	
3/4	62	3/4	1,057	3/4	2,051	3/4	3,046	3/4	4,040	3/4		3/4		3/4		3/4		3/4	
1	83	1	1,077	1	2,072	1	3,067	1	4,061	1		1		1		1		1	
1/4	104	1/4	1,098	1/4	2,093	1/4	3,087	1/4	4,082	1/4		1/4		1/4		1/4		1/4	
1/2	124	1/2	1,119	1/2	2,113	1/2	3,108	1/2	4,103	1/2		1/2		1/2		1/2		1/2	
3/4	145	3/4	1,140	3/4	2,134	3/4	3,129	3/4	4,123	3/4		3/4		3/4		3/4		3/4	
2	166	2	1,160	2	2,155	2	3,149	2	4,144	2		2		2		2		2	
1/4	186	1/4	1,181	1/4	2,176	1/4	3,170	1/4	4,165	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	1,202	1/2	2,196	1/2	3,191	1/2	4,185	1/2		1/2		1/2		1/2		1/2	
3/4	228	3/4	1,222	3/4	2,217	3/4	3,212	3/4	4,206	3/4		3/4		3/4		3/4		3/4	
3	249	3	1,243	3	2,238	3	3,232	3	4,227	3		3		3		3		3	
1/4	269	1/4	1,264	1/4	2,258	1/4	3,253	1/4	4,248	1/4		1/4		1/4		1/4		1/4	
1/2	290	1/2	1,285	1/2	2,279	1/2	3,274	1/2	4,268	1/2		1/2		1/2		1/2		1/2	
3/4	311	3/4	1,305	3/4	2,300	3/4	3,294	3/4	4,289	3/4		3/4		3/4		3/4		3/4	
4	332	4	1,326	4	2,321	4	3,315	4	4,310	4		4		4		4		4	
1/4	352	1/4	1,347	1/4	2,341	1/4	3,336	1/4	4,330	1/4		1/4		1/4		1/4		1/4	
1/2	373	1/2	1,368	1/2	2,362	1/2	3,357	1/2	4,351	1/2		1/2		1/2		1/2		1/2	
3/4	394	3/4	1,388	3/4	2,383	3/4	3,377	3/4	4,372	3/4		3/4		3/4		3/4		3/4	
5	414	5	1,409	5	2,404	5	3,398	5	4,393	5		5		5		5		5	
1/4	435	1/4	1,430	1/4	2,424	1/4	3,419	1/4	4,413	1/4		1/4		1/4		1/4		1/4	
1/2	456	1/2	1,450	1/2	2,445	1/2	3,440	1/2	4,434	1/2		1/2		1/2		1/2		1/2	
3/4	477	3/4	1,471	3/4	2,466	3/4	3,460	3/4	4,455	3/4		3/4		3/4		3/4		3/4	
6	497	6	1,492	6	2,486	6	3,481	6	4,476	6		6		6		6		6	
1/4	518	1/4	1,513	1/4	2,507	1/4	3,502	1/4	4,496	1/4		1/4		1/4		1/4		1/4	
1/2	539	1/2	1,533	1/2	2,528	1/2	3,522	1/2	4,517	1/2		1/2		1/2		1/2		1/2	
3/4	559	3/4	1,554	3/4	2,549	3/4	3,543	3/4	4,538	3/4		3/4		3/4		3/4		3/4	
7	580	7	1,575	7	2,569	7	3,564	7	4,558	7		7		7		7		7	
1/4	601	1/4	1,595	1/4	2,590	1/4	3,585	1/4	4,579	1/4		1/4		1/4		1/4		1/4	
1/2	622	1/2	1,616	1/2	2,611	1/2	3,605	1/2	4,600	1/2		1/2		1/2		1/2		1/2	
3/4	642	3/4	1,637	3/4	2,631	3/4	3,626	3/4	4,621	3/4		3/4		3/4		3/4		3/4	
8	663	8	1,658	8	2,652	8	3,647	8	4,641	8		8		8		8		8	
1/4	684	1/4	1,678	1/4	2,673	1/4	3,667	1/4	4,662	1/4		1/4		1/4		1/4		1/4	
1/2	704	1/2	1,699	1/2	2,694	1/2	3,688	1/2	4,683	1/2		1/2		1/2		1/2		1/2	
3/4	725	3/4	1,720	3/4	2,714	3/4	3,709	3/4	4,703	3/4		3/4		3/4		3/4		3/4	
9	746	9	1,740	9	2,735	9	3,730	9	4,724	9		9		9		9		9	
1/4	767	1/4	1,761	1/4	2,756	1/4	3,750	1/4	4,745	1/4		1/4		1/4		1/4		1/4	
1/2	787	1/2	1,782	1/2	2,776	1/2	3,771	1/2	4,766	1/2		1/2		1/2		1/2		1/2	
3/4	808	3/4	1,803	3/4	2,797	3/4	3,792	3/4	4,786	3/4		3/4		3/4		3/4		3/4	
10	829	10	1,823	10	2,818	10	3,812	10	4,807	10		10		10		10		10	
1/4	850	1/4	1,844	1/4	2,839	1/4	3,833	1/4	4,828	1/4		1/4		1/4		1/4		1/4	
1/2	870	1/2	1,865	1/2	2,859	1/2	3,854	1/2	4,849	1/2		1/2		1/2		1/2		1/2	
3/4	891	3/4	1,886	3/4	2,880	3/4	3,875	3/4	4,869	3/4		3/4		3/4		3/4		3/4	
11	912	11	1,906	11	2,901	11	3,895	11	4,890	11		11		11		11		11	
1/4	932	1/4	1,927	1/4	2,922	1/4	3,916	1/4	4,911	1/4		1/4		1/4		1/4		1/4	
1/2	953	1/2	1,948	1/2	2,942	1/2	3,937	1/2	4,931	1/2		1/2		1/2		1/2		1/2	
3/4	974	3/4	1,968	3/4	2,963	3/4	3,958	3/4	<u>4,951</u>	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK - CALEB BRETT

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06

