

Playwright Automation Report

Executed 2/8/2026, 6:58:12 AM

Duration 32s

Authored by **Automation Bot** • Build local • Environment local

Test Scope & Objectives

Objectives

- Validate end-to-end user journeys
- Ensure regression stability for critical flows

Data Sets

- Synthetic test data
- Seeded accounts

Pass / Fail Criteria

- All P0/P1 cases pass
- No critical regressions filed

Risks & Alignment

Supports release readiness and CI quality gates

- Flaky network environments
- 3rd party dependencies

Execution Summary

Total Tests

4

Passed

4

100%

Failed

0

0%

Skipped


0

0%

Flaky

0

0%



Passed (4) Failed (0) Skipped (0) Flaky (0)

Build / Environment Details

Build: local

Release: rolling

Project: default

Automation Metrics

Coverage


Reliability

100%

100%

Maintainability

100%



Test Case Details

TEST	STATUS	DURATION
Escenario: Credenciales inválidas		
› Chromium-Desktop › login-errors.spec.ts › Ingresar credenciales incorrectas @login › Escenario: Credenciales inválidas	Passed	8s
▼ Steps		

- Launch browser (pw:api) 1s
- Create context (pw:api) 0s
- Create page (pw:api) 0s
- Navegar a la página de login (test.step) 3s
 - ↳ Navigate to "/" (pw:api) 1s
 - ↳ Wait for load state "networkidle" (pw:api) 1s
 - ↳ Wait for selector locator('input[name="username"]') (pw:api) 0s
 - ↳ Wait for load state "networkidle" (pw:api) 0s
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Intentar login con: UserNameErroneo12345 / PwdErroneo12345 (test.step) 1s
 - ↳ Wait for selector locator('input[name="username"]') (pw:api) 0s
 - ↳ Fill "UserNameErroneo12345" locator('input[name="username"]') (pw:api) 0s
 - ↳ Wait for selector locator('input[name="password"]') (pw:api) 0s
 - ↳ Fill "PwdErroneo12345" locator('input[name="password"]') (pw:api) 0s
 - ↳ Wait for selector getByRole('button', { name: /Login/i }) (pw:api) 0s
 - ↳ Click getByRole('button', { name: /Login/i }) (pw:api) 0s
 - ↳ Wait for load state "networkidle" (pw:api) 0s
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Validar respuesta del sistema y bloqueo de acceso (test.step) 1s
 - ↳ Wait for selector locator('.oxd-alert-content-text') (pw:api) 0s
 - ↳ Expect "toBe" (expect) 0s
 - ↳ Expect "toBe" (expect)
 - ↳ Expect "not toContain" (expect)
 - ↳ Wait for load state "networkidle" (pw:api) 0s
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Launch browser (pw:api) 0s
- Create context (pw:api) 0s
- Create page (pw:api) 0s
- Set content (pw:api) 0s
- PDF (pw:api) 0s
- Close browser (pw:api) 0s
- Close context (pw:api) 0s

Escenario: Usuario requerido

> Chromium-Desktop > login-errors.spec.ts > Ingresar credenciales incorrectas @login > Escenario: Usuario requerido

Passed

7s

▼ Steps

- Create context (pw:api) 0s
- Create page (pw:api) 0s
- Navegar a la página de login (test.step) 3s
 - ↳ Navigate to "/" (pw:api) 1s
 - ↳ Wait for load state "networkidle" (pw:api) 1s
 - ↳ Wait for selector locator('input[name="username"]') (pw:api) 0s
 - ↳ Wait for load state "networkidle" (pw:api) 0s
 - ↳ Wait for timeout (pw:api) 0s

- ↳ Screenshot (pw:api) 0s
- Intentar login con: vacío / admin123 (test.step) 0s
 - ↳ Wait for selector locator('input[name="password"]') (pw:api) 0s
 - ↳ Fill "admin123" locator('input[name="password"]') (pw:api) 0s
 - ↳ Wait for selector getByRole('button', { name: /Login/i }) (pw:api) 0s
 - ↳ Click getByRole('button', { name: /Login/i }) (pw:api) 0s
 - ↳ Wait for load state "networkidle" (pw:api)
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Validar respuesta del sistema y bloqueo de acceso (test.step) 0s
 - ↳ Wait for selector locator('div.oxd-input-group').filter({ has: locator('input[name="username"]') }).locator('.oxd-input-field-error-message') (pw:api) 0s
 - ↳ Expect "toBe" (expect) 0s
 - ↳ Expect "toBe" (expect)
 - ↳ Expect "not toContain" (expect) 0s
 - ↳ Wait for load state "networkidle" (pw:api) 0s
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Launch browser (pw:api) 0s
- Create context (pw:api) 0s
- Create page (pw:api) 0s
- Set content (pw:api) 0s
- PDF (pw:api) 0s
- Close browser (pw:api) 0s
- Close context (pw:api) 0s

Escenario: Password requerido

› Chromium-Desktop › login-errors.spec.ts › Ingresar credenciales incorrectas @login › Escenario: Password requerido

Passed

7s

▼ Steps

- Create context (pw:api) 0s
- Create page (pw:api) 0s
- Navegar a la página de login (test.step) 3s
 - ↳ Navigate to "/" (pw:api) 1s
 - ↳ Wait for load state "networkidle" (pw:api) 1s
 - ↳ Wait for selector locator('input[name="username"]') (pw:api) 0s
 - ↳ Wait for load state "networkidle" (pw:api)
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Intentar login con: Admin / vacío (test.step) 0s
 - ↳ Wait for selector locator('input[name="username"]') (pw:api) 0s
 - ↳ Fill "Admin" locator('input[name="username"]') (pw:api) 0s
 - ↳ Wait for selector getByRole('button', { name: /Login/i }) (pw:api) 0s
 - ↳ Click getByRole('button', { name: /Login/i }) (pw:api) 0s
 - ↳ Wait for load state "networkidle" (pw:api)
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Validar respuesta del sistema y bloqueo de acceso (test.step) 0s

- ↳ Wait for selector locator('div.oxd-input-group').filter({ has: locator('input[name="password"]') }).locator('.oxd-input-field-error-message') (pw:api) 0s
- ↳ Expect "toBe" (expect)
- ↳ Expect "toBe" (expect)
- ↳ Expect "not toContain" (expect)
- ↳ Wait for load state "networkidle" (pw:api)
- ↳ Wait for timeout (pw:api) 0s
- ↳ Screenshot (pw:api) 0s
- Launch browser (pw:api) 0s
- Create context (pw:api) 0s
- Create page (pw:api) 0s
- Set content (pw:api) 0s
- PDF (pw:api) 0s
- Close browser (pw:api) 0s
- Close context (pw:api) 0s

Escenario: Campos vacíos

› Chromium-Desktop › login-errors.spec.ts › Ingresar credenciales incorrectas @login › Escenario: Campos vacíos

Passed

8s

▼ Steps

- Create context (pw:api) 0s
- Create page (pw:api) 0s
- Navegar a la página de login (test.step) 4s
 - ↳ Navigate to "/" (pw:api) 1s
 - ↳ Wait for load state "networkidle" (pw:api) 1s
 - ↳ Wait for selector locator('input[name="username"]') (pw:api) 0s
 - ↳ Wait for load state "networkidle" (pw:api)
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Intentar login con: vacío / vacío (test.step) 0s
 - ↳ Wait for selector getByRole('button', { name: /Login/i }) (pw:api) 0s
 - ↳ Click getByRole('button', { name: /Login/i }) (pw:api) 0s
 - ↳ Wait for load state "networkidle" (pw:api)
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Validar respuesta del sistema y bloqueo de acceso (test.step) 0s
 - ↳ Wait for selector locator('div.oxd-input-group').filter({ has: locator('input[name="username"]') }).locator('.oxd-input-field-error-message') (pw:api) 0s
 - ↳ Expect "toBe" (expect)
 - ↳ Wait for selector locator('div.oxd-input-group').filter({ has: locator('input[name="password"]') }).locator('.oxd-input-field-error-message') (pw:api) 0s
 - ↳ Expect "toBe" (expect)
 - ↳ Expect "toBe" (expect)
 - ↳ Expect "not toContain" (expect)
 - ↳ Wait for load state "networkidle" (pw:api)
 - ↳ Wait for timeout (pw:api) 0s
 - ↳ Screenshot (pw:api) 0s
- Launch browser (pw:api) 0s
- Create context (pw:api) 0s
- Create page (pw:api) 0s
- Set content (pw:api) 0s

TEST

STATUS

DURATION

- PDF (pw:api) 0s
- Close browser (pw:api) 0s
- Close context (pw:api) 0s

Environment & Configuration

Browsers

Devices

Operating Systems

linux

PROJECT

VIEWPORT

HEADLESS

Chromium-Desktop

1280x720

true

Trends & Historical Data

Historical data not available. Provide historicalDataPath to enable trends.

Challenges & Lessons Learned

Challenges

- Intermittent latency from downstream APIs
- Maintenance of shared fixtures across suites

Lessons Learned

- Parallelizing specs reduced suite time by 30%
- Centralized test data catalog improved reusability

Recommendations

- Stabilize flaky selectors using resilient locating strategies
- Automate build health checks with PDF summaries in CI

Summary & Conclusion

Suite executed **4** cases across **0** browsers with **100%** reliability. Attach this PDF to release readiness reviews, share with stakeholders, or archive as part of CI artifacts.