

NEAT + Novelty Search for PCG generates comparable video game levels faster with less domain knowledge and no data requirements.

PCGNN: Using NEAT and Novelty Search for Diverse and fast level generation
Michael Beukman, Steven James, Christopher Cleghorn

Introduction

Video games are popular, but content is **slow** and **expensive** to develop manually. Procedural Content Generation (PCG) can help with this.

Problems – Current Methods


- Slow [1, 2]
- Need Data [3]
- Domain Specific Reward Engineering [4]

Method - Solutions

Learn a Neural Network	→	Fast generation
Evolve it using a Genetic Algorithm (NEAT)	→	No data requirements
Fitness functions – solvability & novelty	→	Domain independent
Novelty: Reward Diversity	→	Exploration + diverse levels

Generation

Generate levels for 2D tilemaps using a Neural Network




Performed sequentially for all tiles using previous predictions as input + random perturbations

Results

Fast, Comparable, Generalisable

Generates arbitrary sized levels with no retraining



References

[1] Preuss, Mike, Antonios Liapis, and Julian Togelius. "Searching for good and diverse game levels." *2014 IEEE Conference on Computational Intelligence and Games*. IEEE, 2014.
[2] Liapis, Antonios, Georgios N. Yannakakis, and Julian Togelius. "Constrained novelty search: A study on game content generation." *Evolutionary computation* 23.1 (2015): 101-129.
[3] Schrum, Jacob, Vanessa Volz, and Sebastian Risi. "CPNP2GAN: Combining compositional pattern producing networks and gans for large-scale pattern generation." *Proceedings of the 2020 Genetic and Evolutionary Computation Conference*. 2020.
[4] Khalifa, Ahmed, et al. "PCGRL: Procedural content generation via reinforcement learning." *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*. Vol. 16. No. 1. 2020.

Levels

