
```
#!/usr/bin/python
```

```
import argparse
import time
```

```
parser = argparse.ArgumentParser(description='Decide when to wake up')
parser.add_argument('--clean', '-c', action='store_true', dest='timeonly',
                    default='False', help='only display wake time')
parser.add_argument('--wake', '-w', action='store_true', dest='wake',
                    default='False', help='wake at specified time')
parser.add_argument('--hour', '-y', action='store', dest='hour',
                    default=-1, help='wake/sleep at this hour')
parser.add_argument('--minute', '-m', action='store', dest='minute',
                    default=-1, help='wake/sleep at this minute')
parser.add_argument('--pm', action='store_true', dest='pm',
                    default='False', help='interpret time as pm')
```

```
args = parser.parse_args()
```

```
def sleepAt(sleepTime):
    # takes 14 minutes to sleep
    # and we need 5 sleep cycles of 90 minutes each
    firstWakeTime = sleepTime + (60*14) + 4*(90*60)
    wakeTime = firstWakeTime + (90*60)
    secondWakeTime = wakeTime + (90*60)

    if args.timeonly == 'False':
        print "\t ", time.strftime("%I:%M %p", time.localtime(secondWakeTime))
        print "Wake up at", time.strftime("%I:%M %p", time.localtime(wakeTime))
        print "\t ", time.strftime("%I:%M %p", time.localtime(firstWakeTime))
    else:
        print time.strftime("%I:%M %p", time.localtime(wakeTime))
```

```
def wakeAt(wakeTime):
    # takes 14 minutes to sleep
    # and we need 5 sleep cycles of 90 minutes each
    firstSleepTime = wakeTime - (60*14) - 4*(60*90)
    sleepTime = firstSleepTime - (90*60)
    secondSleepTime = sleepTime - (90*60)
```

```
if args.timeonly == 'False':
    print "\t ", time.strftime("%I:%M %p",
```

```
time.localtime(secondSleepTime))
    print "Go to sleep at", time.strftime("%I:%M %p",
time.localtime(sleepTime))
    print "\t ", time.strftime("%I:%M %p",
time.localtime(firstSleepTime))
    else:
        print time.strftime("%I:%M %p", time.localtime(sleepTime))
```

```
def main():
    now = time.localtime()
    targetDay = time.localtime().tm_mday
    targetHour = time.localtime().tm_hour
    targetMinute = time.localtime().tm_min
```

```
if args.hour >= 0:
    if args.pm == "True":
        hour = int(args.hour) + 12
    else:
        hour = int(args.hour)
    now = time.gmtime()
    if (now.tm_hour + hour) >= 24:
        targetTime.tm_mday = targetTime.tm_mday + 1
    targetHour = hour
```

```
if args.minute >= 0:
    targetMinute = int(args.minute)
```

```
targetTime = (now.tm_year, now.tm_mon, targetDay,
              targetHour, targetMinute, now.tm_sec,
              now.tm_wday, now.tm_yday, now.tm_isdst)
```

```
if str(args.wake) == 'True':
    wakeAt(time.mktime(targetTime))
else:
    sleepAt(time.mktime(targetTime))
```

```
if __name__ == "__main__":
    main()
```