

Drug resistance interpretation: PR

PI Major Mutations:

PI Accessory Mutations:

PR Other Mutations:

None

None

I13V 100%
seen=3,175 • M36I 100%
seen=3,358 • P39P5 P:49%, S:11%
seen=4,312 • R41K 99%
seen=4,932 • I64V 100%
seen=3,958

Protease Inhibitors

atazanavir/r (ATV/r)

Susceptible

darunavir/r (DRV/r)

Susceptible

fosamprenavir/r (FPV/r)

Susceptible

indinavir/r (IDV/r)

Susceptible

lopinavir/r (LPV/r)

Susceptible

nelfinavir (NFV)

Susceptible

saquinavir/r (SQV/r)

Susceptible

tipranavir/r (TPV/r)

Susceptible

Mutation scoring: PR

No drug resistance mutations were found for PI.

Drug resistance interpretation: RT

NRTI Mutations:

NNRTI Mutations:

RT Other Mutations:

None

None

V35T 100%
seen=1,584 • T39K 99%
seen=1,548 • K43E 99%
seen=1,548 • V50I 100%
seen=1,581 • K102KR R:47%, S:10%
seen=2,328 • D121H 100%
seen=2,421 • K122E 99%
seen=2,428 • I142V 99%
seen=2,323 • K166R 99%
seen=2,219 • D177E 99%
seen=2,408 • I178M 99%
seen=2,481 • Q207E 99%
seen=1,000 • R211K 99%
seen=2,384 • V245E 100%
seen=179 • D250E 100%
seen=181

Nucleoside Reverse Transcriptase Inhibitors

abacavir (ABC)

Susceptible

zidovudine (AZT)

Susceptible

stavudine (D4T)

Susceptible

didanosine (DDI)

Susceptible

emtricitabine (FTC)

Susceptible

lamivudine (3TC)

Susceptible

tenofovir (TDF)

Susceptible

Non-nucleoside Reverse Transcriptase Inhibitors

doravirine (DOR)

Susceptible

efavirenz (EFV)

Susceptible

etravirine (ETR)

Susceptible

nevirapine (NVP)

Susceptible

rilpivirine (RPV)

Susceptible

Mutation scoring: RT

No drug resistance mutations were found for NRTI.

No drug resistance mutations were found for NNRTI.

Drug resistance interpretation: IN

INSTI Major Mutations:

INSTI Accessory Mutations:

IN Other Mutations:

None

None

S17N 100%
seen=296 • S39C 100%
seen=292 • M50I R:12%, S:48%
seen=131 • I72V 99%
seen=281 • L101I 100%
seen=128 • T112V 100%
seen=128 • I113V 100%
seen=128 • T124N 100%
seen=128 • T125A 99%
seen=133 • V201I 99%
seen=138 • L234I 99%
seen=176 • D256E 100%
seen=117 • I267V 100%
seen=128

Integrase Strand Transfer Inhibitors

bictegravir (BIC)

Susceptible

cabotegravir (CAB)

Susceptible

dolutegravir (DTG)

Susceptible

elvitegravir (EVG)

Susceptible

raltegravir (RAL)

Susceptible

IN comments

Other

- M50I is a highly polymorphic mutation, which has a prevalence of 3% to 34% in INSTI-naïve persons depending on subtype. It has been selected in vitro by DTG and BIC in combination with R263K. It may contribute to reduced DTG and CAB susceptibility in combination with R263K.

Mutation scoring: IN

No drug resistance mutations were found for INSTI.