PatientID: HDR96

Okitobba 06, 2023

Color Code

HR: High-Level Resistance
LR: Low-Level Resistance
IR: Intermediate Resistance

S: Susceptible

DRUG.CLASS	DRUG	RESISTANCE.PROFILE	DRMS.above.20.percent.prevalence	
PI	ATV	PLR		
	DRV	\mathbf{S}		
	FPV	PLR	;L24I	
	IDV	$_{ m LR}$		
	LPV	PLR		
	NFV	$_{ m PLR}$		
	SQV	$_{ m PLR}$		
	TPV	\mathbf{S}		
NRTI	ABC	IR		
	AZT	${f S}$	K70E;M184V	
	D4T	$_{ m LR}$		
	DDI	$_{ m LR}$		
	FTC	$_{ m HR}$		
	LMV	$_{ m HR}$		
	TDF	LR		
NNRTI	DOR	IR		
	EFV	$_{ m HR}$	L100I;H221Y;P236L;K103N	
	ETR	IR		
	NVP	$_{ m HR}$		
	RPV	$_{ m HR}$		
INSTI	BIC	\mathbf{S}		
	CAB	${f S}$		
	DTG	\mathbf{S}		
	EVG	\mathbf{S}		
	RAL	${f S}$		

Appendix

Drug abbreviations in full

DRUG.CLASS	ABBREVIATION	DRUG.NAME
	ATV	Atazanavir
	DRV	Darunavir
	FPV	Fosamprenavir
PI	IDV	Indinavir
11	LPV	Lopinavir
	NFV	Nelfinavir
	SQV	Saquinavir
	TPV	Tipranavir
	ABC	Abacavir
	AZT	Azidothymidine
	DFT	Stavudine
NRTI	DDI	Didanosine
	FTC	Emtricitabine
	LMV	Lamivudine
	TDF	Tenofovir
	DOR	Doravirine
	EFV	Efavirenz
NNRTI	ETR	Etravirine
	NVP	Nevirapine
	RPV	Rilpivirine
	BIC	Bictegravir
	CAB	Cabotegravir
INSTI	DTG	Dolutegravir
	EVG	Elvitegravir
	RAL	Raltegravir

Comments

DRUG.CLASS	COMMENTS
PI	L24I is a non-polymorphic mutation selected by IDV and LPV. It contributes reduced
	susceptibility to ATV and LPV.
NRTI	K70/E/Q/N/T/S/G cause low-leve resistance to ABC and TDF. M184V/I cause high-level in vitro resistance to 3TC and FTC and low/intermediate
	resistance to ABC (3-fold reduced susceptibility). M184V/I are not contraindications to
	continued treatment with 3TC or FTC because they increase susceptibility to AZT and TDF and are associated with clinically significant reductions in HIV-1 replication.
	H221Y is a non-polymorphic accessory mutation selected primarily by NVP, RPV, and DOR. It frequently occurs in combination with Y181C.
	K103N is a non-polymorphic mutation that confers high-level reductions in NVP and EFV susceptibility. It is the most commonly transmitted DRM.
NNRTI	L100I is a non-polymorphic mutation that usually occurs in combination with K103N. In this setting it confers high-level resistance to NVP, EFV, and RPV and intermediate resistance to ETR and DOR.
	P236L is a rare mutation selected commonly by DLV, which appears to have little if any effect on current NNRTIs.

INSTI