

DAT218x

Cleansing Data with Data Quality Services

Lab 0-1 | Getting Started

Estimated time to complete this lab is 60 minutes

Overview

In this lab, you will provision a Microsoft Azure Virtual Machine (VM) that will be used by all labs in this course. Once the VM is provisioned, you will complete the setup required to support the labs.

The labs in this course are accumulative. You cannot complete the following labs if this lab has not been successfully completed.

What You'll Need

To complete this lab, you will need the following:

- High-speed and reliable internet connectivity (for remote connections to the VM)
- A second monitor is recommended (for the Remote Desktop connection)
- A Microsoft account (such as one used for outlook.com, Hotmail, or other Microsoft services)
- A Microsoft Azure subscription
- The lab files for this course (available for download from GitHub, as described in this lab)

Creating a Free Trial Azure Subscription

If you already have an Azure subscription, you can skip this section. Otherwise, follow these steps to create a free trial subscription. You will need to provide a valid credit card number for verification, but you will not be charged for Azure services—for more information, refer to <https://aka.ms/edx-dat218-faq-az>. Note that the free trial is not available in all regions.

If you already have a Microsoft account that has not already been used to sign up for a free Microsoft Azure trial subscription, you're ready to get started. If not, don't worry—just create a new Microsoft account at <https://signup.live.com>.

After you've created a Microsoft account, browse to <https://aka.ms/edx-dat218-free-trial-az> and click the **Free Trial** link. Then follow the instructions to sign up for a free trial subscription to Microsoft Azure. You'll need to sign in with your Microsoft account if you're not already signed in. Then you'll need to:

- Enter your cellphone number and have Microsoft send you a text message to verify your identity
- Enter the verification code sent to you
- Provide valid payment details—don't worry, your credit card won't be charged for any services you use during the trial period, and the account is automatically deactivated at the end of the trial period, unless you expressly decide to keep it active.

Exercise 1: Provisioning an Azure VM


In this exercise, having signed in to the Azure Portal by using your Azure subscription, you will provision an Azure VM to support all labs for this course.

The Azure VM should be stopped when you have completed a lab so that your subscription is not charged (for free trial subscriptions, this will ensure you will have sufficient credits left to complete the labs over the duration of the course).


Provisioning an Azure VM

In this task, you will sign in to the Azure Portal, and then provision an Azure VM.

1. Sign in to the **Azure Portal** by using your subscription.
2. In the left pane, select **Virtual Machines**—do not select **Virtual Machines (Classic)**.




3. In the **Virtual Machines** blade, click **Add**.




4. In the **Virtual Machines** blade, in the search box, enter **SQL Server**, and then press **Enter**.

5. Select the **Free License: SQL Server 2016 SP1 Developer on Windows Server 2016** image.



6. In the image blade, review the text that describes the virtual machine setup.
7. In the lower section of the blade, in the **Select a Deployment Model** dropdown list, ensure that **Resource Manager** is selected.



8. To provision the virtual machine, click **Create**.



9. Notice that the **Create Virtual Machine** blade opens, and that also the **Basics** blade (step 1) opens.
10. In the **Name** box, enter a name for the virtual machine (this will become the name of the machine).
11. In the **VM Disk Type** dropdown list, select **HDD**.

12. In the **User Name** box and **Password** boxes, enter appropriate values (this will become the machine administrator account).

The password must be at least 12 characters in length, and must have three of the following: one lower case character, one upper case character, one number, or one special character.


Be sure to securely record these credentials, as you will be required to use them to sign in every time you will connect to the VM.

13. In the **Resource Group** box, enter **Lab**.
14. In the **Location** box, select a data center that is in close proximity to you.
15. Click **OK**.



16. In the **Choose a Size** blade, scroll down to locate and select the **DS1_V2** size.

The labs in this course will not require excessive storage, memory or processing.



17. Click **Select**.



18. In the **Settings** blade, to accept the default settings, click **OK**.



19. In the **SQL Server Settings** blade, to accept the default settings, click **OK**.



20. In the **Summary** blade, click **OK**.



21. On the **Azure Portal** dashboard, notice the tile displaying the status of the deployment process.



The deployment usually takes 15-20 minutes to complete, and this time depends largely on the VM size selected. The VM blade will open when the deployment completes.


You cannot proceed to the next task until the deployment completes.

22. Leave the **Azure Portal** dashboard page open.

Connecting to the VM

In this task, once the VM has successfully deployed, you will connect to the VM.

1. In the VM blade, notice that the VM blade automatically opens, and that the VM status is **Running**.



*You are charged when the VM status is **Running**, but you are not charged—except for a relatively smaller storage cost—when the VM status is **Stopped (Deallocated)**.*

The lab instructions will include steps to remind you to stop and optionally deallocate the VM between labs. You should consider doing this if you choose to commence the next lab at a later time.


2. To connect to the VM, click **Connect**.



A Remote Desktop File (.rdp) file is downloaded to the desktop.

This file can be used to reconnect to the remote desktop session, but note that if you deallocate the VM and later re-start the VM, it will be likely that a different IP address will be assigned.

3. When prompted by the web browser to open the Remote Desktop File, click **Open**.




4. If prompted to connect to the unknown publisher, click **Connect**.


*To enter your credentials, you may need to select **More Choices**, and then select **Use a Different Account**.*



5. In the **Windows Security** window, enter the credentials you created for your VM.
6. Check the **Remember My Credentials** checkbox.



7. Click **OK**.
8. In the **Remote Desktop Connection** window, check the **Don't Ask Me Again for Connections to This Computer** checkbox.



9. Click **Yes**.
10. If you have a second monitor, maximize the Remote Desktop window inside a single monitor.


Exercise 2: Setting Up the Azure VM

In this exercise, you will complete several VM setup tasks.


Configuring the Server

In this task, you will configure the server to support the lab experience.


1. In the Remote Desktop window, when the **Networks** panel opens on the right, to ensure the machine is not discoverable by other machines, click **No**.




2. Wait until **Server Manager** opens (it is set to open automatically).
3. In **Server Manager**, in the left pane, select **Local Server**.




4. In the **Properties** pane, notice the **IE Enhanced Security Configuration** is set to **On**.




5. Click the **On** link.
6. In the window, for **Administrators**, select the **Off** option.



7. Click **OK**.
8. Located at the top-right corner, select **Manage**, and then select **Server Manager Properties**.




9. In the window, check the **Do Not Start Server Manager Automatically at Logon**.



10. Click **OK**.

11. To close Server Manager, located at the top-right corner, click **X**.




Installing the Lab Resources

In this task, you will download and extract the lab resources that support the labs.


1. To open Internet Explorer, on the taskbar, click the **Internet Explorer** shortcut.



2. In the **Internet Explorer 11** window, to accept the recommended settings, click **OK**.



3. Maximize the Internet Explorer window.
4. In the Internet Explorer **URL** box, enter <https://github.com/MicrosoftLearning/Cleansing-Data-with-DQS>.
5. To download the lab resources, click **Clone or Download**, and then click **Download ZIP**.




6. Download the file to **F:**.


7. When downloaded, open File Explorer.



8. In the File Explorer window, on the **View** ribbon, check **File Name Extensions**.




9. Navigate to **F:**.
10. Right-click the **Cleansing-Data-with-DQS-master.zip** file, and then select **Properties**.
11. In the window, check **Unblock**.



12. Click **OK**.
13. To extract the file content, right-click the **Cleansing-Data-with-DQS-master.zip** file, and then select **Extract All**.
14. In the window, replace the folder path with **F:**.

*Be sure to extract the files to **F:**, otherwise later steps in this lab will fail.*




15. Click **Extract**.
16. Navigate to the **Cleansing-Data-with-DQS-master** folder.

17. Right-click the **DAT218x-LabResources.zip** file, and then select **Extract All**.
18. Extract the files to **F:**.
19. Verify that you have the **F:\Lab** folder.

Creating the Lab Database

In this task, you will run a script to create the lab database.

1. Navigate to the **F:\Labs\Lab0-1\Assets** folder.
2. Right-click the **Setup.cmd** file, and then select **Open**.



The setup creates the **Lab** database and various database objects to support the labs.

```
C:\Windows\system32\cmd.exe
F:\Labs\Lab0-1\Assets>sqlcmd -S localhost -d master -i "F:\Labs\Setup\Scripts\Setup.sql"
Create Lab database
Create dbo.MSFTOffice_NorthAmerica table
Create dbo.Reference_CA_ProvinceOrTerritoryCode table
Create dbo.Reference_US_StateCode table
Insert dbo.MSFTOffice_NorthAmerica data
Insert dbo.Reference_CA_ProvinceOrTerritoryCode data
Insert dbo.Reference_US_StateCode data
Create dbo.DimOffice table
Create dbo.DimOffice_Error table
F:\Labs\Lab0-1\Assets>pause
Press any key to continue . . .
```

3. When the script execution completes, verify that the you see the same feedback which describes that the **Lab** database and tables were created.


If you do not see the same feedback as the image above, you will need to troubleshoot why the database and tables were not created. You cannot start the next lab if this database has not been successfully created.

4. Press any key to close the command window.


Configuring SQL Server Management Studio

In this task, you will configure SQL Server Management Studio (SSMS). This tool will be required to explore database, and also to execute scripts.

1. To add a shortcut to the taskbar, at the bottom-left corner, click the **Windows** icon, and then commence typing **SQL Server**.



2. In the **Apps** section, when the search result appears, right-click **Microsoft SQL Server Management Studio**, and then select **Pin to Taskbar**.




3. Return to the desktop, and then click the **SQL Server Management Studio** shortcut.




4. In the **Connect to Server** window, click **Connect**.
5. To verify that the **Lab** database was created, in **Object Explorer** (located at the left), expand the **Databases** folder.


6. Verify that the **Lab** database is listed.



7. To configure the SSMS environment, on the **Tools** menu, select **Options**.
8. In the **Options** window, in the left pane, expand **Text Editor**, and then select **Transact-SQL**.



9. Check the **Line Numbers** checkbox.



10. Click **OK**.
11. To close SQL Server Management Studio, on the **File** menu, select **Exit**.

Installing SQL Server Tools

In this task, you will install SQL Server Data Tools (SSDT). This tool is required to develop and execute Integration Services (SSIS) packages.


1. In Internet Explorer, navigate to <https://aka.ms/edx-dat218-ssdt-sql>.

Tip: You can copy-and-paste the URL into the Remote Desktop window.


2. Click the **Download SQL Server Data Tools** link.

Download SQL Server Data Tools


3. When prompted by Internet Explorer to run the **SSDTSetup.exe** file, click **Run**.



4. In the installation window, uncheck both the **SQL Server Analysis Services** and **SQL Server Reporting Services** checkboxes.




5. Click **Next**.



6. Read the license terms, and if you accept them, check the checkbox.

- Click **Install**.




The installation usually takes 5-10 minutes to complete.


- When the installation completes, click **Close**.



- To launch SSDT, at the bottom-left corner, click the **Windows** icon, and notice the items in the **Recently Added** section.




- Select **SQL Server Data Tools 2015**.




11. In the Visual Studio getting started window, in the **Development Settings** dropdown list, select **Business Intelligence Settings**.



12. Click **Start Visual Studio**.




13. To create a shortcut, on the taskbar, right-click the **Visual Studio 2015** icon, and then select **Pin to Taskbar**.



14. To configure the SSDT environment, on the **Tools** menu, select **Options**.

15. In the **Options** window, in the left pane, select the **Startup** page.



16. In the **At Startup** dropdown list, select **Show Empty Environment**.



17. Click **OK**.
18. To close SSDT, on the **File** menu, select **Exit**.


*You will work with SSDT to create Integration Services packages in **Lab 1-2**, and **Lab 2-2**.*

*You have now completed the lab. If you are not commencing the next lab, you should complete the **Finishing Up** exercise to shut down and stop the VM.*


Finishing Up

In this exercise, you will shut down and stop the VM.


1. Close all open applications.
2. Press the **Windows** key, and then in the **Start** page, located at the bottom-left, click the **Power** button, and then select **Shut Down**.



3. When prompted to choose a reason, to accept the default.



4. Click **Continue**.
5. In the **Azure Portal** Web browser page, wait until the status of the VM updates to **Stopped**.




In this state, however, the VM is still billable.

6. Optionally, to deallocate the VM, click **Stop**.

Deallocation will take some minutes to complete, and also extends the time required to restart the VM. Consider deallocating the VM if you want to reduce costs, or if you choose to complete the next lab after an extended period of time.




7. When prompted to stop the VM, click **Yes**.



The deallocation can take several minutes to complete.

8. Verify that the VM status updates to **Stopped (Deallocated)**.



In this state, the VM is now not billable—except for a relatively smaller storage cost.

Note that a deallocated VM will likely acquire a different IP address the next time it is started.

9. Sign out of the **Azure Portal**.