

Table of Contents

- 1 Introduction
 - 1.1 Overview
 - 1.2 Glossary
- 2 Installation
 - 2.1 Software Requirements
 - 2.2 Installation Process
- 3 Graphical User Interface
 - 3.1 Home Page
 - 3.2 Asset List
 - 3.3 Asset Information
 - 3.4 Download Nameplate
- 4 Copyright

Changelog

| Version | Date | Author | Comment |
|---------|------------|------------|---|
| 1.0 | 20.10.2022 | Maris Koch | Created User Manual |
| 1.1 | 21.10.2022 | Maris Koch | First complete user manual with UI-Sketches |
| 1.2 | 06.11.2022 | Maris Koch | Reworked User Manual with feedback from Adrian Khairi and Erika Zhang |

1 Introduction

1.1 Overview

This project is a nameplate generator for assets of the Asset Administration Shell, also known as “AAS”. The application is able to create graphical illustrations based on the properties provided by the AAS including the ability to generate QR codes according to the IEC 63365 standard. Furthermore, a user-friendly frontend application is designed and implemented utilizing React. This includes a start page where the user can enter a server address. After selecting the server, the user is directed a list where all available assets of the chosen server are displayed. After having picked an asset to view in more detail, the exact content of the asset is displayed in an organized and clear structure. A nameplate for the chosen asset can be downloaded in either SVG or PNG format.

1.2 Glossary

- **AAS** - Asset Administration Shell
- **AASX** - file format to store an asset
- **AASX server** - server, that can store AAS assets and has a standardized API specified in the GitHub repository

2 Installation

2.1 Software Requirements

To make an installation, the requirements are: - a working server able to serve a static HTML supported by JavaScript and CSS - the latest release of the software

To access the nameplate generator as a user, the requirements are: - a state-of-the-art browser, e.g. Firefox or Edge


2.2 Installation Process

The nameplate generator is a single-page application with no backend. For installation, only the frontend needs to be served to the user. To install the nameplate generator on a server, download the latest release. Unpack the *.zip* file. The operating server needs to serve the *index.html* file on the desired route to the user. The JavaScript files need to be made publicly accessible. If a user now accesses the website through its browser, the nameplate generator is served up and is ready to be used.

3 Graphical User Interface

3.1 Home Page


The start page is the entry point for the user. Here the user will be introduced to the central control element for the beginning of the workflow, the search bar. In the search bar, the user has to enter the server address of the AASX server from which the available assets shall be requested. To start the process of fetching data, the user has to press *enter* or click the search icon. Within the hamburger menu in the navigation bar, there are three additional links: *Home*, *About* and *GitHub*. The *Home* button directs the user to the home page. Under *About* is page that provides additional information about the Nameplate generator. The *GitHub* link yields a link to the GitHub repository of the nameplate generator. If the chosen server by the user is reachable, the user will be forwarded to the asset list. If the server is not reachable, the user will be notified.



3.2 Asset List

After the user inserted an address for a reachable AASX server into the search bar and started the fetching, it will be forwarded to the asset list. The user will be presented a list of all the available assets on the given server. For each entry in the list, there will be the id short of the asset displayed. At the top of the asset list is a search bar, which allows the user to search for a specific asset on that server. The *Server Address* field in navigation bar is for orientation and shows the user which server he is currently fetching the assets from. When clicked on an asset, the user is forwarded to the asset view.

With the backward arrow of the browser, the user gets back to the start page.



3.3 Asset Information

In the asset information view, the user is presented all the information of the chosen asset. This includes all the information that will be included in the nameplate and further information stored in the asset. In the asset information view, there is the possibility for the user to download the generated nameplate for the asset.



3.4 Download Nameplate

There are two download buttons available in the asset view for the user. One downloads the nameplate for the chosen asset in *.svg* file format, the other downloads the nameplate in *.png* file format. This can be achieved by clicking the *Download SVG* or *Download PNG*.

CD55B20-50

Kompaktzylinder nach ISO 21287

SMC

63329 Egelsbach, Boschring 13-15

Deutschland

+49 (0) 61 03 / 402 - 0

info@smc.de

www.example.com/ids/aas/7031_8082_3022_7912

ManufacturerProductFamily: C55

YearOfConstruction: 2022

VATNumber: DE 0123456789



4 Copyright

MIT License

Copyright © 2022 Mika Kuge, Maris Koch, Erika Zhang, Adrian Khairi, Janin Ahlemeyer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The software is provided “as is”, without warranty of any kind, express or implied, including but not limited to the warranties of merchantability, fitness for a particular purpose and noninfringement. In no event shall the authors or copyright holders be liable for any claim, damages or other liability, whether in an action of contract, tort or otherwise, arising from, out of or in connection with the software or the use or other dealings in the software.