


This page shows the frequency of the top 7 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently "JN.1.* + FLuQE".

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of a selected "Lineage L2" group of interest, across the leading States, over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the frequency of a selected Lineage of interest, across the leading States, over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=10,383 sequenced genomes, up to 2 July 2024

United States - JN.1.* +FLuQE vs JN.1.* +FLiRT

olog (1st Lineage / 2nd Lineage) otrend

growth of 1.5% per day, crossover on 27-Jul-24




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
□ United States	16,163	7/2/2024		7/5/2024	ralla access that that, and, all
California	3,967	7/2/2024	Things	7/5/2024	the control of the second at I
New York	2,149	6/30/2024		7/5/2024	
Virginia	1,305	6/30/2024	agradication and district	7/5/2024	Alexander of the second of
Texas	1,208	6/21/2024	Little or anniestables	7/5/2024	
Colorado	1,014	6/20/2024	tastili	7/4/2024	
Hawaii	793	6/27/2024	وروا أوالمرور	7/5/2024	1. a 1 a l
New Jersey	718	6/30/2024	, saa bibibla	7/5/2024	and a substance of
Ohio	613	6/12/2024	والأأاسين بيرا يبير	7/5/2024	
New Mexico	436	5/9/2024	diadhlaidhead	7/5/2024	
Tennessee	420	5/2/2024	at a lie	6/17/2024	. 1
Maryland	393	6/15/2024	in a subfigure con-	7/5/2024	ala a a
Washington	374	6/29/2024	a and	7/5/2024	and a baland
Illinois	328	6/13/2024	alatibilari l	7/5/2024	. I. I. I
Connecticut	292	5/27/2024	a canatac aldib	7/5/2024	i dan i
Minnesota	279	6/26/2024	ana din taldilah	7/5/2024	1
Utah	245	6/24/2024	ا عملمانيا ا	7/5/2024	The first the
Arizona	223	6/30/2024	n add	7/5/2024	
Florida	197	6/30/2024	ar al mi	7/5/2024	and the state of t
Georgia	143	5/25/2024	. little and	7/5/2024	
District of Columbia	140	6/18/2024	The makers of colorest	7/5/2024	1
Nevada	140	6/26/2024	e and tal	7/3/2024	l. l. l. l. j.
Delaware	110	6/19/2024	a mallica	7/5/2024	ara nili
Louisiana	95	7/1/2024	ne didhe	7/5/2024	
Pennsylvania	93	6/1/2024	n ar a thre	6/25/2024	in the latest terms of the
Iowa	66	6/28/2024	بالناب	7/3/2024	
North Carolina	63	6/23/2024	ուս առևակ	7/5/2024	l.,
Oregon	58	6/22/2024	r junctifi	7/5/2024	
Total	16,163	7/2/2024	and the second distriction.	7/5/2024	ratu aasaa hahaa adaad

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks. A breakdown of the leading states (by volume) is shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.