

This page shows the frequency of the top 7 "L2" lineages, across recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.\*" group includes BA.2.86 and all it's descendants, e.g. the JN.\* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected Lineage of interest, across the leading States, over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.




This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

## Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
□ United States	40,674	4/1/2024		3/30/2024	الين ويبير بنانجانان بزينجالراسان
California	10,882	3/27/2024		3/30/2024	related a state of the control of the
New York	6,869	4/1/2024	4 4	3/30/2024	a lady and darage a solution
Texas	2,800	3/22/2024	k	3/30/2024	
Colorado	2,304	3/20/2024	, diller	3/30/2024	a Ula disar n
Nevada	1,582	3/31/2024	tradity and a	3/30/2024	
Utah	1,530	3/11/2024	.414	3/30/2024	and the second
Virginia	1,337	3/24/2024	_lpl	3/30/2024	
Illinois	1,312	3/20/2024		3/30/2024	and the contract and
New Jersey	1,306	3/22/2024		3/30/2024	add dala da da cara a
Minnesota	925	3/21/2024	عالين المالية	3/30/2024	hii
Ohio	853	3/19/2024	ad.	3/30/2024	L L
Hawaii	807	3/2/2024		3/30/2024	and a facility of
Louisiana	675	3/28/2024	Lik.	3/30/2024	.1
Georgia	661	3/15/2024	علايات	3/30/2024	alata la la dica di d
Pennsylvania	556	3/23/2024	🚹	3/30/2024	administration of
Washington	526	3/23/2024		3/30/2024	al analogo de la colo
Oregon	505	3/12/2024	Mile man	3/30/2024	
Florida	474	3/21/2024	A	3/30/2024	Tal III base at
Connecticut	438	3/15/2024	, <b>k</b> k	3/30/2024	Leave a keep L
Rhode Island	359	3/1/2024	<u> </u>	3/13/2024	L. (4 ).
Arizona	351	3/14/2024	. L	3/30/2024	of an John Commission of
North Carolina	343	3/19/2024	يران المار	3/30/2024	adam ar al la mi
New Mexico	325	3/22/2024	July 1	3/30/2024	
Delaware	320	3/22/2024	. <b></b> .	3/30/2024	de la disconsi
Iowa	255	3/29/2024		3/30/2024	
Nebraska	233	3/30/2024	1	3/30/2024	in the first
Maryland	230	3/20/2024	4.7	3/30/2024	raal of the con-
Total	40,674	4/1/2024		3/30/2024	المديمة بالمالة بالمطالة

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks. A breakdown of the leading states (by volume) is shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.