


This page shows the frequency of the top 7 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently "JN.1.* + FLuQE".

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of a selected "Lineage L2" group of interest, across the leading States, over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the frequency of a selected Lineage of interest, across the leading States, over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=9,049 sequenced genomes, up to 28 June 2024



• log (1st Lineage / 2nd Lineage) • trend

growth of 1.6% per day, crossover on 28-Jul-24




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
□ United States	14,058	6/28/2024		7/4/2024	all Lancas Habibat and al-
California	3,410	6/24/2024	dliber	7/3/2024	and a second control of
New York	1,943	6/24/2024	areas	7/2/2024	Tell constant to the
Virginia	1,192	6/23/2024	Actual Bloods and authorities	7/2/2024	The second second
Texas	1,114	6/20/2024	idificacionalifica	7/3/2024	
Colorado	1,014	6/20/2024		7/4/2024	ar a radio la de
New Jersey	641	6/23/2024	. audition	7/2/2024	ara a labarana
Hawaii	514	6/4/2024	ماناللہ ،	7/1/2024	- 1. a l - 1
Ohio	489	6/12/2024	a and lid	7/1/2024	ala a a lita
New Mexico	425	5/9/2024	diffuora od a	7/1/2024	1
Tennessee	420	5/2/2024	a di	6/17/2024	. 1
Maryland	352	6/1/2024	I i ii lii aat	6/19/2024	all and the
Illinois	319	6/13/2024	oddaloda	6/28/2024	1.1.1
Washington	305	6/22/2024		7/2/2024	are a charles
Utah	222	6/24/2024	. Julian kat	7/3/2024	distance in
Connecticut	212	5/25/2024	r saldes dan	6/26/2024	and the second
Arizona	166	6/23/2024	Lanka	7/3/2024	
Minnesota	158	6/13/2024	. a. Jun a.a.	6/24/2024	1
Florida	152	6/23/2024	maller	7/2/2024	ara dukan
Nevada	140	6/26/2024	فأتلمك والمتاريخ	7/3/2024	. n l.1111
Georgia	123	5/25/2024	atalia	6/21/2024	.1 .1
Pennsylvania	93	6/1/2024	and the state	6/25/2024	aliana di Laborata
District of Columbia	83	5/22/2024	Mariane and a con-	6/16/2024	1
Delaware	78	6/5/2024	Judk.	6/26/2024	.i . Ii l
Iowa	66	6/28/2024	at all to	7/3/2024	
North Carolina	62	6/23/2024	and the late of	7/1/2024	L CALL L
Louisiana	61	6/14/2024		6/24/2024	
Nebraska	54	6/19/2024	o ladjin	6/24/2024	
Total	14,058	6/28/2024		7/4/2024	alla alla dia diadahat adalah

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks. A breakdown of the leading states (by volume) is shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.