

This page shows the frequency of the top 7 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all its descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=12,402 sequenced genomes, from 1 September 2025 up to 28 December 2025

United States

- XFG
- XFG.14.1
- XFG.2
- XFG.3
- XFG.3.15
- XFG.3.4.1
- XFG.4.1




This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently XFG.*.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of lineages, across recent months. The lineages are filtered for a Lineage group of interest, currently XFG.1.1.* .

The Lineage classifications are provided by Nextclade. The colour assignments are random.


The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

United States

• NB.1.8.1 • XFG • XFG.14.1 • XFG.2 • XFG.3 • XFG.3.15 • XFG.4.1




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, across the leading States, over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all its descendants, e.g. the JN.* lineages.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=12,402 sequenced genomes, from 1 September 2025 up to 28 December 2025

NB.1.8.1.* Nimbus

- California
- Colorado
- Maryland
- Minnesota
- New York
- Oregon
- Texas



This page shows the frequency of a selected "Lineage L2" group of interest, across the leading States, over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all its descendants, e.g. the JN.* lineages.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=12,402 sequenced genomes, from 1 September 2025 up to 28 December 2025

XFG.1.1

- Arizona
- California
- Colorado
- Illinois
- Minnesota
- New York



This page shows the frequency of a selected Lineage of interest, across the leading States, over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.


The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=4,959 sequenced genomes, from 1 October 2025 up to 28 December 2025

United States - NB.1.8.1.* Nimbus vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend

0 decline of -0.2% per day



This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=4,959 sequenced genomes, from 1 October 2025 up to 28 December 2025

United States - XFG.1.1 vs XFG.*

● log (1st Lineage / 2nd Lineage) ● trend

0 growth of 2.1% per day




This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

United States

This page shows the hierarchy of the significant Lineages, over recent months.






















The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
United States	4,610	28/12/2025		01/01/2026	
California	1,468	27/12/2025		01/01/2026	
New York	611	28/12/2025		01/01/2026	
Minnesota	409	26/12/2025		01/01/2026	
Colorado	376	16/12/2025		31/12/2025	
Illinois	319	28/12/2025		01/01/2026	
Massachusetts	234	21/12/2025		01/01/2026	
Maryland	164	28/12/2025		01/01/2026	
Michigan	118	28/12/2025		01/01/2026	
Nebraska	104	28/12/2025		01/01/2026	
Arizona	103	28/12/2025		01/01/2026	
Connecticut	102	14/12/2025		01/01/2026	
Kentucky	84	23/12/2025		01/01/2026	
Wisconsin	79	13/11/2025		22/12/2025	
New Mexico	68	18/10/2025		31/12/2025	
International Travellers	60	24/12/2025		01/01/2026	
Oregon	58	24/12/2025		01/01/2026	
New Jersey	55	01/12/2025		29/12/2025	
Hawaii	51	13/12/2025		01/01/2026	
South Dakota	34	07/12/2025		16/12/2025	
Nevada	32	24/12/2025		01/01/2026	
Vermont	21	19/11/2025		12/12/2025	
Virginia	10	24/11/2025		01/01/2026	
Oklahoma	8	25/11/2025		29/12/2025	
South Carolina	7	15/10/2025		29/12/2025	
Alaska	6	01/12/2025		29/12/2025	
Texas	6	03/12/2025		29/12/2025	
Wyoming	5	03/12/2025		15/12/2025	
Total	4,610	28/12/2025		01/01/2026	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks. A breakdown of the leading states (by volume) is shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.