

CS 3342 – Homework 3

Due Date: March 20, 2023(Monday) - 11:59pm

Bottom-up Parsing: Shift Reduce Parser – LR Parser

Background information:

Shift Reduce parser:

- Reduce is the action of replacing the handle on the top of the parse stack with its corresponding LHS
- Shift is the action of moving the next token to the top of the parse stack

The parse tree is constructed from leaves (bottom) to the root (up). This parser requires some data structures:

An input buffer for storing the input string.

A stack for storing and accessing the production rules.

Basic Operations –

1. Shift:
 - This involves moving of symbols from input buffer onto the stack.
2. Reduce:
 - If the handle appears on top of the stack then, its reduction by using appropriate production rule is done i.e. RHS of production rule is popped out of stack and LHS of production rule is pushed onto the stack.
3. Accept:
 - If only start symbol is present in the stack and the input buffer is empty then, the parsing action is called accept. When accept action is obtained, it means successful parsing is done.
4. Error:
 - This is the situation in which the parser can neither perform shift action nor reduce action and not even accept action.

Your task:

1. **Write a C++ program** to perform the actions of a shift reduce parser for the following grammar.

$$\begin{aligned} E &\rightarrow T + T \mid T \\ T &\rightarrow T * F \mid F \\ F &\rightarrow i \end{aligned}$$

To make it simple, the input string will be:

$i*i+i$

The output of your program will look like the following:

```
GRAMMAR is -
E -> T + T | T
T -> T * F | F
F -> i
Input string is: i*i+i

Stack   Input   Action
$        i*i+i$  SHIFT
$i       *i+i$  REDUCE TO F -> i
$F       *i+i$  REDUCE TO T -> F
$T       *i+i$  SHIFT
$T*      i+i$   SHIFT
$T*i     +i$    REDUCE TO F -> i
$T*F     +i$    REDUCE TO T -> T * F
$T       +i$    SHIFT
$T+      i$     SHIFT
$T+i     $      REDUCE TO F -> i
$T+F     $      REDUCE TO T -> F
$T+T     $      REDUCE TO E -> T + T
$E       $      Accept
```

There is a sample program for this lab – “LR_parser_sample_for_hw3.cpp”.

The sample program has a portion of the logic for this homework. It will process the input string and produce the following output. The output is not correct because the code is incomplete.

```
GRAMMAR is -
E -> T + T | T
T -> T * F | F
F -> i
Input string is: i*i+i

Stack   Input   Action
$        i*i+i$  SHIFT
$i       *i+i$  REDUCE TO F -> i
$F       *i+i$  SHIFT
$F*      i+i$   SHIFT
$F*i     +i$    REDUCE TO F -> i
$F*F     +i$    SHIFT
$F*F+    i$     SHIFT
$F*F+i   $      REDUCE TO F -> i
$F*F+F   $      Reject
```

You need to modify the sample program, or you can rewrite the program from scratch to produce the correct output for this homework.

Note:

Take a screen shot of your output and put it in a word doc. Do not zip the word doc. Submit it and the program file separately to Canvas.