3.4-Classes

December 20, 2022

```
<a href="https://cocl.us/NotebooksPython101">
     <img src="https://s3-api.us-geo.objectstorage.softlayer.net/cf-courses-data/CognitiveClas</pre>
</a>
Classes and Objects in Python
<strong>Welcome!</strong>
Objects in programming are like objects in real life. Like life, there are different classes of
ul>
   what a class is
   what an attribute is
   what a method is
Don't worry if you don't get it the first time, as much of the terminology is confusing. Don't forget
to do the practice tests in the notebook.
Table of Contents
<u1>
    <1i>>
       <a href="#intro">Introduction to Classes and Objects</a>
       ul>
           <a href="create">Creating a class</a>
           <a href="instance">Instances of a Class: Objects and Attributes</a>
           <a href="method">Methods</a>
       <a href="creating">Creating a class</a>
   <a href="circle">Creating an instance of a class Circle</a>
   <a href="rect">The Rectangle Class</a>
>
   Estimated time needed: <strong>40 min</strong>
Introduction to Classes and Objects
Creating a Class
```

The first part of creating a class is giving it a name: In this notebook, we will create two classes, Circle and Rectangle. We need to determine all the data that make up that class, and we call that an attribute. Think about this step as creating a blue print that we will use to create objects.

In figure 1 we see two classes, circle and rectangle. Each has their attributes, they are variables. The class circle has the attribute radius and color, while the rectangle has the attribute height and width. Let's use the visual examples of these shapes before we get to the code, as this will help you get accustomed to the vocabulary.

Figure 1: Classes circle and rectangle, and each has their own attributes. The class circle has the attribute radius and colour, the rectangle has the attribute height and width.

Instances of a Class: Objects and Attributes

An instance of an object is the realisation of a class, and in Figure 2 we see three instances of the class circle. We give each object a name: red circle, yellow circle and green circle. Each object has different attributes, so let's focus on the attribute of colour for each object.

Figure 2: Three instances of the class circle or three objects of type circle.

The colour attribute for the red circle is the colour red, for the green circle object the colour attribute is green, and for the yellow circle the colour attribute is yellow.

Methods

Methods give you a way to change or interact with the object; they are functions that interact with objects. For example, let's say we would like to increase the radius by a specified amount of a circle. We can create a method called **add_radius(r)** that increases the radius by **r**. This is shown in figure 3, where after applying the method to the "orange circle object", the radius of the object increases accordingly. The "dot" notation means to apply the method to the object, which is essentially applying a function to the information in the object.

Figure 3: Applying the method "add_radius" to the object orange circle object.

Creating a Class

Now we are going to create a class circle, but first, we are going to import a library to draw the objects:

```
[1]: # Import the library

import matplotlib.pyplot as plt
%matplotlib inline
```

The first step in creating your own class is to use the class keyword, then the name of the class as shown in Figure 4. In this course the class parent will always be object:

Figure 4: Three instances of the class circle or three objects of type circle.

The next step is a special method called a constructor ___init___, which is used to initialize the object. The input are data attributes. The term self contains all the attributes in the set. For example the self.color gives the value of the attribute color and self.radius will give you the radius of the object. We also have the method add_radius() with the parameter r, the method adds the value of r to the attribute radius. To access the radius we use the syntax self.radius. The labeled syntax is summarized in Figure 5:

Figure 5: Labeled syntax of the object circle.

The actual object is shown below. We include the method drawCircle to display the image of a circle. We set the default radius to 3 and the default colour to blue:

```
[2]: # Create a class Circle
     class Circle(object):
         # Constructor
         def __init__(self, radius=3, color='blue'):
             self.radius = radius
             self.color = color
         # Method
         def add_radius(self, r):
             self.radius = self.radius + r
             return(self.radius)
         # Method
         def drawCircle(self):
             plt.gca().add_patch(plt.Circle((0, 0), radius=self.radius, fc=self.
      →color))
             plt.axis('scaled')
             plt.show()
```

Creating an instance of a class Circle

Let's create the object RedCircle of type Circle to do the following:

```
[3]: # Create an object RedCircle

RedCircle = Circle(10, 'red')
```

We can use the dir command to get a list of the object's methods. Many of them are default Python methods.

```
[4]: # Find out the methods can be used on the object RedCircle
dir(RedCircle)
```

```
'__hash__',
'__init__',
'__init_subclass__',
'__le__',
'__lt__',
'__module__',
'__ne__',
'__new__',
'__reduce__',
'__reduce_ex__',
'__repr__',
'__setattr__',
'__sizeof__',
'__str__',
'__subclasshook__',
'__weakref__',
'add_radius',
'color',
'drawCircle',
'radius']
```

We can look at the data attributes of the object:

```
[5]: # Print the object attribute radius

RedCircle.radius
```

[5]: 10

```
[6]: # Print the object attribute color

RedCircle.color
```

[6]: 'red'

We can change the object's data attributes:

```
[7]: # Set the object attribute radius


RedCircle.radius = 1
RedCircle.radius
```

[7]: 1

We can draw the object by using the method drawCircle():

```
[8]: # Call the method drawCircle
```

RedCircle.drawCircle()



We can increase the radius of the circle by applying the method add_radius(). Let increases the radius by 2 and then by 5:

```
[9]: # Use method to change the object attribute radius

print('Radius of object:',RedCircle.radius)

RedCircle.add_radius(2)

print('Radius of object of after applying the method add_radius(2):',RedCircle.

→radius)

RedCircle.add_radius(5)

print('Radius of object of after applying the method add_radius(5):',RedCircle.

→radius)
```

```
Radius of object: 1
Radius of object of after applying the method add_radius(2): 3
Radius of object of after applying the method add_radius(5): 8
```

Let's create a blue circle. As the default colour is blue, all we have to do is specify what the radius is:

```
[10]: # Create a blue circle with a given radius

BlueCircle = Circle(radius=100)
```

As before we can access the attributes of the instance of the class by using the dot notation:

[11]: # Print the object attribute radius
BlueCircle.radius

[11]: 100

[12]: # Print the object attribute color


BlueCircle.color

[12]: 'blue'

We can draw the object by using the method drawCircle():

[13]: # Call the method drawCircle

BlueCircle.drawCircle()



Compare the x and y axis of the figure to the figure for RedCircle; they are different.

The Rectangle Class

Let's create a class rectangle with the attributes of height, width and color. We will only add the method to draw the rectangle object:

[14]: # Create a new Rectangle class for creating a rectangle object

```
class Rectangle(object):

# Constructor

def __init__(self, width=2, height=3, color='r'):
    self.height = height
    self.width = width
    self.color = color

# Method

def drawRectangle(self):
    plt.gca().add_patch(plt.Rectangle((0, 0), self.width, self.height_u

-,fc=self.color))
    plt.axis('scaled')
    plt.show()
```

Let's create the object SkinnyBlueRectangle of type Rectangle. Its width will be 2 and height will be 3, and the color will be blue:

```
[15]: # Create a new object rectangle
SkinnyBlueRectangle = Rectangle(2, 10, 'blue')
```

As before we can access the attributes of the instance of the class by using the dot notation:

```
[16]: # Print the object attribute height
SkinnyBlueRectangle.height
```

[16]: 10

```
[17]: # Print the object attribute width

SkinnyBlueRectangle.width
```

[17]: 2

```
[18]: # Print the object attribute color


SkinnyBlueRectangle.color
```

[18]: 'blue'

We can draw the object:

```
[19]: # Use the drawRectangle method to draw the shape

SkinnyBlueRectangle.drawRectangle()
```



Let's create the object FatYellowRectangle of type Rectangle :

```
[20]: # Create a new object rectangle
FatYellowRectangle = Rectangle(20, 5, 'yellow')
```

We can access the attributes of the instance of the class by using the dot notation:

```
[21]: # Print the object attribute height
FatYellowRectangle.height
```

[21]: 5

[22]: # Print the object attribute width

FatYellowRectangle.width

[22]: 20

[23]: # Print the object attribute color


FatYellowRectangle.color

[23]: 'yellow'

We can draw the object:

[24]: # Use the drawRectangle method to draw the shape

FatYellowRectangle.drawRectangle()



The last exercise!

Congratulations, you have completed your first lesson and hands-on lab in Python. However, there is one more thing you need to do. The Data Science community encourages sharing work. The best way to share and showcase your work is to share it on GitHub. By sharing your notebook on GitHub you are not only building your reputation with fellow data scientists, but you can also show it off when applying for a job. Even though this was your first piece of work, it is never too early to start building good habits. So, please read and follow this article to learn how to share your work.

Get IBM Watson Studio free of charge!

<img src="https://s3-api.us-geo.objectsteeps://s3

About the Authors:

Joseph Santarcangelo is a Data Scientist at IBM, and holds a PhD in Electrical Engineering. His research focused on using Machine Learning, Signal Processing, and Computer Vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.

Other contributors: Mayis Zhou

Copyright © 2018 IBM Developer Skills Network. This notebook and its source code are released under the terms of the MIT License.