Name:- Jitendra	Rajendra	Jivrak
Roll No:- CS029		

Date:-
--------

## **Practical No:1**

\_\_\_\_\_

# AIM:- Write a python program to display all types of pyramids of stars

#### CODE:-

```
def print_right_angle_triangle(n):
  print("Right-Angle Triangle:")
  for i in range(1, n + 1):
    print('*' * i)
  print()
def print_isosceles_triangle(n):
  print("Isosceles Triangle:")
  for i in range(1, n + 1):
     print(''*(n-i)+'*'*(2*i-1))
  print()
def print_inverted_triangle(n):
  print("Inverted Triangle:")
  for i in range(n, 0, -1):
     print('*' * i)
  print()
def print_full_pyramid(n):
  print("Full Pyramid:")
  for i in range(1, n + 1):
     print(' ' * (n - i) + '*' * (2 * i - 1))
  print()
def print_diamond(n):
  print("Diamond Shape:")
  # Upper part
  for i in range(1, n + 1):
     print(''*(n-i)+'*'*(2*i-1))
  # Lower part
  for i in range(n - 1, 0, -1):
     print(''*(n-i)+'*'*(2*i-1))
  print()
# Set the height of the pyramids
n = 5
```

```
print_right_angle_triangle(n)
print_isosceles_triangle(n)
print_inverted_triangle(n)
print_full_pyramid(n)
print_diamond(n)
```

## **Output:-**

```
Right-Angle Triangle:
**
****
****
Isosceles Triangle:
*****
******
Inverted Triangle:
****
****
***
**
Full Pyramid:
  ***
 ****
*****
******
Diamond Shape:
  ****
 ******
  ****
  ***
```

		- Jite o:- C		Raje	ndra	Jivrak									
No	11 11	<b>0.</b> - C	3027							]	Date:				
							Prac	ctical	No:	2					
		1 to 1	10.	_					_	cation					
CO	DDI	E <b>:-</b>													
for # I	i in # Pri print # Lo for j #	range int a h t("\n\n op the in ran Print	e(1, 1) neader nMUL rough nge(1, the m	1): for the control of the control o	ne cur ICAT pers 1	rent murion T. to 10 for express 5d" % (	Iltiplica ABLE or the 1 assion a	ation ta FOR 9 multipl	able %d\n" liers		ntted or	utput			
Οι	•	ut:-					( , 3 ,	3//							
MIII T	-	ATION T	ARIF FOR	. 1											
										ATION TA		R 7			
1	X	2 =	2	4	X	2 =	8	7	X	2 =	7 14				
1	X	3 = 4 =	3 4	4	X	3 = 4 =	12 16	7	X	3 =	21				
1	Х	5 =	5	4	X	5 =	20	7	X	4 = 5 =	35				
1	X X	6 = 7 =	6 7	4	X	6 = 7 =	24	7	X	6 =	42				
1	X	8 =	8	4	X	8 =	32	7	X X	7 = 8 =	49 56				
1	X	9 = 10 =	9 10	4	X X	1 = 2 = 3 = 4 = 5 = 6 = 7 = 8 = 9 = 10 =	36 40	7 7	X X	9 = 10 =	63 70				
MULT	TIPLIC	ATION TA	ABLE FOR	2 MUL	TIPLIC	ATION TA	ABLE FOR	R 5 MUL	TIPLIC	ATION TA	ABLE FO	R 8			
2	Х	1 =	2	5	х	1 =	5	8	x	1 =	8				
2	X X	2 = 3 =	4 6	5 5	X X	2 = 3 =	10 15	8	x	2 =	16				
2	X	4 =	8	5	X	4 =	20	8 8	X X	3 = 4 =	24 32				
2 2	X X	5 = 6 =	10 12	5 5	X X	5 = 6 =	25 30	8	X	5 =	40				
2	X	7 =	14	5	X	7 =	35	8	X X	6 = 7 =	48 56				
2 2	X X	8 = 9 =	16 18	5 5	X X	8 = 9 =	40 45	8	X	8 =	64				
2	X	10 =	20	5	X	10 =	50	8	X X	9 = 10 =	72 80				
MULT	TIPLIC	ATION TA	ABLE FOR	3 MUL	TIPLIC	ATION TA	BLE FOR	R 6 MUL	TIPLIC	ATION TA	ABLE FO	R 9 MUI	TIPLIC	CATION T	ABLE FOR :
3	Х	1 =	3	6	x	1 =	6	9	x	1 =	9	10	Х	1 =	10
3	X X	2 = 3 =	6 9	6 6	X X	2 = 3 =	12 18	9	X	2 =	18	10	X	2 =	20
3	X	4 =	12	6	X	4 =	24	9 9	X X	3 = 4 =	27 36	10 10	X X	3 = 4 =	30 40
3 3	X X	5 = 6 =	15 18	6 6	X X	5 = 6 =	30 36	9	x	5 =	45	10	X	5 =	50
3	X	7 =	21	6	X	7 =	42	9 9	X X	6 = 7 =	54 63	10	X	6 =	60
3	X	8 =	24	6 6	X X	8 = 9 =	48 54	9	x	8 =	72	10 10	X X	7 = 8 =	70 80
3	X X	9 = 10 =	27 30	6	X	10 =	60	9	X X	9 = 10 =	81 90	10	X	9 =	90
-								9	X	10 =	90	10	X	10 =	100

Name:- Jitendra Rajendra Jivrak Roll No:- CS029 Date:-
Practical No: 3
AIM:- Write a program to calculate simple interest except amount, duration and rate of interest from user.
CODE:-
# Function to calculate simple interest def calculate_simple_interest(principal, rate, duration):  # Calculate simple interest using the formula: (P * R * T) / 100 return (principal * rate * duration) / 100
# Prompt the user to enter the principal amount and convert it to a float principal = float(input("Enter the principal amount: "))
# Prompt the user to enter the duration in years and convert it to a float duration = float(input("Enter the duration (in years): "))
# Prompt the user to enter the rate of interest and convert it to a float rate = float(input("Enter the rate of interest (in %): "))
# Calculate simple interest using the user inputs simple_interest = calculate_simple_interest(principal, rate, duration)
# Print the calculated simple interest, formatted to two decimal places print(f"The simple interest is: {simple_interest:.2f}")
Output:-
Enter the principal amount: 200000
Enter the duration (in years): 2

Enter the rate of interest (in %): 7

The simple interest is: 28000.00

Name:- Jitendra Rajendra Jivrak Roll No:- CS029 Date:-\_\_\_\_ **Practical No: 4 AIM:-** Write a program to count even and odd number in the list. CODE:-# Function to count even and odd numbers in a list def count even odd(numbers): # Initialize counters for even and odd numbers  $even\_count = 0$  $odd\_count = 0$ # Iterate through each number in the provided list for number in numbers: # Check if the number is even if number % 2 == 0: even count += 1 # Increment even count else: odd\_count += 1 # Increment odd count # Return the counts of even and odd numbers return even\_count, odd\_count # List of numbers from 1 to 20 numbers = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20] # Call the function and store the results in even\_count and odd\_count even\_count, odd\_count = count\_even\_odd(numbers) # Print the count of even numbers print(f"Even numbers: {even count}") # Print the count of odd numbers print(f"Odd numbers: {odd\_count}")

## Output:-

Even numbers: 10

Odd numbers: 10

Name:- Jitendra Rajendra Jivrak Roll No:- CS029

I	<b>Ja</b> 1	te:	•					

### **Practical No: 5**

-----

AIM:- Write a program to find sum of all numbers, mean, max, average of numbers in a list.

------

#### **CODE:-**

```
from collections import Counter
def calculate_statistics(numbers):
  if not numbers:
    return None, None, None, None, None
  # Calculate sum
  total_sum = sum(numbers)
  # Calculate minimum
  minimum = min(numbers)
  # Calculate maximum
  maximum = max(numbers)
  # Calculate mean
  mean = total_sum / len(numbers)
  # Calculate mode
  frequency = Counter(numbers)
  mode_data = frequency.most_common()
  mode = [num for num, freq in mode_data if freq == mode_data[0][1]]
  return total_sum, minimum, maximum, mean, mode
# Example usage
numbers = [1, 2, 2, 3, 4, 4, 4, 5]
total_sum, minimum, maximum, mean, mode = calculate_statistics(numbers)
print(f"Sum: {total_sum}")
print(f"Min: {minimum}")
print(f"Max: {maximum}")
print(f"Mean: {mean}")
print(f"Mode: {mode}")
```

## **Output:-**

```
Sum: 25
Min: 1
Max: 5
Mean: 3.125
Mode: [4]
```

