

# Analytic Models

## Assignment 3

Mina Mousavifar - 11279515 - sem311

Question 1.

For *small packets* we have:

$$S_{small} = 0.01ms, P_{small} = 0.1.$$

$$\lambda_{small} = P_{small} * \lambda = (0.1) * (8000 \frac{packet}{second} * \frac{1second}{1000ms}) = 0.8 \frac{packet}{ms}$$

So based on Little's law:

$$U_{small} = \lambda_{small} * S_{small} = (0.8 \frac{packets}{ms}) * (0.01ms) = 0.008$$

$$Q_{small} = \lambda_{small} * R_{small} = 0.8 R_{small}$$

Since we have a deterministic service time distribution for each class, then we have:

$$S_{rem_{small}} = \frac{S_{small}}{2} = \frac{0.01ms}{2} = 0.005ms$$

For *big packets* we have:

$$S_{big} = 0.11ms, P_{big} = 0.9.$$

$$\lambda_{big} = P_{big} * \lambda = (0.9) * (8000 \frac{packet}{second} * \frac{1second}{1000ms}) = 7.2 \frac{packet}{ms}$$

So based on Little's law:

$$U_{big} = \lambda_{big} * S_{big} = (7.2 \frac{packets}{ms}) * (0.11ms) = 0.792$$

$$Q_{big} = \lambda_{big} * R_{big} = 7.2 R_{big}$$

Since we have a deterministic service time distribution for each class, then we have:

$$S_{rem_{big}} = \frac{S_{big}}{2} = \frac{0.11ms}{2} = 0.055ms$$

Finally for each class based on small class non-preemptive priority we have:

$$R_{small} = S_{small} + S_{small} * (Q_{small} - U_{small}) + U_{small} * S_{rem_{small}} + U_{big} * S_{rem_{big}}$$

$$R_{small} = 0.01 + 0.01 * (0.8 R_{small} - 0.008) + 0.008 * 0.005 + 0.792 * 0.055$$

```
Rs = (0.01 - (0.01*0.008) + (0.008*0.005) + (0.792*0.055))/(1 - 0.008)
cat("R small: ", Rs, 'milliseconds')
```

```
## R small: 0.05395161 milliseconds
```

$$R_{big} = S_{big} + S_{small} * (Q_{small} - U_{small}) + S_{big} * (Q_{big} - U_{big}) + U_{small} * S_{rem_{small}} + U_{big} * S_{rem_{big}} + (R_{big} - S_{big}) \lambda_{small} S_{small}$$

$$R_{big} = 0.11 + 0.01 * (0.8 * R_{small} - 0.008) + 0.11 * (7.2 R_{big} - 0.792) + 0.008 * 0.005 + 0.792 * 0.055 + (R_{big} - 0.11) * 0.8 * 0.01$$

```
Rb = (0.11 + (0.01 * (0.8 * Rs - 0.008)) - (0.11 * 0.792) + (0.008 * 0.005) + (0.792 * 0.055) - (0.11 * 0.8 * 0.01)) / (1 - 0.8)
cat("R big: ", Rb, 'milliseconds')
```

```
## R big: 0.3297581 milliseconds
```

---

Question 2.

*hi*

---

Question 3.

**a)**

*hi*

**b)**

*hi*

---

Question 4.

**a)**

*hi*

**b)**

*hi*

---

Question 5.

**a)**

*hi*

**b)**

*hi*

**c)**

*hi*

**d)**

*hi*