NOTE ON DUCROS' BOOK — CHAPTER 4

MINGCHEN XIA

Contents

1

1. Introduction

2. Notes References	1 3
1. Introduction These are a series of notes on the book [Duc24].	
2. Notes	
Let k be a non-Archimedean analytic field. Consider a k -analytic curve X . Unlike Ducros' book, we assume that X is good. ¹	
1.2.1. Line 4, $\varphi^{-1}(\varphi((x)))$ should be $\varphi^{-1}(\varphi(x))$.	
1.2.3. Line 5, φ should be f .	
1.2.4.1. Line 6 , $= 0$ should be removed. Line 8 , X' should be X_0 .	
1.2.9. Line 3, $\mathbb{P}_{\mathscr{H}(x)}$ should be $\mathbb{P}_{\mathscr{H}(x)}/k$.	
1.2.16.1. Line 5, the second y should be x .	
1.2.16.2. Line 26, $\varphi^{-1}U$ should be $\varphi^{-1}(U)$.	
1.3.4.1. Line 4, x_i should be x_i' .	
1.3.5.2. Line 1, 3) should be 1).	
1.3.6.4. Line 8, $ \mathcal{O}_X(Z)^{\times} $ should be $ \mathcal{O}_X(Z)^{\times} _b$.	
1.3.9.1. Line 18, Y^{an} should be $S^{\text{an}}(Y)$. Line 19, X^{an} should be $S^{\text{an}}(X)$.	
4.3.11.1. Line 7, $\frac{b}{b}$ should be $\frac{y}{a}$. Line 8, $\frac{a}{b}$ should be $\frac{x}{b}$. Line 8, $\frac{b}{b}$ le lemma should be $\frac{b}{b}$ proposition.	
1.4.3.1. Line 8, U should be $X \setminus \{x\}$. Line 9, U should be Z .	
1.4.5. Line 4, $H^1(\kappa(x), \mu_{\ell})$ should be $H^1(\kappa(x), \mu_{\ell})$.	
1.4.5.3. Line 2, $H^1(X, x)_{\text{\'et}}, \mu_{\ell}$) should be $H^1((X, x)_{\text{\'et}}, \mu_{\ell})$.	
1.4.8.3. Line 10, H^1 should be H^1 . In the displayed formula, $T^{\ell} - f(x)$ should be $(T^{\ell} - f(x))$.	

 $[\]overline{}^{1}$ This is proved in Ducros' book based on Temkin's goodness criterion. I cannot understand he proof of the latter as explained in my note on graded reductions.

- **4.4.10.4.** Line 5, remove the first sentence.
- **4.4.14.** Line 3, Y should be X. Line 9, the formula should be $\mathrm{H}^1((X,x)_{\mathrm{\acute{e}t}},\mu_\ell) \sim \mathrm{H}^1(\mathscr{H}(x),\mu_\ell)$.
- **4.4.23.** Line 6, t should be T.
- **4.5.4.** Line 6, coronaire should be une couronne virtuelle.
- **4.5.12.** Line 1, $p: X \to X_{\widehat{k}^a}$ should be $p: X_{\widehat{k}^a} \to X$. The finiteness of the fiber over $x \in X_{[0,2,3]}$ is due to the fact that x is Abhyankar. See 3.2.15.4.

REFERENCES 3

References

DucCurve

[Duc24] A. Ducros. La structure des courbes analytiques. 2024. arXiv: 2405.10619 [math.AG]. Mingchen Xia, Chalmers Tekniska Högskola and Institute of Geometry and Physics, USTC

 $Email\ address, \verb|xiamingchen2008@gmail.com||$

Homepage, https://mingchenxia.github.io/home/.