

# R Notebook

## A Comparative Analysis of Wi-Fi Performance Between Science and Humanities Buildings: Evidence of Infrastructure Inequality on a College Campus

```
# if not installed use: install.packages("package_name")
suppressWarnings(library(readxl))
suppressWarnings(library(psych))

hanson_data= read_excel("datasheet.xlsx", sheet="Hanson")
oldmain_data= read_excel("datasheet.xlsx", sheet="Old Main")
```

$H_T$ : There is no difference in average WI-FI speed between Old Main and Hanson.

$H_A$ : There is a difference in average WI-FI speed between Old Main and Hanson.

$\alpha = 0.05$

### Abstract

Lorem

## I. Introduction

Reliable, high-speed internet access is an essential resource for today's college works and studies, where assignments, entertainment, socialization, and more has been migrated to online platforms such as Moodle and Google services. Yet not all students enjoy equal access to robust networks on Augustana College campuses. This inequality manifests itself glaringly in WI-Fi infrastructure quality at academic buildings on campus. Through a comparative analysis of WI-Fi speeds conducted between only two locations, our project aimed to test our claim about the inequality of the WI-fi speed in science and humanities buildings.

Within a week period, our team performed Wi-Fi speed tests between morning to afternoon over two locations: one in Hanson Hall (science building) and one in Old Main Hall (humanities). We recorded download and upload speeds using Augustana home grown Internet Speed Test, averaging 32 test results from 2 spots within two buildings. Our central hypotheses were twofold: that average download speeds would prove significantly faster in STEM-focused Hanson versus Old Main, and upload speed also faster in Hanson than Old Main.

Our study provides compelling evidence of major infrastructure biases against academic disciplines seemingly "softer" or less valued than technical fields within the institutional technology status quo. Addressing deficiencies uncovered should constitute an urgent priority for equitable distribution of campus network resources benefiting all students.

## II. Experimental Setup

```
# get the differece between download and upload speeds for each building
result <-
  data.frame(
    download_diff = hanson_data$`Download Speed (Mbps)` - oldmain_data$`Download Speed (Mbps)`,
    upload_diff = hanson_data$`Upload Speed (Mbps)` - oldmain_data$`Upload Speed (Mbps)`
  )
```

Here is a summary of the data:

```
h_download_mean = mean(hanson_data$`Download Speed (Mbps)`)  
h_upload_mean = mean(hanson_data$`Upload Speed (Mbps)`)  
h_download_sd = sd(hanson_data$`Download Speed (Mbps)`)  
h_upload_sd = sd(hanson_data$`Upload Speed (Mbps)`)
```

Hanson

$$\begin{aligned}\bar{X}_{Hanson\ download} &= 82.935 \\ \bar{X}_{Hanson\ upload} &= 83.380625 \\ s_{Hanson\ download} &= 75.7139672 \\ s_{Hanson\ upload} &= 66.8327555\end{aligned}$$

```
o_download_mean = mean(oldmain_data$`Download Speed (Mbps)`)  
o_upload_mean = mean(oldmain_data$`Upload Speed (Mbps)`)  
o_download_sd = sd(oldmain_data$`Download Speed (Mbps)`)  
o_upload_sd = sd(oldmain_data$`Upload Speed (Mbps)`)
```

Old Main

$$\begin{aligned}\bar{X}_{OldMain\ download} &= 60.1025 \\ \bar{X}_{OldMain\ upload} &= 73.74125 \\ s_{OldMain\ download} &= 93.8963707 \\ s_{OldMain\ upload} &= 107.4404898\end{aligned}$$

```
download_sd = sd(result$download_diff)  
download_mean = mean(result$download_diff)  
  
upload_sd = sd(result$upload_diff)  
upload_mean = mean(result$upload_diff)
```

DIFF

$$\begin{aligned}\bar{X}_{DIFF\ download} &= 22.8325 \\ \bar{X}_{DIFF\ upload} &= 9.639375 \\ s_{DIFF\ download} &= 68.6649584 \\ s_{DIFF\ upload} &= 67.4312574\end{aligned}$$

```
summary(result$download_diff)
```

##	Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
##	-128.100	-5.525	30.460	22.832	58.157	139.520

```
summary(result$upload_diff)
```

##	Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
##	-157.000	-2.600	14.485	9.639	42.305	128.400

Now to get some of the statistics:

```

download_sd <- sd(result$download_diff)
download_mean <- mean(result$download_diff)

upload_sd <- sd(result$upload_diff)
upload_mean <- mean(result$upload_diff)

#use ggplot2
library(ggplot2)


##
## Attaching package: 'ggplot2'
## The following objects are masked from 'package:psych':
##
##      %+%, alpha

plot_dist_hist <- function(n, mean, sd, binwidth) {
  df <- data.frame(x = rnorm(n, mean, sd))
  ggplot(df, aes(
    x = x,
    mean = mean,
    sd = sd,
    binwidth = binwidth,
    n = n
  )) +
    theme_bw() +
    geom_histogram(
      binwidth = binwidth,
      colour = "white",
      fill = "cornflowerblue",
      linewidth = 0.1
    ) +
    stat_function(
      fun = function(x)
        dnorm(x, mean = mean, sd = sd) * n * binwidth,
      color = "darkred",
      linewidth = 1
    ) +
    theme(plot.title = element_text(hjust = 0.5))
}


n = nrow(result)
binwidth = 60 # passed to geom_histogram and stat_function
set.seed(1)

plot_dist_hist(n, download_mean, download_sd, binwidth) + labs(title = "Plot of Average Download Speed")

```



```
plot_dist_hist(n, upload_mean, upload_sd, binwidth) + labs(title = "Plot of Average Upload Speed Differ
```



### III. Results

Lorem

### IV. Discussion

Lorem

Talk about the interview with Scott Dean ## References

Using IEEE Style