

# Using MobileFirst application as a container for server-generated pages

fork and edit tutorial (<https://github.ibm.com/MFPSamples/DevCenter/tree/master/tutorials/en/foundation/6.3/advanced-topics/using-mobilefirst-application-container-server-generated-pages.html>) | report issue (<https://github.ibm.com/MFPSamples/DevCenter/issues/new>)

## Migrating applications to IBM MobileFirst Platform Foundation

- By using mobile web technology, you can deploy applications to the widest variety of devices.
- The existence of public application stores, such as Apple iTunes and Google Play, changes the way applications are hosted and marketed. These changes make traditional methods of distribution less relevant.
- IBM MobileFirst Platform Foundation provides the solution to build cross-platform applications that can be distributed through the application stores by using the hybrid application programming model.
- In the hybrid model, developers typically package the application HTML, CSS, and JavaScript™ code as part of the application that is deployed to the application store.
- In this module, you see the remote loading of dynamic content capability, where the HTML, CSS, and JavaScript code is hosted externally from the natively packaged hybrid.

## Creating IBM MobileFirst applications

- A project and applications are created by using the IBM MobileFirst Project wizard.



- A project might host multiple applications. However, in this module, you use only one app:  
**UsingApplicationAsAContainer**



- Optionally the target environments can be set on the MobileFirst Project wizard or it could be done at a later time



## IBM MobileFirst environments

- IBM MobileFirst Foundation provides a model for organizing the application project structure for each targeted environment (for example, Android, iPhone, iPad).
- These targeted environments are selected through the MobileFirst Environment wizard.





## IBM MobileFirst Common environment

- The simplest way to use IBM MobileFirst apps as containers for server generated pages is through the Common environment
- Open the `application-descriptor.xml` file and edit the `mainFile` tag to point to "`http://m.ibm.com`"



```

<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<application xmlns="http://www.worklight.com/application-descriptor" id="UsingApplicationAsAContainer" platformVersion="6.3.0.00.20141003-1438">
  <displayName>UsingApplicationAsAContainer</displayName>
  <description>UsingApplicationAsAContainer</description>
  <author>
    <name>application's author</name>
    <email>application author's e-mail</email>
    <homepage>http://mycompany.com</homepage>
    <copyright>Copyright My Company</copyright>
  </author>
  <mainFile>http://m.ibm.com</mainFile>
  <features/>
  <thumbnailImage>common/images/thumbnail.png</thumbnailImage>
  <iphone bundleId="com.UsingApplicationAsAContainer" version="1.0">
    <worklightSettings include="false"/>
    <security>
      <encryptWebResources enabled="false"/>
      <testWebResourcesChecksum enabled="false" ignoreFileExtensions="png, jpg, jpeg, gif, mp4, mp3"/>
    </security>
  </iphone>
  <android version="1.0">
    <worklightSettings include="false"/>
    <security>
      <encryptWebResources enabled="false"/>
      <testWebResourcesChecksum enabled="false" ignoreFileExtensions="png, jpg, jpeg, gif, mp4, mp3"/>
      <publicSigningKey/>
      <packageName/>
    </security>
  </android>
</application>

```

## Running your application on the Android emulator

- Build the Android environment, and then deploy the application. Right-click the generated Android project and click **Run As > Android Application**.
- You can see that <http://m.ibm.com> is rendered in your Android emulator.





## Running your Application on the iOS

- Deploy the application to your iOS emulator. Right-click the IOS environment, and click **Run As > Xcode project**.



## Sample application

Click to download

(<http://public.dhe.ibm.com/software/products/en/MobileFirstPlatform/docs/v630/UsingWorklightApplicationAsAContainerProject.zip>)  
the Studio project.