Using the Mobile Foundation service to set-up MobileFirst Server on IBM Containers

fork and edit tutorial (https://github.ibm.com/MFPSamples/DevCenter/tree/master/tutorials/en/foundation/8.0/ibm-containers/using-mobile-foundation/index.md) | report issue (https://github.ibm.com/MFPSamples/DevCenter/issues/new)

Overview

This tutorial provides step-by-step instructions to set-up a MobileFirst Server instance on IBM Containers using the **Mobile Foundation** service.

Mobile Foundation is a **Bluemix service** that enables quick & easy stand-up of scaleable Developer or Production environments of MobileFirst Platform Foundation v8.0 Beta on **IBM Containers**.


Prerequisite: Make sure to read the Introduction to IBM MobileFirst Platform Foundation on IBM Containers (%22../%22) tutorial.

Jump to:


- Using the Mobile Foundation Bluemix service
- Server configuration
- Advanced server configuration
- Further reading

Using the Mobile Foundation Bluemix service

- 1. Load bluemix.net (http://bluemix.net) and visit the Catalog page.
- 2. From the left sidebar, tick the "Mobile" checkbox under **Services**. Then, click on the **Mobile Foundation** tile to begin the service creation process.




3. Select a **space** to use and optionally set a **Service name**. Then, click **Create**.




- 4. Agree to the Early Beta license terms, provide your Bluemix username and password, and click **Continue**.
- 5. Start the MobileFirst Server.
 - You can either keep the server configuration at its basic level and click on Start Basic Server,
 or
 - Update the server configuration in the Configuration tab, and click on **Start advanced server**.

During this step an IBM Container is generated for the Mobile Foundation service, and the MobileFirst Platform Foundation environment is being initialized.


This takes between 5 to 10 minutes.



6. With the MobileFirst Server now running, you are presented with the following Dashboard:



7. Click on **Launch Console** to open the MobileFirst Operations Console.



Server configuration

The basic server instance consists of:

- A single node
- 512MB memory
- 32GB storage capacity


Advanced server configuration

Through the Configuration tab, the server instance can be further customized with:

- Varying node, memory and storage combinations
- MobileFirst Operations Console admin password
- LTPA keys
- JNDI configuration
- User registry
- TrustStore
- Operational Analytics configuration*

- Database selection*
- VPN*

Note: The beta release does not support all mentioned features.



Further reading

Now that the MobileFirst Server instance is up & running, you can learn more about:

- MobileFirst Operations Console (../../setting-up-your-development-environment/console)
- Experience MobileFirst Platform Foundation with these Quick Start tutorials (../../quick-start)
- Or read through all available tutorials (../../all-tutorials/)