

Optimizing your application for various environments

fork and edit tutorial (<https://github.ibm.com/MFPSamples/DevCenter/tree/master/tutorials/en/foundation/6.3/client-side-development-basics/optimizing-application-various-environments.html>) | report issue (<https://github.ibm.com/MFPSamples/DevCenter/issues/new>)

Overview

MobileFirst applications run in mobile, tablet, and web environments.

These Runtime environments differ in many aspects such as screen size, orientation, specific UI guidelines and components, physical user interface and unique environment functionalities.

This tutorial will explore the ways an environment can be optimized.

What is environment optimization?

IBM MobileFirst Platform Foundation increases development efficiency and productivity by providing an environment optimization framework. The core logic and design guidelines of the app are written by using web technologies (HTML, CSS, and JavaScript) and are shared by all environments. Environment-specific optimizations can then be added when required.

If a source control management system (such as Rational Team Concert™, Git or Subversion) is used, refer to the user documentation topic: Integrating with source control systems.

Currently supported environments



Smartphones

- iOS 6 and later
- Android 2.3.3, 4.x and later
- BlackBerry OS 6 and later
- Windows Phone 8 and later



Tablets

- iOS 6 and later
- Android 2.3.3, 4.x and later
- Windows 8 and later



Web

- Modern browsers that support HTML 4, CSS 2.1 and JavaScript 1.5 at a minimum
- Browsers that support HTML 5 and CSS 3



Browsers

- Modern browsers that support HTML 4, CSS 2.1 and JavaScript 1.5 at a minimum
- Browsers that support HTML 5 and CSS 3

How does optimization work?



The MobileFirst application structure is divided into environment folders (iPhone, Android, BlackBerry and so on).

Each environment folder contains the web resources (CSS, JS, images, and so on) that are relevant for that specific environment.

A newly created application contains the base environment in the **common** folder. The web resources that are in the common folder serve as the basis for the optimized environments that might be added later on.

The common folder must hold **only** resources that are shared by all environments.

Adding an environment

There are 2 ways to add an environment to a MobileFirst project:

1. Clicking the MobileFirst icon from the Eclipse menu bar and selecting **MobileFirst Environment**.
2. Right-clicking the MobileFirst project folder and selecting **New > MobileFirst Environment**.

HTML optimization

The newly added environment (for example, iPhone) extends the resources of the common environment in the following way: The new environment HTML code overrides the common HTML file.

Note: By default, a new environment does not include a new HTML file because the common HTML file is shared by all environments.



JavaScript optimization

The newly added environment (for example, iPhone) extends the resources of the common environment in the following way: The JavaScript file from an environment folder has a `wlEnvInit()` function that invokes the `wlCommonInit()` JavaScript function from the common folder.

Technically, the JavaScript from an environment folder is appended to the file from the common folder. Using the same variable names as in the common folder redefines their meaning.



```
function wlCommonInit() {  
    // Put your initialization code here  
}
```

```
function wlEnvInit(){  
    wlCommonInit();  
}
```

CSS optimization

The newly added environment (for example, iPhone) extends the resources of the common environment in the following way: The CSS file from an environment folder is appended to the CSS file from the common folder.

Using the same property names as the ones in the common folder overrides their settings.


Note: The CSS from the environment folder might contain some default CSS rules that match the environment needs.



```
/* Stylesheet content from css/main.css in folder iphone */  
  
/* this CSS file extends the application CSS file found under common/css */  
  
/* body should stretch in an iPhone application */  
body {  
    height: auto;  
    width: 100%;  
    overflow: auto;  
}
```

Images optimizations

The newly added environment (for example, iPhone) extends the resources of the common environment in the following way: Image files in the images folder of the environment folder that have the same file name than the image files in the common folder override the image files in the common folder.



Common icon
overridden by the
iPhone one