

# Android - Implementing Cordova plug-ins

## Overview

In some cases, developers of a MobileFirst application might have to use a specific third-party native library or a device function that is not yet available in Apache Cordova.

With Apache Cordova, developers can create an Apache Cordova plug-in, which means that they create custom native code blocks and call these code blocks in their applications by using JavaScript.

**Note:** In Cordova-based applications, developers must check for the `deviceready` event before they use the Cordova API set. In a MobileFirst application, however, this check is done internally.

Instead of implementing this check, you can place implementation code in the `onCommonInit()` function in `common\js\main.js`.

This tutorial demonstrates how to create and integrate a simple Apache Cordova plug-in for Android, in the following topics:

- Creating a plug-in
- Declaring a plug-in
- Implementing `cordova.exec()` in JavaScript
- Implementing the Java code of a Cordova plug-in
- Sample application

## Creating a plug-in

1. Declare the plug-in in the `config.xml` file.
2. Use the `cordova.exec()` API in the JavaScript code.
3. Create the plug-in class that will run natively in Android.

The plug-in performs the required action and calls a JavaScript callback method that is specified during the call to `cordova.exec()`.



## Declaring a plug-in

You must declare the plug-in in the project, so that Cordova can detect it.

To declare the plug-in, add a reference to the `config.xml` file, located in the `native\res\xml` folder in the Android environment.

```
<feature name="sayHelloPlugin">
  <param name="android-package" value="sayHelloPlugin" /
>
</feature>
```

## Implementing cordova.exec() in JavaScript

From the JavaScript code of the application, use the `cordova.exec()` method to call the Cordova plug-in:

```
function sayHello() {
  var name = $("#NameInput").val();
  cordova.exec(sayHelloSuccess, sayHelloFailure, "SayHelloPlugin", "sayHello", [name])
;
}
```

sayHelloSuccess - Success callback

sayHelloFailure - Failure callback

SayHelloPlugin - Plug-in name as declared in `config.xml`

sayHello - Action name

[name] - Parameters array

The plug-in calls the success and failure callbacks.

```
function sayHelloSuccess(data){
  WL.SimpleDialog.show(
    "Response from plug-in", data,
    [{text: "OK", handler: function() {WL.Logger.debug("Ok button pressed");}}
  ]
);
}

function sayHelloFailure(data){
  WL.SimpleDialog.show(
    "Response from plug-in", data,
    [{text: "OK", handler: function() {WL.Logger.debug("Ok button pressed");}}
  ]
);
}
```

## Implementing the Java code of a Cordova plug-in

After you have declared the plug-in and the JavaScript implementation is ready, you can implement the Cordova plug-in.

1. Add a new Java class file.
2. Extend the `org.apache.cordova.CordovaPlugin` class and add the required import statements.

```
public class SayHelloPlugin extends CordovaPlugin {
```

3. Implement an `execute` method.
  - The arguments contain information that is required by a plug-in, such as action, arguments array, and callback context.

```
public boolean execute(String action, JSONArray args, CallbackContext callbackContext) throws JSONException {
```

4. If the supplied action is `sayHello`, retrieve the first argument from the `args` array, prepare a `responseText` string and, by using the `callbackContext` argument, call the success callback with this `responseText` string as the argument.

```
if (action.equals("sayHello")) {  
    try {  
        String responseText = "Hello " + args.getString(0);  
        callbackContext.success(responseText);  
    } catch (JSONException e){  
        callbackContext.error("Failed to parse  
parameters");  
    }  
    return true;  
}
```

5. Returning `false` means that the action that is supplied from JavaScript was not recognized.

```
    return false;  
}
```

## Sample application

Click to download (<https://github.com/MobileFirst-Platform-Developer-Center/ApacheCordovaPlugins>) the MobileFirst project.

