

# Using Java in JavaScript adapters

- Download MobileFirst project (<https://github.com/MobileFirst-Platform-Developer-Center/JavaScriptAdapters>)

## Overview

To learn more about adapters in general, start with the Adapters Overview ([../../server-side-development/adapter-framework-overview/](http://developer.ibm.com/mobilefirstplatform/server-side-development/adapter-framework-overview/)) tutorial.

When JavaScript is not sufficient to implement required functionality, or if a Java class already exists, you can use Java code as an extension for the JavaScript adapter.

This tutorial covers the following topics:

- Adding custom Java classes
- Invoking custom Java classes from the adapter
- Sample application

## Adding custom Java classes



([http://developer.ibm.com/mobilefirstplatform/wp-content/uploads/sites/32/2014/07/04\\_13\\_project-files.png](http://developer.ibm.com/mobilefirstplatform/wp-content/uploads/sites/32/2014/07/04_13_project-files.png))

1. To use an existing Java library, add the JAR file to the `server\lib` folder of your MobileFirst project. After the adapter is built and deployed, this JAR file is automatically deployed to MobileFirst Server.
2. To add custom Java code to your project, right-click the `server/java` folder in your MobileFirst project and add a Java class file. Name it `Calculator.java`.  
**Important:** The package name must start with either `com`, `org`, or `net`.
3. Add this file to a package. This sample uses the `com.sample.customcode` package.

This package name can be interpreted as folders: java\com\sample\customcode

4. Add methods to your Calculator.java class.

Here is an example of a static method (does not require a new instance) and of an instance method.

```
[code lang="java" title="Calculator.java"]
package com.sample.customcode;

public class Calculator {

    // Add two integers.
    public static int addTwoIntegers(int first, int second){
        return first + second;
    }

    // Subtract two integers.
    public int subtractTwoIntegers(int first, int second){
        return first - second;
    }
}
[/code]
```

5. If your Java code has additional dependencies, put the required JAR files in the server\lib folder of your MobileFirst project.

## Invoking custom Java classes from the adapter

After your custom Java code is created and any required JAR files are added, you can reference it from your MobileFirst adapter JavaScript as if it were written in Java.

1. Invoke the static Java method as shown, and use the full class name to reference it directly.

```
[code lang="javascript" title="UsingJavaInAdapter-impl.js"]
function addTwoIntegers(a,b){
    return {
        result: com.sample.customcode.Calculator.addTwoIntegers(a,b)
    };
}
[/code]
```

2. To use the instance method, create a class instance and invoke the instance method from it.

```
[code lang="javascript" title="UsingJavaInAdapter-impl.js"]
function subtractTwoIntegers(a,b){
    var calcInstance = new com.sample.customcode.Calculator();
    return {
        result : calcInstance.subtractTwoIntegers(a,b)
    };
}
[/code]
```

## Sample application

Click to download (<https://github.com/MobileFirst-Platform-Developer-Center/JavaScriptAdapters>) the MobileFirst project.