

# IBM MobileFirst Platform Foundation on IBM Containers

[fork and edit tutorial \(https://github.ibm.com/MFPSamples/DevCenter/tree/master/tutorials/en/foundation/7.1/ibm-containers/index.html\)](https://github.ibm.com/MFPSamples/DevCenter/tree/master/tutorials/en/foundation/7.1/ibm-containers/index.html) |

[report issue \(https://github.ibm.com/MFPSamples/DevCenter/issues/new\)](https://github.ibm.com/MFPSamples/DevCenter/issues/new)

## Overview

Before talking about IBM MobileFirst Platform Foundation and IBM Containers, lets talk Bluemix.

**IBM Bluemix** is an implementation of IBM's Open Cloud Architecture. It leverages **Cloud Foundry** to enable developers to rapidly build, deploy, and manage their cloud applications, while tapping a growing ecosystem of available services and runtime frameworks.

Learn more about the Bluemix architecture and Bluemix concepts on the Bluemix website (<https://www.ng.bluemix.net/docs/overview/overview.html>).

In the context of IBM MobileFirst Platform Foundation, it is possible to take an existing Foundation-based project and run it on top of Bluemix: no need to maintain IT infrastructure and other traditional hurdles any more. This feature opens up the ability to implement and use various Bluemix-provided services to complete and enhance the feature set of a given application.

## How does it work?

In a nutshell: to run IBM MobileFirst Platform Foundation on IBM Containers, several components must interact with one another: the first component is an **image** that contains a **Linux distribution with a WebSphere Liberty installation**, with a **MobileFirst Server instance** deployed to it. The image is then stored inside an **IBM Container**, and the IBM Container is managed by **Bluemix**.

## IBM Containers

IBM Containers are objects that are used to run images in a hosted cloud environment. IBM Containers hold everything that an app needs to run.

The IBM Container infrastructure includes a private registry for your images, so that you can upload, store, and retrieve them. You can make those images available for Bluemix to manage them. A command line interface is then used to manage your containers on Bluemix - More on this in the following tutorials.

Learn more about IBM Containers ([https://www.ng.bluemix.net/docs/containers/container\\_index.html](https://www.ng.bluemix.net/docs/containers/container_index.html)).

To learn more about IBM MobileFirst Platform Foundation on IBM Containers, see the "IBM MobileFirst Platform Foundation 7.1.0.0 Evaluation on IBM Containers" topics, in the user documentation.

## What to follow next:

The available tutorials provide two choices:

- Evaluate (./evaluate): Experience the ease of creating a new IBM Container in Bluemix, launch a preconfigured IBM Container (with a MobileFirst Server instance) in it, and use an application that connects to the MobileFirst Server instance.

- Run (./run): Learn how to set up a development environment for working with IBM Containers, create and update an image with changes done in your local Foundation development environment, and how to run it on Bluemix.