

SBML Model Report

Model name: “Flis2015 - Plant clock gene circuit (P2011.1.2 PLM_71 ver 1)”



May 5, 2016

1 General Overview

This is a document in SBML Level 2 Version 4 format. This model was created by the following two authors: Vijayalakshmi Chelliah¹ and Andrew J Millar² at November ninth 2015 at 5:10 p. m. and last time modified at April 15th 2016 at 4:57 p. m. Table 1 shows an overview of the quantities of all components of this model.

Table 1: Number of components in this model, which are described in the following sections.

Element	Quantity	Element	Quantity
compartment types	0	compartments	1
species types	0	species	28
events	1	constraints	0
reactions	56	function definitions	56
global parameters	121	unit definitions	3
rules	3	initial assignments	0

Model Notes

Flis2015 - Plant clock gene circuit(P2011.1.2 PLM_71 ver 1)

This model is described in the article:[Defining the robust behaviour of the plant clock gene circuit with absolute RNA timeseries and open infrastructure](#).Flis A, Fernndez AP, Zielinski T,

¹EMBL-EBI, viji@ebi.ac.uk

²Institute of Molecular Plant Sciences, University of Edinburgh, andrew.millar@ed.ac.uk

Mengin V, Sulpice R, Stratford K, Hume A, Pokhilko A, Southern MM, Seaton DD, McWatters HG, Stitt M, Halliday KJ, Millar AJ. *Open Biol* 2015 Oct; 5(10):

Abstract:

Our understanding of the complex, transcriptional feedback loops in the circadian clock mechanism has depended upon quantitative, timeseries data from disparate sources. We measure clock gene RNA profiles in *Arabidopsis thaliana* seedlings, grown with or without exogenous sucrose, or in soil-grown plants and in wild-type and mutant backgrounds. The RNA profiles were strikingly robust across the experimental conditions, so current mathematical models are likely to be broadly applicable in leaf tissue. In addition to providing reference data, unexpected behaviours included co-expression of PRR9 and ELF4, and regulation of PRR5 by GI. Absolute RNA quantification revealed low levels of PRR9 transcripts (peak approx. 50 copies cell⁻¹) compared with other clock genes, and threefold higher levels of LHY RNA (more than 1500 copies cell⁻¹) than of its close relative CCA1. The data are disseminated from BioDare, an online repository for focused timeseries data, which is expected to benefit mechanistic modelling. One data subset successfully constrained clock gene expression in a complex model, using publicly available software on parallel computers, without expert tuning or programming. We outline the empirical and mathematical justification for data aggregation in understanding highly interconnected, dynamic networks such as the clock, and the observed design constraints on the resources required to make this approach widely accessible.

`cL_m_degr`, `param m1`, modified to ensure light rate \gg dark rate.

This model is hosted on [BioModels Database](#) and identified by: [MODEL1510190000](#).

To cite BioModels Database, please use: [BioModels Database: An enhanced, curated and annotated resource for published quantitative kinetic models](#).

To the extent possible under law, all copyright and related or neighbouring rights to this encoded model have been dedicated to the public domain worldwide. Please refer to [CC0 Public Domain Dedication](#) for more information.

2 Unit Definitions

This is an overview of five unit definitions of which two are predefined by SBML and not mentioned in the model.

2.1 Unit volume

Name volume

Definition μl

2.2 Unit time

Name time

Definition 3600 s

2.3 Unit substance

Name substance

Definition nmol

2.4 Unit area

Notes Square metre is the predefined SBML unit for area since SBML Level 2 Version 1.

Definition m²

2.5 Unit length

Notes Metre is the predefined SBML unit for length since SBML Level 2 Version 1.

Definition m

3 Compartment

This model contains one compartment.

Table 2: Properties of all compartments.

Id	Name	SBO	Spatial Dimensions	Size	Unit	Constant	Outside
def	def		3	1	litre	<input checked="" type="checkbox"/>	

3.1 Compartment def

This is a three dimensional compartment with a constant size of one µl.

Name def

4 Species

This model contains 28 species. Section 10 provides further details and the derived rates of change of each species.

Table 3: Properties of each species.

Id	Name	Compartment	Derived Unit	Constant	Boundary Condition
cCOP1c	cCOP1c	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cCOP1d	cCOP1d	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cCOP1n	cCOP1n	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cE3	cE3	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cE3_m	cE3_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cE3n	cE3n	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cE4	cE4	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cE4_m	cE4_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cEC	cEC	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cEG	cEG	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cG	cG	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cG_m	cG_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cL	cL	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cLUX	cLUX	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cLUX_m	cLUX_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cL_m	cL_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cLm	cLm	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cNI	cNI	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cNI_m	cNI_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cP	cP	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cP7	cP7	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square
cP7_m	cP7_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	\square	\square

Id	Name	Compartment	Derived Unit	Constant	Boundary Condi- tion
cP9	cP9	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
cP9_m	cP9_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
cT	cT	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
cT_m	cT_m	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
cZG	cZG	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>
cZTL	cZTL	def	$\text{nmol} \cdot \mu\text{l}^{-1}$	<input type="checkbox"/>	<input type="checkbox"/>

5 Parameters

This model contains 121 global parameters.

Table 4: Properties of each parameter.

Id	Name	SBO	Value	Unit	Constant
n1	n1		2.600		<input checked="" type="checkbox"/>
n2	n2		0.640		<input checked="" type="checkbox"/>
n3	n3		0.290		<input checked="" type="checkbox"/>
n4	n4		0.070		<input checked="" type="checkbox"/>
n5	n5		0.230		<input checked="" type="checkbox"/>
n6	n6		20.000		<input checked="" type="checkbox"/>
n7	n7		0.200		<input checked="" type="checkbox"/>
n8	n8		0.500		<input checked="" type="checkbox"/>
n9	n9		0.200		<input checked="" type="checkbox"/>
n10	n10		0.400		<input checked="" type="checkbox"/>
n11	n11		0.600		<input checked="" type="checkbox"/>
n12	n12		12.500		<input checked="" type="checkbox"/>
n13	n13		1.300		<input checked="" type="checkbox"/>
n14	n14		0.100		<input checked="" type="checkbox"/>
g1	g1		0.100		<input checked="" type="checkbox"/>
g2	g2		0.010		<input checked="" type="checkbox"/>
g3	g3		0.600		<input checked="" type="checkbox"/>
g4	g4		0.010		<input checked="" type="checkbox"/>
g5	g5		0.150		<input checked="" type="checkbox"/>
g6	g6		0.300		<input checked="" type="checkbox"/>
g7	g7		0.600		<input checked="" type="checkbox"/>
g8	g8		0.010		<input checked="" type="checkbox"/>
g9	g9		0.300		<input checked="" type="checkbox"/>
g10	g10		0.500		<input checked="" type="checkbox"/>
g11	g11		0.700		<input checked="" type="checkbox"/>
g12	g12		0.200		<input checked="" type="checkbox"/>
g13	g13		1.000		<input checked="" type="checkbox"/>
g14	g14		0.004		<input checked="" type="checkbox"/>
g15	g15		0.400		<input checked="" type="checkbox"/>
g16	g16		0.300		<input checked="" type="checkbox"/>
m1	m1		0.300		<input checked="" type="checkbox"/>
m2	m2		0.240		<input checked="" type="checkbox"/>
m3	m3		0.200		<input checked="" type="checkbox"/>
m4	m4		0.200		<input checked="" type="checkbox"/>
m5	m5		0.300		<input checked="" type="checkbox"/>
m6	m6		0.300		<input checked="" type="checkbox"/>
m7	m7		0.700		<input checked="" type="checkbox"/>

Id	Name	SBO	Value	Unit	Constant
m8	m8		0.400		<input checked="" type="checkbox"/>
m9	m9		1.100		<input checked="" type="checkbox"/>
m10	m10		1.000		<input checked="" type="checkbox"/>
m11	m11		1.000		<input checked="" type="checkbox"/>
m12	m12		1.000		<input checked="" type="checkbox"/>
m13	m13		0.320		<input checked="" type="checkbox"/>
m14	m14		0.400		<input checked="" type="checkbox"/>
m15	m15		0.700		<input checked="" type="checkbox"/>
m16	m16		0.500		<input checked="" type="checkbox"/>
m17	m17		0.500		<input checked="" type="checkbox"/>
m18	m18		3.400		<input checked="" type="checkbox"/>
m19	m19		0.200		<input checked="" type="checkbox"/>
m20	m20		0.600		<input checked="" type="checkbox"/>
m21	m21		0.080		<input checked="" type="checkbox"/>
m22	m22		0.100		<input checked="" type="checkbox"/>
m23	m23		1.800		<input checked="" type="checkbox"/>
m24	m24		0.100		<input checked="" type="checkbox"/>
m25	m25		1.800		<input checked="" type="checkbox"/>
m26	m26		0.500		<input checked="" type="checkbox"/>
m27	m27		0.100		<input checked="" type="checkbox"/>
m28	m28		20.000		<input checked="" type="checkbox"/>
m29	m29		5.000		<input checked="" type="checkbox"/>
m30	m30		3.000		<input checked="" type="checkbox"/>
m31	m31		0.300		<input checked="" type="checkbox"/>
m32	m32		0.200		<input checked="" type="checkbox"/>
m33	m33		13.000		<input checked="" type="checkbox"/>
m34	m34		0.600		<input checked="" type="checkbox"/>
m35	m35		0.300		<input checked="" type="checkbox"/>
m36	m36		0.100		<input checked="" type="checkbox"/>
m37	m37		0.800		<input checked="" type="checkbox"/>
m38	m38		0.500		<input checked="" type="checkbox"/>
m39	m39		0.300		<input checked="" type="checkbox"/>
a	a		2.000		<input checked="" type="checkbox"/>
b	b		2.000		<input checked="" type="checkbox"/>
c	c		2.000		<input checked="" type="checkbox"/>
d	d		2.000		<input checked="" type="checkbox"/>
e	e		2.000		<input checked="" type="checkbox"/>
f	f		2.000		<input checked="" type="checkbox"/>
p1	p1		0.130		<input checked="" type="checkbox"/>
p2	p2		0.270		<input checked="" type="checkbox"/>
p3	p3		0.100		<input checked="" type="checkbox"/>
p4	p4		0.560		<input checked="" type="checkbox"/>

Id	Name	SBO	Value	Unit	Constant
p5	p5		4.000		<input checked="" type="checkbox"/>
p6	p6		0.600		<input checked="" type="checkbox"/>
p7	p7		0.300		<input checked="" type="checkbox"/>
p8	p8		0.600		<input checked="" type="checkbox"/>
p9	p9		0.800		<input checked="" type="checkbox"/>
p10	p10		0.540		<input checked="" type="checkbox"/>
p11	p11		0.510		<input checked="" type="checkbox"/>
p12	p12		3.400		<input checked="" type="checkbox"/>
p13	p13		0.100		<input checked="" type="checkbox"/>
p14	p14		0.140		<input checked="" type="checkbox"/>
p15	p15		3.000		<input checked="" type="checkbox"/>
p16	p16		0.620		<input checked="" type="checkbox"/>
p17	p17		4.800		<input checked="" type="checkbox"/>
p18	p18		4.000		<input checked="" type="checkbox"/>
p19	p19		1.000		<input checked="" type="checkbox"/>
p20	p20		0.100		<input checked="" type="checkbox"/>
p21	p21		1.000		<input checked="" type="checkbox"/>
p22	p22		0.500		<input checked="" type="checkbox"/>
p23	p23		0.370		<input checked="" type="checkbox"/>
p24	p24		10.000		<input checked="" type="checkbox"/>
p25	p25		8.000		<input checked="" type="checkbox"/>
p26	p26		0.300		<input checked="" type="checkbox"/>
p27	p27		0.800		<input checked="" type="checkbox"/>
p28	p28		2.000		<input checked="" type="checkbox"/>
p29	p29		0.100		<input checked="" type="checkbox"/>
p30	p30		0.900		<input checked="" type="checkbox"/>
p31	p31		0.100		<input checked="" type="checkbox"/>
q1	q1		1.200		<input checked="" type="checkbox"/>
q2	q2		1.560		<input checked="" type="checkbox"/>
q3	q3		2.800		<input checked="" type="checkbox"/>
L	L		0.500		<input type="checkbox"/>
D	D		0.500		<input type="checkbox"/>
E34	E34		1.000		<input checked="" type="checkbox"/>
Gn	Gn		1.000		<input checked="" type="checkbox"/>
EGn	EGn		1.000		<input checked="" type="checkbox"/>
step1	Lightstep		0.500		<input type="checkbox"/>
offsetStep1	offsetStep1		0.000		<input type="checkbox"/>
amplitudeStep1	amplitudeStep1		1.000		<input type="checkbox"/>
phaseStep1	phaseStep1		0.000		<input checked="" type="checkbox"/>
pulseDurationStep1	pulseDurationStep1		12.000		<input checked="" type="checkbox"/>
cyclePeriodStep1	cyclePeriodStep1		24.000		<input checked="" type="checkbox"/>
rampDurationStep1	rampDurationStep1		0.050		<input checked="" type="checkbox"/>

Id	Name	SBO	Value	Unit	Constant
----	------	-----	-------	------	----------

6 Function definitions

This is an overview of 56 function definitions.

6.1 Function definition `function_4_cLUX_m_trscr`

Name `function_4_cLUX_m_trscr`

Arguments `[cEC]`, `[cL]`, `vol(def)`, `e`, `g2`, `g6`, `n13`

Mathematical Expression

$$\frac{\frac{n13 \cdot g2}{[cEC] + g2} \cdot g6^e}{\frac{[cL]^e + g6^e}{\text{vol}(\text{def})}} \quad (1)$$

6.2 Function definition `function_4_cL_degr_1`

Name `function_4_cL_degr_1`

Arguments `c`, `[cL]`, `vol(def)`, `g3`, `m3`, `p3`

Mathematical Expression

$$\frac{m3 \cdot [cL] + \frac{p3 \cdot [cL]^c}{[cL]^c + g3^c}}{\text{vol}(\text{def})} \quad (2)$$

6.3 Function definition `function_4_cL_modif_1`

Name `function_4_cL_modif_1`

Arguments `c`, `[cL]`, `vol(def)`, `g3`, `p3`

Mathematical Expression

$$\frac{\frac{p3 \cdot [cL]^c}{[cL]^c + g3^c}}{\text{vol}(\text{def})} \quad (3)$$

6.4 Function definition `function_4_cLm_degr_1`

Name `function_4_cLm_degr_1`

Arguments `[cLm]`, `vol(def)`, `m4`

Mathematical Expression

$$\frac{m4 \cdot [cLm]}{\text{vol}(\text{def})} \quad (4)$$

6.5 Function definition `function_4_cP9_m_degr_1`

Name `function_4_cP9_m_degr_1`

Arguments `[cP9_m]`, `vol(def)`, `m12`

Mathematical Expression

$$\frac{m12 \cdot [cP9_m]}{vol(def)} \quad (5)$$

6.6 Function definition `function_4_cP9_trsl_1`

Name `function_4_cP9_trsl_1`

Arguments `[cP9_m]`, `vol(def)`, `p8`

Mathematical Expression

$$\frac{p8 \cdot [cP9_m]}{vol(def)} \quad (6)$$

6.7 Function definition `function_4_cP7_m_trscr_1`

Name `function_4_cP7_m_trscr_1`

Arguments `[cL]`, `[cLm]`, `[cP9]`, `vol(def)`, `e`, `f`, `g10`, `g11`, `n8`, `n9`

Mathematical Expression

$$\frac{\frac{n8 \cdot ([cLm] + [cL])^e}{([cLm] + [cL])^e + g10^e} + \frac{n9 \cdot [cP9]^f}{[cP9]^f + g11^f}}{vol(def)} \quad (7)$$

6.8 Function definition `function_4_cP7_m_degr_1`

Name `function_4_cP7_m_degr_1`

Arguments `[cP7_m]`, `vol(def)`, `m14`

Mathematical Expression

$$\frac{m14 \cdot [cP7_m]}{vol(def)} \quad (8)$$

6.9 Function definition `function_4_cP7_trsl_1`

Name `function_4_cP7_trsl_1`

Arguments `[cP7_m]`, `vol(def)`, `p9`

Mathematical Expression

$$\frac{p9 \cdot [cP7_m]}{vol(def)} \quad (9)$$

6.10 Function definition `function_4_cNI_m_trscr_1`

Name `function_4_cNI_m_trscr_1`

Arguments `b`, `[cLm]`, `[cP7]`, `vol(def)`, `e`, `g12`, `g13`, `n10`, `n11`

Mathematical Expression

$$\frac{\frac{n10 \cdot [cLm]^e}{[cLm]^e + g12^e} + \frac{n11 \cdot [cP7]^b}{[cP7]^b + g13^b}}{vol(def)} \quad (10)$$

6.11 Function definition `function_4_cNI_m_degr_1`

Name `function_4_cNI_m_degr_1`

Arguments `[cNI_m]`, `vol(def)`, `m16`

Mathematical Expression

$$\frac{m16 \cdot [cNI_m]}{vol(def)} \quad (11)$$

6.12 Function definition `function_4_cNI_trsl_1`

Name `function_4_cNI_trsl_1`

Arguments `[cNI_m]`, `vol(def)`, `p10`

Mathematical Expression

$$\frac{p10 \cdot [cNI_m]}{vol(def)} \quad (12)$$

6.13 Function definition `function_4_cT_m_trscr`

Name `function_4_cT_m_trscr`

Arguments `[cEC]`, `[cL]`, `vol(def)`, `e`, `g4`, `g5`, `n2`

Mathematical Expression

$$\frac{\frac{n2 \cdot g4}{[cEC] + g4} \cdot g5^e}{\frac{[cL]^e + g5^e}{vol(def)}} \quad (13)$$

6.14 Function definition [function_4_cT_m_degr_1](#)

Name function_4_cT_m_degr_1

Arguments [cT_m], vol(def), m5

Mathematical Expression

$$\frac{m5 \cdot [cT_m]}{vol(def)} \quad (14)$$

6.15 Function definition [function_4_cT_trsl_1](#)

Name function_4_cT_trsl_1

Arguments [cT_m], vol(def), p4

Mathematical Expression

$$\frac{p4 \cdot [cT_m]}{vol(def)} \quad (15)$$

6.16 Function definition [function_4_cE4_m_degr_1](#)

Name function_4_cE4_m_degr_1

Arguments [cE4_m], vol(def), m34

Mathematical Expression

$$\frac{m34 \cdot [cE4_m]}{vol(def)} \quad (16)$$

6.17 Function definition [function_4_cE4_trsl_1](#)

Name function_4_cE4_trsl_1

Arguments [cE4_m], vol(def), p23

Mathematical Expression

$$\frac{p23 \cdot [cE4_m]}{vol(def)} \quad (17)$$

6.18 Function definition [function_4_cE4_degr_1](#)

Name function_4_cE4_degr_1

Arguments [cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], vol(def), m35, m36, m37, p21, p25, p26

Mathematical Expression

$$\frac{m35 \cdot [cE4] + p25 \cdot [cE4] \cdot [cE3n] - \frac{p21 \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]}}{\text{vol}(\text{def})} \quad (18)$$

6.19 Function definition `function_4_cE3_m_trscr_1`

Name `function_4_cE3_m_trscr_1`

Arguments `[cL]`, `vol(def)`, `e`, `g16`, `n3`

Mathematical Expression

$$\frac{\frac{n3 \cdot g16^e}{[cL]^e + g16^e}}{\text{vol}(\text{def})} \quad (19)$$

6.20 Function definition `function_4_cE3_m_degr_1`

Name `function_4_cE3_m_degr_1`

Arguments `[cE3_m]`, `vol(def)`, `m26`

Mathematical Expression

$$\frac{m26 \cdot [cE3_m]}{\text{vol}(\text{def})} \quad (20)$$

6.21 Function definition `function_4_cE3_trsl_1`

Name `function_4_cE3_trsl_1`

Arguments `[cE3_m]`, `vol(def)`, `p16`

Mathematical Expression

$$\frac{p16 \cdot [cE3_m]}{\text{vol}(\text{def})} \quad (21)$$

6.22 Function definition `function_4_cE3_degr_1`

Name `function_4_cE3_degr_1`

Arguments `[cCOP1c]`, `[cE3]`, `vol(def)`, `m9`

Mathematical Expression

$$\frac{m9 \cdot [cE3] \cdot [cCOP1c]}{\text{vol}(\text{def})} \quad (22)$$

6.23 Function definition `function_4_cE3n_import_1`

Name `function_4_cE3n_import_1`

Arguments `[cE3]`, `[cE3n]`, `vol(def)`, `p19`, `p20`

Mathematical Expression

$$\frac{p19 \cdot [cE3] - p20 \cdot [cE3n]}{vol(def)} \quad (23)$$

6.24 Function definition `function_4_cE3n_degr_1`

Name `function_4_cE3n_degr_1`

Arguments `[cCOP1d]`, `[cCOP1n]`, `[cE3n]`, `[cE4]`, `[cG]`, `[cLUX]`, `vol(def)`, `m19`, `m29`, `m30`, `m36`, `m37`, `p17`, `p21`, `p25`, `p26`, `p28`, `p29`

Mathematical Expression

$$\frac{m29 \cdot [cE3n] \cdot [cCOP1n] + m30 \cdot [cE3n] \cdot [cCOP1d] + p25 \cdot [cE4] \cdot [cE3n] - \frac{p21 \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]}}{vol(def)} \quad (24)$$

6.25 Function definition `function_4_cLUX_m_degr_1`

Name `function_4_cLUX_m_degr_1`

Arguments `[cLUX_m]`, `vol(def)`, `m34`

Mathematical Expression

$$\frac{m34 \cdot [cLUX_m]}{vol(def)} \quad (25)$$

6.26 Function definition `function_4_cLUX_trsl_1`

Name `function_4_cLUX_trsl_1`

Arguments `[cLUX_m]`, `vol(def)`, `p27`

Mathematical Expression

$$\frac{p27 \cdot [cLUX_m]}{vol(def)} \quad (26)$$

6.27 Function definition `function_4_cLUX_degr_1`

Name `function_4_cLUX_degr_1`

Arguments `[cCOP1d]`, `[cCOP1n]`, `[cE3n]`, `[cE4]`, `[cLUX]`, `vol(def)`, `m36`, `m37`, `m39`, `p21`, `p25`, `p26`

Mathematical Expression

$$\frac{m39 \cdot [cLUX] + \frac{p26 \cdot [cLUX] \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]}}{vol(def)} \quad (27)$$

6.28 Function definition `function_4_cCOP1c_trsl_1`

Name `function_4_cCOP1c_trsl_1`

Arguments `vol(def)`, `n5`

Mathematical Expression

$$\frac{n5}{vol(def)} \quad (28)$$

6.29 Function definition `function_4_cCOP1n_import_1`

Name `function_4_cCOP1n_import_1`

Arguments `[cCOP1c]`, `vol(def)`, `p6`

Mathematical Expression

$$\frac{p6 \cdot [cCOP1c]}{vol(def)} \quad (29)$$

6.30 Function definition `function_4_cG_m_degr_1`

Name `function_4_cG_m_degr_1`

Arguments `[cG_m]`, `vol(def)`, `m18`

Mathematical Expression

$$\frac{m18 \cdot [cG_m]}{vol(def)} \quad (30)$$

6.31 Function definition `function_4_cL_m_degr_L`

Name `function_4_cL_m_degr_L`

Arguments `m1`, `L`, `m2`, `[cL_m]`, `vol(def)`

Mathematical Expression

$$\frac{(m1 \cdot L + m2) \cdot [cL_m]}{\text{vol}(\text{def})} \quad (31)$$

6.32 Function definition `function_4_cG_trsl_1`

Name `function_4_cG_trsl_1`

Arguments `[cG_m]`, `vol(def)`, `p11`

Mathematical Expression

$$\frac{p11 \cdot [cG_m]}{\text{vol}(\text{def})} \quad (32)$$

6.33 Function definition `function_4_cG_degr_1`

Name `function_4_cG_degr_1`

Arguments `[cE3n]`, `[cG]`, `vol(def)`, `m19`, `p17`, `p28`, `p29`

Mathematical Expression

$$\frac{m19 \cdot [cG] + p28 \cdot [cG] - \frac{p29 \cdot p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]}}{\text{vol}(\text{def})} \quad (33)$$

6.34 Function definition `function_4_cZTL_trsl_1`

Name `function_4_cZTL_trsl_1`

Arguments `vol(def)`, `p14`

Mathematical Expression

$$\frac{p14}{\text{vol}(\text{def})} \quad (34)$$

6.35 Function definition `function_4_cZTL_degr_1`

Name `function_4_cZTL_degr_1`

Arguments `[cZTL]`, `vol(def)`, `m20`

Mathematical Expression

$$\frac{m20 \cdot [cZTL]}{\text{vol}(\text{def})} \quad (35)$$

6.36 Function definition `function_4_cZG_degr_1`

Name `function_4_cZG_degr_1`

Arguments `[cZG]`, `vol(def)`, `m21`

Mathematical Expression

$$\frac{m21 \cdot [cZG]}{vol(def)} \quad (36)$$

6.37 Function definition `function_4_cG_cE3_assoc_1`

Name `function_4_cG_cE3_assoc_1`

Arguments `[cE3]`, `[cG]`, `vol(def)`, `p17`

Mathematical Expression

$$\frac{p17 \cdot [cE3] \cdot [cG]}{vol(def)} \quad (37)$$

6.38 Function definition `function_4_cEG_degr_1`

Name `function_4_cEG_degr_1`

Arguments `[cCOP1c]`, `[cCOP1d]`, `[cCOP1n]`, `[cE3n]`, `[cEG]`, `[cG]`, `vol(def)`, `m10`, `m19`, `m9`, `p17`, `p18`, `p28`, `p29`, `p31`

Mathematical Expression

$$\frac{m9 \cdot [cEG] \cdot [cCOP1c] + p18 \cdot [cEG] - \frac{p31 \cdot \left(p18 \cdot [cEG] + \frac{p17 \cdot [cE3n] \cdot p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]} \right)}{m9 \cdot [cCOP1n] + m10 \cdot [cCOP1d] + p31}}{vol(def)} \quad (38)$$

6.39 Function definition `function_4_cEC_form_1`

Name `function_4_cEC_form_1`

Arguments `[cCOP1d]`, `[cCOP1n]`, `[cE3n]`, `[cE4]`, `[cLUX]`, `vol(def)`, `m36`, `m37`, `p21`, `p25`, `p26`

Mathematical Expression

$$\frac{\frac{p26 \cdot [cLUX] \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]}}{vol(def)} \quad (39)$$

6.40 Function definition `stepFunction`

Name `tanh()` step function

Arguments `t`, `offset`, `amplitude`, `phase`, `pulseDuration`, `cyclePeriod`, `rampDuration`

Mathematical Expression

$$\begin{aligned}
 & \text{offset} + 0.5 \cdot \text{amplitude} \\
 & \cdot \left(1 + \tanh \left(\frac{\text{cyclePeriod} \cdot \left(\frac{t+\text{phase}}{\text{cyclePeriod}} - \left\lfloor \frac{t+\text{phase}}{\text{cyclePeriod}} \right\rfloor \right)}{\text{rampDuration}} \right) \right) \\
 & - 0.5 \cdot \text{amplitude} \cdot \left(1 \right. \\
 & \left. + \tanh \left(\frac{\text{cyclePeriod} \cdot \left(\frac{t+\text{phase}}{\text{cyclePeriod}} - \left\lfloor \frac{t+\text{phase}}{\text{cyclePeriod}} \right\rfloor \right) - \text{pulseDuration}}{\text{rampDuration}} \right) \right) \\
 & + 0.5 \cdot \text{amplitude} \cdot \left(1 \right. \\
 & \left. + \tanh \left(\frac{\text{cyclePeriod} \cdot \left(\frac{t+\text{phase}}{\text{cyclePeriod}} - \left\lfloor \frac{t+\text{phase}}{\text{cyclePeriod}} \right\rfloor \right) - \text{cyclePeriod}}{\text{rampDuration}} \right) \right)
 \end{aligned} \tag{40}$$

6.41 Function definition `function_4_cL_m_trscr`

Name `function_4_cL_m_trscr`

Arguments `L`, `a`, `[cNI]`, `[cP]`, `[cP7]`, `[cP9]`, `[cT]`, `vol(def)`, `g1`, `n1`, `q1`

Mathematical Expression

$$\frac{L \cdot q1 \cdot [cP] + \frac{n1 \cdot g1^a}{([cP9] + [cP7] + [cNI] + [cT])^a + g1^a}}{\text{vol}(\text{def})} \tag{41}$$

6.42 Function definition `function_4_cL_trsl`

Name `function_4_cL_trsl`

Arguments `L`, `[cL_m]`, `vol(def)`, `p1`, `p2`

Mathematical Expression

$$\frac{[cL_m] \cdot (p1 \cdot L + p2)}{\text{vol}(\text{def})} \tag{42}$$

6.43 Function definition `function_4_cP_trsl`

Name `function_4_cP_trsl`

Arguments `D`, `[cP]`, `vol(def)`, `p7`

Mathematical Expression

$$\frac{p7 \cdot D \cdot (1 - [cP])}{\text{vol}(\text{def})} \quad (43)$$

6.44 Function definition `function_4_cP_degr`

Name `function_4_cP_degr`

Arguments `L`, `[cP]`, `vol(def)`, `m11`

Mathematical Expression

$$\frac{m11 \cdot [cP] \cdot L}{\text{vol}(\text{def})} \quad (44)$$

6.45 Function definition `function_4_cP9_m_trscr_1`

Name `function_4_cP9_m_trscr_1`

Arguments `L`, `[cEC]`, `[cL]`, `[cP]`, `vol(def)`, `e`, `g8`, `g9`, `n4`, `n7`, `q3`

Mathematical Expression

$$\frac{L \cdot q3 \cdot [cP] + \frac{\left(n4 + \frac{n7 \cdot [cL]^e}{[cL]^e + g9^e}\right) \cdot g8}{[cEC] + g8}}{\text{vol}(\text{def})} \quad (45)$$

6.46 Function definition `function_4_cP9_degr`

Name `function_4_cP9_degr`

Arguments `D`, `[cP9]`, `vol(def)`, `m13`, `m22`

Mathematical Expression

$$\frac{(m13 + m22 \cdot D) \cdot [cP9]}{\text{vol}(\text{def})} \quad (46)$$

6.47 Function definition `function_4_cP7_degr`

Name `function_4_cP7_degr`

Arguments `D`, `[cP7]`, `vol(def)`, `m15`, `m23`

Mathematical Expression

$$\frac{(m15 + m23 \cdot D) \cdot [cP7]}{vol(def)} \quad (47)$$

6.48 Function definition `function_4_cNI_degr`

Name `function_4_cNI_degr`

Arguments `D`, `[cNI]`, `vol(def)`, `m17`, `m24`

Mathematical Expression

$$\frac{(m17 + m24 \cdot D) \cdot [cNI]}{vol(def)} \quad (48)$$

6.49 Function definition `function_4_cT_degr`

Name `function_4_cT_degr`

Arguments `D`, `[cT]`, `[cZG]`, `[cZTL]`, `vol(def)`, `m6`, `m7`, `m8`, `p5`

Mathematical Expression

$$\frac{(m6 + m7 \cdot D) \cdot [cT] \cdot (p5 \cdot [cZTL] + [cZG]) + m8 \cdot [cT]}{vol(def)} \quad (49)$$

6.50 Function definition `function_4_cCOP1c_degr`

Name `function_4_cCOP1c_degr`

Arguments `L`, `[cCOP1c]`, `vol(def)`, `m27`, `p15`

Mathematical Expression

$$\frac{m27 \cdot [cCOP1c] \cdot (1 + p15 \cdot L)}{vol(def)} \quad (50)$$

6.51 Function definition `function_4_cCOP1n_degr`

Name `function_4_cCOP1n_degr`

Arguments `L`, `[cCOP1n]`, `vol(def)`, `m27`, `p15`

Mathematical Expression

$$\frac{m27 \cdot [cCOP1n] \cdot (1 + p15 \cdot L)}{vol(def)} \quad (51)$$

6.52 Function definition `function_4_cCOP1d_activ`

Name `function_4_cCOP1d_activ`

Arguments `L`, `[cCOP1n]`, `[cP]`, `vol(def)`, `n14`, `n6`

Mathematical Expression

$$\frac{n6 \cdot L \cdot [cP] \cdot [cCOP1n] + n14 \cdot [cCOP1n]}{vol(def)} \quad (52)$$

6.53 Function definition `function_4_cCOP1d_degr`

Name `function_4_cCOP1d_degr`

Arguments `D`, `[cCOP1d]`, `vol(def)`, `m31`, `m33`

Mathematical Expression

$$\frac{m31 \cdot (1 + m33 \cdot D) \cdot [cCOP1d]}{vol(def)} \quad (53)$$

6.54 Function definition `function_4_cG_m_trscr_1`

Name `function_4_cG_m_trscr_1`

Arguments `L`, `[cEC]`, `[cL]`, `[cP]`, `vol(def)`, `e`, `g14`, `g15`, `n12`, `q2`

Mathematical Expression

$$\frac{L \cdot q2 \cdot [cP] + \frac{n12 \cdot g14}{[cEC] + g14} \cdot g15^e}{vol(def)} \quad (54)$$

6.55 Function definition `function_4_cG_cZTL_assoc`

Name `function_4_cG_cZTL_assoc`

Arguments `D`, `L`, `[cG]`, `[cZG]`, `[cZTL]`, `vol(def)`, `p12`, `p13`

Mathematical Expression

$$\frac{p12 \cdot L \cdot [cZTL] \cdot [cG] - p13 \cdot D \cdot [cZG]}{vol(def)} \quad (55)$$

6.56 Function definition `function_4_cEC_degr`

Name `function_4_cEC_degr`

Arguments `L`, `[cCOP1d]`, `[cCOP1n]`, `[cE3n]`, `[cEC]`, `[cEG]`, `[cG]`, `d`, `vol(def)`, `g7`, `m10`, `m19`, `m32`, `m36`, `m37`, `m9`, `p17`, `p18`, `p24`, `p28`, `p29`, `p31`

Mathematical Expression

$$\frac{m36 \cdot [cCOP1n] \cdot [cEC] + m37 \cdot [cCOP1d] \cdot [cEC] + m32 \cdot [cEC] \cdot \left(1 + \frac{p24 \cdot L \cdot \left(\frac{p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]} + \frac{p18 \cdot [cEG] + \frac{p17 \cdot [cE3n] \cdot p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]} \right)}{\left(\frac{p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]} + \frac{p18 \cdot [cEG] + \frac{p17 \cdot [cE3n] \cdot p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]} \right)^d + g7} \right)}{vol(def)} \quad (56)$$

7 Rules

This is an overview of three rules.

7.1 Rule `step1`

Rule `step1` is an assignment rule for parameter `step1`:

$$step1 = stepFunction(time, offsetStep1, amplitudeStep1, phaseStep1, pulseDurationStep1, cyclePeriodStep1, rampDurationStep1) \quad (57)$$

7.2 Rule `L`

Rule `L` is an assignment rule for parameter `L`:

$$L = step1 \quad (58)$$

7.3 Rule `D`

Rule `D` is an assignment rule for parameter `D`:

$$D = 1 - L \quad (59)$$

8 Event

This is an overview of one event. Each event is initiated whenever its trigger condition switches from `false` to `true`. A delay function postpones the effects of an event to a later time point. At the time of execution, an event can assign values to species, parameters or compartments if these are not set to constant.

8.1 Event `event_1`

Name `event_0`

Trigger condition

$$\text{time} > 314 \quad (60)$$

Assignments

$$\text{offsetStep1} = 1 \quad (61)$$

$$\text{amplitudeStep1} = 0 \quad (62)$$

9 Reactions

This model contains 56 reactions. All reactions are listed in the following table and are subsequently described in detail. If a reaction is affected by a modifier, the identifier of this species is written above the reaction arrow.

Table 5: Overview of all reactions

Nº	Id	Name	Reaction Equation	SBO
1	cL_m_trscr	cL_m_trscr	$\emptyset \xrightarrow{\text{cNI, cP, cP7, cP9, cT, cNI, cP, cP7, cP9, cT}} \text{cL_m}$	
2	cL_m_degr	cL_m_degr	$\text{cL_m} \xrightarrow{\text{cL_m}} \emptyset$	
3	cL_trsl	cL_trsl	$\emptyset \xrightarrow{\text{cL_m, cL_m}} \text{cL}$	
4	cL_degr	cL_degr	$\text{cL} \xrightarrow{\text{cL}} \emptyset$	
5	cL_modif	cL_modif	$\emptyset \xrightarrow{\text{cL, cL}} \text{cLm}$	
6	cLm_degr	cLm_degr	$\text{cLm} \xrightarrow{\text{cLm}} \emptyset$	
7	cP_trsl	cP_trsl	$\emptyset \xrightarrow{\text{cP}} \text{cP}$	
8	cP_degr	cP_degr	$\text{cP} \xrightarrow{\text{cP}} \emptyset$	
9	cP9_m_trscr	cP9_m_trscr	$\emptyset \xrightarrow{\text{cEC, cL, cP, cEC, cL, cP}} \text{cP9_m}$	
10	cP9_m_degr	cP9_m_degr	$\text{cP9_m} \xrightarrow{\text{cP9_m}} \emptyset$	
11	cP9_trsl	cP9_trsl	$\emptyset \xrightarrow{\text{cP9_m, cP9_m}} \text{cP9}$	
12	cP9_degr	cP9_degr	$\text{cP9} \xrightarrow{\text{cP9}} \emptyset$	
13	cP7_m_trscr	cP7_m_trscr	$\emptyset \xrightarrow{\text{cL, cLm, cP9, cL, cLm, cP9}} \text{cP7_m}$	
14	cP7_m_degr	cP7_m_degr	$\text{cP7_m} \xrightarrow{\text{cP7_m}} \emptyset$	
15	cP7_trsl	cP7_trsl	$\emptyset \xrightarrow{\text{cP7_m, cP7_m}} \text{cP7}$	
16	cP7_degr	cP7_degr	$\text{cP7} \xrightarrow{\text{cP7}} \emptyset$	

Nº	Id	Name	Reaction Equation	SBO
17	cNI_m_trscr	cNI_m.trscr	$\emptyset \xrightarrow{cLm, cP7, cLm, cP7} cNI_m$	
18	cNI_m_degr	cNI_m.degr	$cNI_m \xrightarrow{cNI_m} \emptyset$	
19	cNI_trsl	cNI.trsl	$\emptyset \xrightarrow{cNI_m, cNI_m} cNI$	
20	cNI_degr	cNI.degr	$cNI \xrightarrow{cNI} \emptyset$	
21	cT_m_trscr	cT_m.trscr	$\emptyset \xrightarrow{cEC, cL, cEC, cL} cT_m$	
22	cT_m_degr	cT_m.degr	$cT_m \xrightarrow{cT_m} \emptyset$	
23	cT_trsl	cT.trsl	$\emptyset \xrightarrow{cT_m, cT_m} cT$	
24	cT_degr	cT.degr	$cT \xrightarrow{cZG, cZTL, cT, cZG, cZTL} \emptyset$	
25	cE4_m_trscr	cE4_m.trscr	$\emptyset \xrightarrow{cEC, cL, cEC, cL} cE4_m$	
26	cE4_m_degr	cE4_m.degr	$cE4_m \xrightarrow{cE4_m} \emptyset$	
27	cE4_trsl	cE4.trsl	$\emptyset \xrightarrow{cE4_m, cE4_m} cE4$	
28	cE4_degr	cE4.degr	$cE4 \xrightarrow{cCOP1d, cCOP1n, cE3n, cLUX, cCOP1d, cCOP1n, cE3n, cE4, cLUX} \emptyset$	
29	cE3_m_trscr	cE3_m.trscr	$\emptyset \xrightarrow{cL, cL} cE3_m$	
30	cE3_m_degr	cE3_m.degr	$cE3_m \xrightarrow{cE3_m} \emptyset$	
31	cE3_trsl	cE3.trsl	$\emptyset \xrightarrow{cE3_m, cE3_m} cE3$	
32	cE3_degr	cE3.degr	$cE3 \xrightarrow{cCOP1c, cCOP1c, cE3} \emptyset$	
33	cE3n_import	cE3n.import	$cE3 \xrightarrow{cE3, cE3n} cE3n$	
34	cE3n_degr	cE3n.degr	$cE3n \xrightarrow{cCOP1d, cCOP1n, cE4, cG, cLUX, cCOP1d, cCOP1n, cE3n, cE4, cG, cLUX} \emptyset$	
35	cLUX_m_trscr	cLUX_m.trscr	$\emptyset \xrightarrow{cEC, cL, cEC, cL} cLUX_m$	
36	cLUX_m_degr	cLUX_m.degr	$cLUX_m \xrightarrow{cLUX_m} \emptyset$	


Nº	Id	Name	Reaction Equation	SBO
37	cLUX_trsl	cLUX_trsl	$\emptyset \xrightarrow{\text{cLUX_m, cLUX_m}} \text{cLUX}$	
38	cLUX_degr	cLUX_degr	$\text{cLUX} \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cE4, cCOP1d, cCOP1n, cE3n, cE4, cLUX}} \emptyset$	
39	cCOP1c_trsl	cCOP1c_trsl	$\emptyset \longrightarrow \text{cCOP1c}$	
40	cCOP1c_degr	cCOP1c_degr	$\text{cCOP1c} \xrightarrow{\text{cCOP1c}} \emptyset$	
41	cCOP1n_import	cCOP1n_import	$\text{cCOP1c} \xrightarrow{\text{cCOP1c}} \text{cCOP1n}$	
42	cCOP1n_degr	cCOP1n_degr	$\text{cCOP1n} \xrightarrow{\text{cCOP1n}} \emptyset$	
43	cCOP1d_activ	cCOP1d_activ	$\text{cCOP1n} \xrightarrow{\text{cP, cCOP1n, cP}} \text{cCOP1d}$	
44	cCOP1d_degr	cCOP1d_degr	$\text{cCOP1d} \xrightarrow{\text{cCOP1d}} \emptyset$	
45	cG_m_trscr	cG_m_trscr	$\emptyset \xrightarrow{\text{cEC, cL, cP, cEC, cL, cP}} \text{cG_m}$	
46	cG_m_degr	cG_m_degr	$\text{cG_m} \xrightarrow{\text{cG_m}} \emptyset$	
47	cG_trsl	cG_trsl	$\emptyset \xrightarrow{\text{cG_m, cG_m}} \text{cG}$	
48	cG_degr	cG_degr	$\text{cG} \xrightarrow{\text{cE3n, cE3n, cG}} \emptyset$	
49	cG_cZTL_assoc	cG_cZTL_assoc	$\text{cG} + \text{cZTL} \xrightleftharpoons{\text{cG, cZG, cZTL}} \text{cZG}$	
50	cZTL_trsl	cZTL_trsl	$\emptyset \longrightarrow \text{cZTL}$	
51	cZTL_degr	cZTL_degr	$\text{cZTL} \xrightarrow{\text{cZTL}} \emptyset$	
52	cZG_degr	cZG_degr	$\text{cZG} \xrightarrow{\text{cZG}} \emptyset$	
53	cG_cE3_assoc	cG_cE3_assoc	$\text{cE3} + \text{cG} \xrightarrow{\text{cE3, cG}} \text{cEG}$	
54	cEG_degr	cEG_degr	$\text{cEG} \xrightarrow{\text{cCOP1c, cCOP1d, cCOP1n, cE3n, cG, cCOP1c, cCOP1d, cCOP1n, cE3n, cEG, cG}} \emptyset$	
55	cEC_form	cEC_form	$\emptyset \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cE4, cLUX, cCOP1d, cCOP1n, cE3n, cE4, cLUX}} \text{cEC}$	
56	cEC_degr	cEC_degr	$\text{cEC} \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cEG, cG, cCOP1d, cCOP1n, cE3n, cEC, cEG, cG}} \emptyset$	

9.1 Reaction cL_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by ten modifiers.

Name cL_m_trscr

Reaction equation



Modifiers

Table 6: Properties of each modifier.

Id	Name	SBO
cNI	cNI	
cP	cP	
cP7	cP7	
cP9	cP9	
cT	cT	
cNI	cNI	
cP	cP	
cP7	cP7	
cP9	cP9	
cT	cT	

Product

Table 7: Properties of each product.

Id	Name	SBO
cL_m	cL_m	

Kinetic Law

Derived unit contains undeclared units

$$v_1 = \text{vol}(\text{def}) \cdot \text{function_4_cL_m_trscr}(L, a, [cNI], [cP], [cP7], [cP9], [cT], \text{vol}(\text{def}), g1, n1, q1) \quad (64)$$

$$\begin{aligned} & \text{function_4_cL_m_trscr}(L, a, [cNI], [cP], [cP7], [cP9], [cT], \text{vol}(\text{def}), g1, n1, q1) \\ &= \frac{L \cdot q1 \cdot [cP] + \frac{n1 \cdot g1^a}{([cP9] + [cP7] + [cNI] + [cT])^a + g1^a}}{\text{vol}(\text{def})} \end{aligned} \quad (65)$$

$$\begin{aligned} & \text{function_4_cL_m_trscr}(L, a, [cNI], [cP], [cP7], [cP9], [cT], \text{vol}(\text{def}), g1, n1, q1) \\ &= \frac{L \cdot q1 \cdot [cP] + \frac{n1 \cdot g1^a}{([cP9] + [cP7] + [cNI] + [cT])^a + g1^a}}{\text{vol}(\text{def})} \end{aligned} \quad (66)$$

9.2 Reaction `cL_m_degr`

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name `cL_m_degr`

Reaction equation



Reactant

Table 8: Properties of each reactant.

Id	Name	SBO
<code>cL_m</code>	<code>cL_m</code>	

Modifier

Table 9: Properties of each modifier.

Id	Name	SBO
<code>cL_m</code>	<code>cL_m</code>	

Kinetic Law

Derived unit contains undeclared units

$$v_2 = \text{vol}(\text{def}) \cdot \text{function_4_cL_m_degr_L}(m1, L, m2, [cL_m], \text{vol}(\text{def})) \quad (68)$$

$$\text{function_4_cL_m_degr_L}(m1, L, m2, [cL_m], \text{vol}(\text{def})) = \frac{(m1 \cdot L + m2) \cdot [cL_m]}{\text{vol}(\text{def})} \quad (69)$$

$$\text{function_4_cL_m_degr_L}(m1, L, m2, [cL_m], \text{vol}(\text{def})) = \frac{(m1 \cdot L + m2) \cdot [cL_m]}{\text{vol}(\text{def})} \quad (70)$$

9.3 Reaction cL_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cL_trsl

Reaction equation



Modifiers

Table 10: Properties of each modifier.

Id	Name	SBO
cL_m	cL_m	
cL_m	cL_m	

Product

Table 11: Properties of each product.

Id	Name	SBO
cL	cL	

Kinetic Law

Derived unit contains undeclared units

$$v_3 = \text{vol}(\text{def}) \cdot \text{function_4_cL_trsl}(L, [\text{cL_m}], \text{vol}(\text{def}), p1, p2) \quad (72)$$

$$\text{function_4_cL_trsl}(L, [\text{cL_m}], \text{vol}(\text{def}), p1, p2) = \frac{[\text{cL_m}] \cdot (p1 \cdot L + p2)}{\text{vol}(\text{def})} \quad (73)$$

$$\text{function_4_cL_trsl}(L, [\text{cL_m}], \text{vol}(\text{def}), p1, p2) = \frac{[\text{cL_m}] \cdot (p1 \cdot L + p2)}{\text{vol}(\text{def})} \quad (74)$$

9.4 Reaction cL_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cL_degr

Reaction equation



Reactant

Table 12: Properties of each reactant.

Id	Name	SBO
cL	cL	

Modifier

Table 13: Properties of each modifier.

Id	Name	SBO
cL	cL	

Kinetic Law

Derived unit contains undeclared units

$$v_4 = \text{vol}(\text{def}) \cdot \text{function_4_cL_degr_1}(c, [cL], \text{vol}(\text{def}), g3, m3, p3) \quad (76)$$

$$\text{function_4_cL_degr_1}(c, [cL], \text{vol}(\text{def}), g3, m3, p3) = \frac{m3 \cdot [cL] + \frac{p3 \cdot [cL]^c}{[cL]^c + g3^c}}{\text{vol}(\text{def})} \quad (77)$$

$$\text{function_4_cL_degr_1}(c, [cL], \text{vol}(\text{def}), g3, m3, p3) = \frac{m3 \cdot [cL] + \frac{p3 \cdot [cL]^c}{[cL]^c + g3^c}}{\text{vol}(\text{def})} \quad (78)$$

9.5 Reaction cL_modif

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cL_modif

Reaction equation



Modifiers

Table 14: Properties of each modifier.

Id	Name	SBO
cL	cL	
cL	cL	

Product

Table 15: Properties of each product.

Id	Name	SBO
cLm	cLm	

Kinetic Law

Derived unit contains undeclared units

$$v_5 = \text{vol}(\text{def}) \cdot \text{function_4_cL_modif_1}(c, [\text{cL}], \text{vol}(\text{def}), g_3, p_3) \quad (80)$$

$$\text{function_4_cL_modif_1}(c, [\text{cL}], \text{vol}(\text{def}), g_3, p_3) = \frac{p_3 \cdot [\text{cL}]^c}{[\text{cL}]^c + g_3^c} \cdot \text{vol}(\text{def}) \quad (81)$$

$$\text{function_4_cL_modif_1}(c, [\text{cL}], \text{vol}(\text{def}), g_3, p_3) = \frac{p_3 \cdot [\text{cL}]^c}{[\text{cL}]^c + g_3^c} \quad (82)$$

9.6 Reaction cLm_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cLm_degr

Reaction equation



Reactant

Table 16: Properties of each reactant.

Id	Name	SBO
cLm	cLm	

Modifier

Table 17: Properties of each modifier.

Id	Name	SBO
cLm	cLm	

Kinetic Law

Derived unit contains undeclared units

$$v_6 = \text{vol}(\text{def}) \cdot \text{function_4_cLm_degr_1}([\text{cLm}], \text{vol}(\text{def}), m4) \quad (84)$$

$$\text{function_4_cLm_degr_1}([\text{cLm}], \text{vol}(\text{def}), m4) = \frac{m4 \cdot [\text{cLm}]}{\text{vol}(\text{def})} \quad (85)$$

$$\text{function_4_cLm_degr_1}([\text{cLm}], \text{vol}(\text{def}), m4) = \frac{m4 \cdot [\text{cLm}]}{\text{vol}(\text{def})} \quad (86)$$

9.7 Reaction cP_trsl

This is an irreversible reaction of no reactant forming one product influenced by one modifier.

Name cP_trsl

Reaction equation



Modifier

Table 18: Properties of each modifier.

Id	Name	SBO
cP	cP	

Product

Table 19: Properties of each product.

Id	Name	SBO
cP	cP	

Kinetic Law

Derived unit contains undeclared units

$$v_7 = \text{vol}(\text{def}) \cdot \text{function_4_cP_trsl}(D, [\text{cP}], \text{vol}(\text{def}), p_7) \quad (88)$$

$$\text{function_4_cP_trsl}(D, [\text{cP}], \text{vol}(\text{def}), p_7) = \frac{p_7 \cdot D \cdot (1 - [\text{cP}])}{\text{vol}(\text{def})} \quad (89)$$

$$\text{function_4_cP_trsl}(D, [\text{cP}], \text{vol}(\text{def}), p_7) = \frac{p_7 \cdot D \cdot (1 - [\text{cP}])}{\text{vol}(\text{def})} \quad (90)$$

9.8 Reaction cP_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP_degr

Reaction equation



Reactant

Table 20: Properties of each reactant.

Id	Name	SBO
cP	cP	

Modifier

Table 21: Properties of each modifier.

Id	Name	SBO
cP	cP	

Kinetic Law

Derived unit contains undeclared units

$$v_8 = \text{vol}(\text{def}) \cdot \text{function_4_cP_degr}(L, [\text{cP}], \text{vol}(\text{def}), m11) \quad (92)$$

$$\text{function_4_cP_degr}(L, [\text{cP}], \text{vol}(\text{def}), m11) = \frac{m11 \cdot [\text{cP}] \cdot L}{\text{vol}(\text{def})} \quad (93)$$


$$\text{function_4_cP_degr}(L, [\text{cP}], \text{vol}(\text{def}), m11) = \frac{m11 \cdot [\text{cP}] \cdot L}{\text{vol}(\text{def})} \quad (94)$$

9.9 Reaction cP9_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by six modifiers.

Name cP9_m_trscr

Reaction equation



Modifiers

Table 22: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cP	cP	
cEC	cEC	
cL	cL	
cP	cP	

Product

Table 23: Properties of each product.

Id	Name	SBO
cP9_m	cP9_m	

Kinetic Law

Derived unit contains undeclared units

$$v_9 = \text{vol}(\text{def}) \cdot \text{function_4_cP9_m_trscr_1}(L, [\text{cEC}], [\text{cL}], [\text{cP}], \text{vol}(\text{def}), e, g8, g9, n4, n7, q3) \quad (96)$$

$$\begin{aligned} & \text{function_4_cP9_m_trscr_1}(L, [\text{cEC}], [\text{cL}], [\text{cP}], \text{vol}(\text{def}), e, g8, g9, n4, n7, q3) \\ &= \frac{L \cdot q3 \cdot [\text{cP}] + \frac{\left(n4 + \frac{n7 \cdot [\text{cL}]^e}{[\text{cL}]^e + g9^e}\right) \cdot g8}{[\text{cEC}] + g8}}{\text{vol}(\text{def})} \end{aligned} \quad (97)$$

$$\begin{aligned} & \text{function_4_cP9_m_trscr_1}(L, [\text{cEC}], [\text{cL}], [\text{cP}], \text{vol}(\text{def}), e, g8, g9, n4, n7, q3) \\ &= \frac{L \cdot q3 \cdot [\text{cP}] + \frac{\left(n4 + \frac{n7 \cdot [\text{cL}]^e}{[\text{cL}]^e + g9^e}\right) \cdot g8}{[\text{cEC}] + g8}}{\text{vol}(\text{def})} \end{aligned} \quad (98)$$

9.10 Reaction cP9_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP9_m_degr

Reaction equation



Reactant

Table 24: Properties of each reactant.

Id	Name	SBO
cP9_m	cP9_m	

Modifier

Table 25: Properties of each modifier.

Id	Name	SBO
cP9_m	cP9_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{10} = \text{vol}(\text{def}) \cdot \text{function_4_cP9_m_degr_1}([\text{cP9_m}], \text{vol}(\text{def}), \text{m12}) \quad (100)$$

$$\text{function_4_cP9_m_degr_1}([\text{cP9_m}], \text{vol}(\text{def}), \text{m12}) = \frac{\text{m12} \cdot [\text{cP9_m}]}{\text{vol}(\text{def})} \quad (101)$$

$$\text{function_4_cP9_m_degr_1}([\text{cP9_m}], \text{vol}(\text{def}), \text{m12}) = \frac{\text{m12} \cdot [\text{cP9_m}]}{\text{vol}(\text{def})} \quad (102)$$

9.11 Reaction cP9_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cP9_trsl

Reaction equation



Modifiers

Table 26: Properties of each modifier.

Id	Name	SBO
cP9_m	cP9_m	
cP9_m	cP9_m	

Product

Table 27: Properties of each product.

Id	Name	SBO
cP9	cP9	

Kinetic Law

Derived unit contains undeclared units

$$v_{11} = \text{vol}(\text{def}) \cdot \text{function_4_cP9_trsl_1}([\text{cP9_m}], \text{vol}(\text{def}), \text{p8}) \quad (104)$$

$$\text{function_4_cP9_trsl_1} ([\text{cP9_m}], \text{vol}(\text{def}), \text{p8}) = \frac{\text{p8} \cdot [\text{cP9_m}]}{\text{vol}(\text{def})} \quad (105)$$

$$\text{function_4_cP9_trsl_1} ([\text{cP9_m}], \text{vol}(\text{def}), \text{p8}) = \frac{\text{p8} \cdot [\text{cP9_m}]}{\text{vol}(\text{def})} \quad (106)$$

9.12 Reaction cP9_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP9_degr

Reaction equation



Reactant

Table 28: Properties of each reactant.

Id	Name	SBO
cP9	cP9	

Modifier

Table 29: Properties of each modifier.

Id	Name	SBO
cP9	cP9	

Kinetic Law

Derived unit contains undeclared units

$$v_{12} = \text{vol}(\text{def}) \cdot \text{function_4_cP9_degr}(\text{D}, [\text{cP9}], \text{vol}(\text{def}), \text{m13}, \text{m22}) \quad (108)$$

$$\text{function_4_cP9_degr}(\text{D}, [\text{cP9}], \text{vol}(\text{def}), \text{m13}, \text{m22}) = \frac{(\text{m13} + \text{m22} \cdot \text{D}) \cdot [\text{cP9}]}{\text{vol}(\text{def})} \quad (109)$$


$$\text{function_4_cP9_degr}(\text{D}, [\text{cP9}], \text{vol}(\text{def}), \text{m13}, \text{m22}) = \frac{(\text{m13} + \text{m22} \cdot \text{D}) \cdot [\text{cP9}]}{\text{vol}(\text{def})} \quad (110)$$

9.13 Reaction cP7_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by six modifiers.

Name cP7_m_trscr

Reaction equation



Modifiers

Table 30: Properties of each modifier.

Id	Name	SBO
cL	cL	
cLm	cLm	
cP9	cP9	
cL	cL	
cLm	cLm	
cP9	cP9	

Product

Table 31: Properties of each product.

Id	Name	SBO
cP7_m	cP7_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{13} = \text{vol}(\text{def}) \cdot \text{function_4_cP7_m_trscr_1}([cL], [cLm], [cP9], \text{vol}(\text{def}), e, f, g10, g11, n8, n9) \quad (112)$$

$$\begin{aligned} & \text{function_4_cP7_m_trscr_1}([cL], [cLm], [cP9], \text{vol}(\text{def}), e, f, g10, g11, n8, n9) \\ &= \frac{\frac{n8 \cdot ([cLm] + [cL])^e}{([cLm] + [cL])^e + g10^e} + \frac{n9 \cdot [cP9]^f}{[cP9]^f + g11^f}}{\text{vol}(\text{def})} \end{aligned} \quad (113)$$

$$\begin{aligned} & \text{function_4_cP7_m_trscr_1} ([cL], [cLm], [cP9], \text{vol}(\text{def}), e, f, g10, g11, n8, n9) \\ &= \frac{\frac{n8 \cdot ([cLm] + [cL])^e}{([cLm] + [cL])^e + g10^e} + \frac{n9 \cdot [cP9]^f}{[cP9]^f + g11^f}}{\text{vol}(\text{def})} \end{aligned} \quad (114)$$

9.14 Reaction cP7_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP7_m_degr

Reaction equation



Reactant

Table 32: Properties of each reactant.

Id	Name	SBO
cP7_m	cP7_m	

Modifier

Table 33: Properties of each modifier.

Id	Name	SBO
cP7_m	cP7_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{14} = \text{vol}(\text{def}) \cdot \text{function_4_cP7_m_degr_1} ([cP7_m], \text{vol}(\text{def}), m14) \quad (116)$$

$$\text{function_4_cP7_m_degr_1} ([cP7_m], \text{vol}(\text{def}), m14) = \frac{m14 \cdot [cP7_m]}{\text{vol}(\text{def})} \quad (117)$$

$$\text{function_4_cP7_m_degr_1} ([cP7_m], \text{vol}(\text{def}), m14) = \frac{m14 \cdot [cP7_m]}{\text{vol}(\text{def})} \quad (118)$$

9.15 Reaction cP7_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cP7_trsl

Reaction equation



Modifiers

Table 34: Properties of each modifier.

Id	Name	SBO
cP7_m	cP7_m	
cP7_m	cP7_m	

Product

Table 35: Properties of each product.

Id	Name	SBO
cP7	cP7	

Kinetic Law

Derived unit contains undeclared units

$$v_{15} = \text{vol}(\text{def}) \cdot \text{function_4_cP7_trsl_1}([\text{cP7_m}], \text{vol}(\text{def}), p9) \quad (120)$$

$$\text{function_4_cP7_trsl_1}([\text{cP7_m}], \text{vol}(\text{def}), p9) = \frac{p9 \cdot [\text{cP7_m}]}{\text{vol}(\text{def})} \quad (121)$$

$$\text{function_4_cP7_trsl_1}([\text{cP7_m}], \text{vol}(\text{def}), p9) = \frac{p9 \cdot [\text{cP7_m}]}{\text{vol}(\text{def})} \quad (122)$$

9.16 Reaction cP7_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP7_degr

Reaction equation



Reactant

Table 36: Properties of each reactant.

Id	Name	SBO
cP7	cP7	

Modifier

Table 37: Properties of each modifier.

Id	Name	SBO
cP7	cP7	

Kinetic Law

Derived unit contains undeclared units

$$v_{16} = \text{vol}(\text{def}) \cdot \text{function_4_cP7_degr}(D, [\text{cP7}], \text{vol}(\text{def}), m15, m23) \quad (124)$$

$$\text{function_4_cP7_degr}(D, [\text{cP7}], \text{vol}(\text{def}), m15, m23) = \frac{(m15 + m23 \cdot D) \cdot [\text{cP7}]}{\text{vol}(\text{def})} \quad (125)$$


$$\text{function_4_cP7_degr}(D, [\text{cP7}], \text{vol}(\text{def}), m15, m23) = \frac{(m15 + m23 \cdot D) \cdot [\text{cP7}]}{\text{vol}(\text{def})} \quad (126)$$

9.17 Reaction cNI_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by four modifiers.

Name cNI_m_trscr

Reaction equation



Modifiers

Table 38: Properties of each modifier.

Id	Name	SBO
cLm	cLm	
cP7	cP7	
cLm	cLm	
cP7	cP7	

Product

Table 39: Properties of each product.

Id	Name	SBO
cNI_m	cNI_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{17} = \text{vol}(\text{def}) \cdot \text{function_4_cNI_m_trscr_1}(b, [\text{cLm}], [\text{cP7}], \text{vol}(\text{def}), e, g_{12}, g_{13}, n_{10}, n_{11}) \quad (128)$$

$$\begin{aligned} & \text{function_4_cNI_m_trscr_1}(b, [\text{cLm}], [\text{cP7}], \text{vol}(\text{def}), e, g_{12}, g_{13}, n_{10}, n_{11}) \\ &= \frac{\frac{n_{10} \cdot [\text{cLm}]^e}{[\text{cLm}]^e + g_{12}^e} + \frac{n_{11} \cdot [\text{cP7}]^b}{[\text{cP7}]^b + g_{13}^b}}{\text{vol}(\text{def})} \end{aligned} \quad (129)$$

$$\begin{aligned} & \text{function_4_cNI_m_trscr_1}(b, [\text{cLm}], [\text{cP7}], \text{vol}(\text{def}), e, g_{12}, g_{13}, n_{10}, n_{11}) \\ &= \frac{\frac{n_{10} \cdot [\text{cLm}]^e}{[\text{cLm}]^e + g_{12}^e} + \frac{n_{11} \cdot [\text{cP7}]^b}{[\text{cP7}]^b + g_{13}^b}}{\text{vol}(\text{def})} \end{aligned} \quad (130)$$

9.18 Reaction cNI_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cNI_m_degr

Reaction equation



Reactant

Table 40: Properties of each reactant.

Id	Name	SBO
cNI_m	cNI_m	

Modifier

Table 41: Properties of each modifier.

Id	Name	SBO
cNI_m	cNI_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{18} = \text{vol}(\text{def}) \cdot \text{function_4_cNI_m_degr_1}([cNI_m], \text{vol}(\text{def}), m16) \quad (132)$$

$$\text{function_4_cNI_m_degr_1}([cNI_m], \text{vol}(\text{def}), m16) = \frac{m16 \cdot [cNI_m]}{\text{vol}(\text{def})} \quad (133)$$

$$\text{function_4_cNI_m_degr_1}([cNI_m], \text{vol}(\text{def}), m16) = \frac{m16 \cdot [cNI_m]}{\text{vol}(\text{def})} \quad (134)$$

9.19 Reaction cNI_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cNI_trsl

Reaction equation



Modifiers

Table 42: Properties of each modifier.

Id	Name	SBO
cNI_m	cNI_m	
cNI_m	cNI_m	

Product

Table 43: Properties of each product.

Id	Name	SBO
cNI	cNI	

Kinetic Law

Derived unit contains undeclared units

$$v_{19} = \text{vol}(\text{def}) \cdot \text{function_4_cNI_trsl_1}([\text{cNI_m}], \text{vol}(\text{def}), \text{p10}) \quad (136)$$

$$\text{function_4_cNI_trsl_1}([\text{cNI_m}], \text{vol}(\text{def}), \text{p10}) = \frac{\text{p10} \cdot [\text{cNI_m}]}{\text{vol}(\text{def})} \quad (137)$$

$$\text{function_4_cNI_trsl_1}([\text{cNI_m}], \text{vol}(\text{def}), \text{p10}) = \frac{\text{p10} \cdot [\text{cNI_m}]}{\text{vol}(\text{def})} \quad (138)$$

9.20 Reaction cNI_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cNI_degr

Reaction equation



Reactant

Table 44: Properties of each reactant.

Id	Name	SBO
cNI	cNI	

Modifier

Table 45: Properties of each modifier.

Id	Name	SBO
cNI	cNI	

Kinetic Law

Derived unit contains undeclared units

$$v_{20} = \text{vol}(\text{def}) \cdot \text{function_4_cNI_degr}(D, [\text{cNI}], \text{vol}(\text{def}), m17, m24) \quad (140)$$

$$\text{function_4_cNI_degr}(D, [\text{cNI}], \text{vol}(\text{def}), m17, m24) = \frac{(m17 + m24 \cdot D) \cdot [\text{cNI}]}{\text{vol}(\text{def})} \quad (141)$$

$$\text{function_4_cNI_degr}(D, [\text{cNI}], \text{vol}(\text{def}), m17, m24) = \frac{(m17 + m24 \cdot D) \cdot [\text{cNI}]}{\text{vol}(\text{def})} \quad (142)$$

9.21 Reaction cT_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by four modifiers.

Name cT_m_trscr

Reaction equation



Modifiers

Table 46: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cEC	cEC	
cL	cL	

Product

Table 47: Properties of each product.

Id	Name	SBO
cT_m	cT_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{21} = \text{vol}(\text{def}) \cdot \text{function_4_cT_m_trscr}([cEC], [cL], \text{vol}(\text{def}), e, g4, g5, n2) \quad (144)$$

$$\text{function_4_cT_m_trscr}([cEC], [cL], \text{vol}(\text{def}), e, g4, g5, n2) = \frac{\frac{n2 \cdot g4}{[cEC] + g4} \cdot g5^e}{\text{vol}(\text{def})} \quad (145)$$

$$\text{function_4_cT_m_trscr}([cEC], [cL], \text{vol}(\text{def}), e, g4, g5, n2) = \frac{\frac{n2 \cdot g4}{[cEC] + g4} \cdot g5^e}{\text{vol}(\text{def})} \quad (146)$$

9.22 Reaction cT_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cT_m_degr

Reaction equation



Reactant

Table 48: Properties of each reactant.

Id	Name	SBO
cT_m	cT_m	

Modifier

Table 49: Properties of each modifier.

Id	Name	SBO
cT_m	cT_m	

Id	Name	SBO
----	------	-----

Kinetic Law

Derived unit contains undeclared units

$$v_{22} = \text{vol}(\text{def}) \cdot \text{function_4_cT_m_degr_1}([cT_m], \text{vol}(\text{def}), m5) \quad (148)$$

$$\text{function_4_cT_m_degr_1}([cT_m], \text{vol}(\text{def}), m5) = \frac{m5 \cdot [cT_m]}{\text{vol}(\text{def})} \quad (149)$$

$$\text{function_4_cT_m_degr_1}([cT_m], \text{vol}(\text{def}), m5) = \frac{m5 \cdot [cT_m]}{\text{vol}(\text{def})} \quad (150)$$

9.23 Reaction `cT_trsl`

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name `cT_trsl`

Reaction equation



Modifiers

Table 50: Properties of each modifier.

Id	Name	SBO
<code>cT_m</code>	<code>cT_m</code>	
<code>cT_m</code>	<code>cT_m</code>	

Product

Table 51: Properties of each product.

Id	Name	SBO
<code>cT</code>	<code>cT</code>	

Kinetic Law

Derived unit contains undeclared units

$$v_{23} = \text{vol}(\text{def}) \cdot \text{function_4_cT_trsl_1}([cT_m], \text{vol}(\text{def}), p4) \quad (152)$$

$$\text{function_4_cT_trsl_1}([cT_m], \text{vol}(\text{def}), p4) = \frac{p4 \cdot [cT_m]}{\text{vol}(\text{def})} \quad (153)$$


$$\text{function_4_cT_trsl_1}([cT_m], \text{vol}(\text{def}), p4) = \frac{p4 \cdot [cT_m]}{\text{vol}(\text{def})} \quad (154)$$

9.24 Reaction cT_degr

This is an irreversible reaction of one reactant forming no product influenced by five modifiers.

Name cT_degr

Reaction equation



Reactant

Table 52: Properties of each reactant.

Id	Name	SBO
cT	cT	

Modifiers

Table 53: Properties of each modifier.

Id	Name	SBO
cZG	cZG	
cZTL	cZTL	
cT	cT	
cZG	cZG	
cZTL	cZTL	

Kinetic Law

Derived unit contains undeclared units

$$v_{24} = \text{vol}(\text{def}) \cdot \text{function_4_cT_degr}(D, [\text{cT}], [\text{cZG}], [\text{cZTL}], \text{vol}(\text{def}), m6, m7, m8, p5) \quad (156)$$

$$\begin{aligned} & \text{function_4_cT_degr}(D, [\text{cT}], [\text{cZG}], [\text{cZTL}], \text{vol}(\text{def}), m6, m7, m8, p5) \\ &= \frac{(m6 + m7 \cdot D) \cdot [\text{cT}] \cdot (p5 \cdot [\text{cZTL}] + [\text{cZG}]) + m8 \cdot [\text{cT}]}{\text{vol}(\text{def})} \end{aligned} \quad (157)$$

$$\begin{aligned} & \text{function_4_cT_degr}(D, [\text{cT}], [\text{cZG}], [\text{cZTL}], \text{vol}(\text{def}), m6, m7, m8, p5) \\ &= \frac{(m6 + m7 \cdot D) \cdot [\text{cT}] \cdot (p5 \cdot [\text{cZTL}] + [\text{cZG}]) + m8 \cdot [\text{cT}]}{\text{vol}(\text{def})} \end{aligned} \quad (158)$$

9.25 Reaction cE4_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by four modifiers.

Name cE4_m_trscr

Reaction equation



Modifiers

Table 54: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cEC	cEC	
cL	cL	

Product

Table 55: Properties of each product.

Id	Name	SBO
cE4_m	cE4_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{25} = \text{vol}(\text{def}) \cdot \text{function_4_cLUX_m_trscr}([\text{cEC}], [\text{cL}], \text{vol}(\text{def}), \text{e}, \text{g2}, \text{g6}, \text{n13}) \quad (160)$$

$$\text{function_4_cLUX_m_trscr}([\text{cEC}], [\text{cL}], \text{vol}(\text{def}), \text{e}, \text{g2}, \text{g6}, \text{n13}) = \frac{\frac{\text{n13} \cdot \text{g2}}{[\text{cEC}] + \text{g2}} \cdot \text{g6}^{\text{e}}}{[\text{cL}]^{\text{e}} + \text{g6}^{\text{e}}} \text{vol}(\text{def}) \quad (161)$$

$$\text{function_4_cLUX_m_trscr}([\text{cEC}], [\text{cL}], \text{vol}(\text{def}), \text{e}, \text{g2}, \text{g6}, \text{n13}) = \frac{\frac{\text{n13} \cdot \text{g2}}{[\text{cEC}] + \text{g2}} \cdot \text{g6}^{\text{e}}}{[\text{cL}]^{\text{e}} + \text{g6}^{\text{e}}} \text{vol}(\text{def}) \quad (162)$$

9.26 Reaction cE4_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cE4_m_degr

Reaction equation



Reactant

Table 56: Properties of each reactant.

Id	Name	SBO
cE4_m	cE4_m	

Modifier

Table 57: Properties of each modifier.

Id	Name	SBO
cE4_m	cE4_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{26} = \text{vol}(\text{def}) \cdot \text{function_4_cE4_m_degr_1}([\text{cE4_m}], \text{vol}(\text{def}), \text{m34}) \quad (164)$$

$$\text{function_4_cE4_m_degr_1}([\text{cE4_m}], \text{vol}(\text{def}), \text{m34}) = \frac{\text{m34} \cdot [\text{cE4_m}]}{\text{vol}(\text{def})} \quad (165)$$

$$\text{function_4_cE4_m_degr_1}([\text{cE4_m}], \text{vol}(\text{def}), \text{m34}) = \frac{\text{m34} \cdot [\text{cE4_m}]}{\text{vol}(\text{def})} \quad (166)$$

9.27 Reaction cE4_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cE4_trsl

Reaction equation



Modifiers

Table 58: Properties of each modifier.

Id	Name	SBO
cE4_m	cE4_m	
cE4_m	cE4_m	

Product

Table 59: Properties of each product.

Id	Name	SBO
cE4	cE4	

Kinetic Law

Derived unit contains undeclared units

$$v_{27} = \text{vol}(\text{def}) \cdot \text{function_4_cE4_trsl_1}([\text{cE4_m}], \text{vol}(\text{def}), \text{p23}) \quad (168)$$

$$\text{function_4_cE4_trsl_1}([\text{cE4_m}], \text{vol}(\text{def}), \text{p23}) = \frac{\text{p23} \cdot [\text{cE4_m}]}{\text{vol}(\text{def})} \quad (169)$$


$$\text{function_4_cE4_trsl_1}([\text{cE4_m}], \text{vol}(\text{def}), \text{p23}) = \frac{\text{p23} \cdot [\text{cE4_m}]}{\text{vol}(\text{def})} \quad (170)$$

9.28 Reaction cE4_degr

This is an irreversible reaction of one reactant forming no product influenced by nine modifiers.

Name cE4_degr

Reaction equation



Reactant

Table 60: Properties of each reactant.

Id	Name	SBO
cE4	cE4	

Modifiers

Table 61: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cLUX	cLUX	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cLUX	cLUX	

Kinetic Law

Derived unit contains undeclared units

$$v_{28} = \text{vol}(\text{def}) \cdot \text{function_4_cE4_degr_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], \text{vol}(\text{def}), m35, m36, m37, p21, p25, p26) \quad (172)$$

$$\begin{aligned} &\text{function_4_cE4_degr_1} ([\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], \\ &[\text{cE4}], [\text{cLUX}], \text{vol}(\text{def}), \text{m35}, \text{m36}, \text{m37}, \text{p21}, \text{p25}, \\ &\text{p26}) = \frac{\text{m35} \cdot [\text{cE4}] + \text{p25} \cdot [\text{cE4}] \cdot [\text{cE3n}] - \frac{\text{p21} \cdot \text{p25} \cdot [\text{cE4}] \cdot [\text{cE3n}]}{\text{p26} \cdot [\text{cLUX}] + \text{p21} + \text{m37} \cdot [\text{cCOP1d}] + \text{m36} \cdot [\text{cCOP1n}]}}{\text{vol}(\text{def})} \end{aligned} \quad (173)$$

$$\begin{aligned} &\text{function_4_cE4_degr_1} ([\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], \\ &[\text{cE4}], [\text{cLUX}], \text{vol}(\text{def}), \text{m35}, \text{m36}, \text{m37}, \text{p21}, \text{p25}, \\ &\text{p26}) = \frac{\text{m35} \cdot [\text{cE4}] + \text{p25} \cdot [\text{cE4}] \cdot [\text{cE3n}] - \frac{\text{p21} \cdot \text{p25} \cdot [\text{cE4}] \cdot [\text{cE3n}]}{\text{p26} \cdot [\text{cLUX}] + \text{p21} + \text{m37} \cdot [\text{cCOP1d}] + \text{m36} \cdot [\text{cCOP1n}]}}{\text{vol}(\text{def})} \end{aligned} \quad (174)$$

9.29 Reaction cE3_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cE3_m_trscr

Reaction equation



Modifiers

Table 62: Properties of each modifier.

Id	Name	SBO
cL	cL	
cL	cL	

Product

Table 63: Properties of each product.

Id	Name	SBO
cE3_m	cE3_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{29} = \text{vol}(\text{def}) \cdot \text{function_4_cE3_m_trscr_1} ([\text{cL}], \text{vol}(\text{def}), \text{e}, \text{g16}, \text{n3}) \quad (176)$$

$$\text{function_4_cE3_m_trscr_1} ([cL], \text{vol}(\text{def}), e, g16, n3) = \frac{n3 \cdot g16^e}{[cL]^e + g16^e} \text{vol}(\text{def}) \quad (177)$$

$$\text{function_4_cE3_m_trscr_1} ([cL], \text{vol}(\text{def}), e, g16, n3) = \frac{n3 \cdot g16^e}{[cL]^e + g16^e} \text{vol}(\text{def}) \quad (178)$$

9.30 Reaction cE3_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cE3_m_degr

Reaction equation



Reactant

Table 64: Properties of each reactant.

Id	Name	SBO
cE3_m	cE3_m	

Modifier

Table 65: Properties of each modifier.

Id	Name	SBO
cE3_m	cE3_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{30} = \text{vol}(\text{def}) \cdot \text{function_4_cE3_m_degr_1} ([cE3_m], \text{vol}(\text{def}), m26) \quad (180)$$

$$\text{function_4_cE3_m_degr_1} ([cE3_m], \text{vol}(\text{def}), m26) = \frac{m26 \cdot [cE3_m]}{\text{vol}(\text{def})} \quad (181)$$

$$\text{function_4_cE3_m_degr_1} ([cE3_m], \text{vol}(\text{def}), m26) = \frac{m26 \cdot [cE3_m]}{\text{vol}(\text{def})} \quad (182)$$

9.31 Reaction cE3_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cE3_trsl

Reaction equation



Modifiers

Table 66: Properties of each modifier.

Id	Name	SBO
cE3_m	cE3_m	
cE3_m	cE3_m	

Product

Table 67: Properties of each product.

Id	Name	SBO
cE3	cE3	

Kinetic Law

Derived unit contains undeclared units

$$v_{31} = \text{vol}(\text{def}) \cdot \text{function_4_cE3_trsl_1}([\text{cE3_m}], \text{vol}(\text{def}), \text{p16}) \quad (184)$$

$$\text{function_4_cE3_trsl_1}([\text{cE3_m}], \text{vol}(\text{def}), \text{p16}) = \frac{\text{p16} \cdot [\text{cE3_m}]}{\text{vol}(\text{def})} \quad (185)$$


$$\text{function_4_cE3_trsl_1}([\text{cE3_m}], \text{vol}(\text{def}), \text{p16}) = \frac{\text{p16} \cdot [\text{cE3_m}]}{\text{vol}(\text{def})} \quad (186)$$

9.32 Reaction cE3_degr

This is an irreversible reaction of one reactant forming no product influenced by three modifiers.

Name cE3_degr

Reaction equation



Reactant

Table 68: Properties of each reactant.

Id	Name	SBO
cE3	cE3	

Modifiers

Table 69: Properties of each modifier.

Id	Name	SBO
cCOP1c	cCOP1c	
cCOP1c	cCOP1c	
cE3	cE3	

Kinetic Law

Derived unit contains undeclared units

$$v_{32} = \text{vol}(\text{def}) \cdot \text{function_4_cE3_degr_1}([cCOP1c], [cE3], \text{vol}(\text{def}), m9) \quad (188)$$

$$\text{function_4_cE3_degr_1}([cCOP1c], [cE3], \text{vol}(\text{def}), m9) = \frac{m9 \cdot [cE3] \cdot [cCOP1c]}{\text{vol}(\text{def})} \quad (189)$$

$$\text{function_4_cE3_degr_1}([cCOP1c], [cE3], \text{vol}(\text{def}), m9) = \frac{m9 \cdot [cE3] \cdot [cCOP1c]}{\text{vol}(\text{def})} \quad (190)$$

9.33 Reaction cE3n_import

This is an irreversible reaction of one reactant forming one product influenced by two modifiers.

Name cE3n_import

Reaction equation



Reactant

Table 70: Properties of each reactant.

Id	Name	SBO
cE3	cE3	

Modifiers

Table 71: Properties of each modifier.

Id	Name	SBO
cE3	cE3	
cE3n	cE3n	

Product

Table 72: Properties of each product.

Id	Name	SBO
cE3n	cE3n	

Kinetic Law

Derived unit contains undeclared units

$$v_{33} = \text{vol}(\text{def}) \cdot \text{function_4_cE3n_import_1}([cE3], [cE3n], \text{vol}(\text{def}), p19, p20) \quad (192)$$

$$\text{function_4_cE3n_import_1}([cE3], [cE3n], \text{vol}(\text{def}), p19, p20) = \frac{p19 \cdot [cE3] - p20 \cdot [cE3n]}{\text{vol}(\text{def})} \quad (193)$$

$$\text{function_4_cE3n_import_1}([cE3], [cE3n], \text{vol}(\text{def}), p19, p20) = \frac{p19 \cdot [cE3] - p20 \cdot [cE3n]}{\text{vol}(\text{def})} \quad (194)$$

9.34 Reaction cE3n_degr

This is an irreversible reaction of one reactant forming no product influenced by eleven modifiers.

Name cE3n_degr

Reaction equation



Reactant

Table 73: Properties of each reactant.

Id	Name	SBO
cE3n	cE3n	

Modifiers

Table 74: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE4	cE4	
cG	cG	
cLUX	cLUX	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cG	cG	
cLUX	cLUX	

Kinetic Law

Derived unit contains undeclared units

$$v_{34} = \text{vol}(\text{def}) \cdot \text{function_4_cE3n_degr_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cG], [cLUX], \text{vol}(\text{def}), m19, m29, m30, m36, m37, p17, p21, p25, p26, p28, p29) \quad (196)$$

$$\text{function_4_cE3n_degr_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cG], [cLUX], \text{vol}(\text{def}), m19, m29, m30, m36, m37, p17, p21, p25, p26, p28, p29) \quad (197)$$

$$= \frac{m29 \cdot [cE3n] \cdot [cCOP1n] + m30 \cdot [cE3n] \cdot [cCOP1d] + p25 \cdot [cE4] \cdot [cE3n] - \frac{p21 \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]}}{\text{vol}(\text{def})}$$

$$\begin{aligned} & \text{function_4_cE3n_degr_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cG], \\ & [cLUX], \text{vol}(\text{def}), m19, m29, m30, m36, m37, p17, p21, p25, p26, p28, p29) \\ &= \frac{m29 \cdot [cE3n] \cdot [cCOP1n] + m30 \cdot [cE3n] \cdot [cCOP1d] + p25 \cdot [cE4] \cdot [cE3n] - \frac{p21 \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]}}{\text{vol}(\text{def})} \end{aligned} \quad (198)$$

9.35 Reaction `cLUX_m_trscr`

This is an irreversible reaction of no reactant forming one product influenced by four modifiers.

Name `cLUX_m_trscr`

Reaction equation



Modifiers

Table 75: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cEC	cEC	
cL	cL	

Product

Table 76: Properties of each product.

Id	Name	SBO
cLUX_m	cLUX_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{35} = \text{vol}(\text{def}) \cdot \text{function_4_cLUX_m_trscr}([cEC], [cL], \text{vol}(\text{def}), e, g2, g6, n13) \quad (200)$$

$$\text{function_4_cLUX_m_trscr}([cEC], [cL], \text{vol}(\text{def}), e, g2, g6, n13) = \frac{\frac{n13 \cdot g2}{[cEC] + g2} \cdot g6^e}{\frac{[cL]^e + g6^e}{\text{vol}(\text{def})}} \quad (201)$$


$$\text{function_4_cLUX_m_trscr}([cEC], [cL], \text{vol}(\text{def}), e, g2, g6, n13) = \frac{\frac{n13 \cdot g2}{[cEC] + g2} \cdot g6^e}{\frac{[cL]^e + g6^e}{\text{vol}(\text{def})}} \quad (202)$$

9.36 Reaction cLUX_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cLUX_m_degr

Reaction equation



Reactant

Table 77: Properties of each reactant.

Id	Name	SBO
cLUX_m	cLUX_m	

Modifier

Table 78: Properties of each modifier.

Id	Name	SBO
cLUX_m	cLUX_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{36} = \text{vol}(\text{def}) \cdot \text{function_4_cLUX_m_degr_1}([cLUX_m], \text{vol}(\text{def}), m34) \quad (204)$$

$$\text{function_4_cLUX_m_degr_1}([cLUX_m], \text{vol}(\text{def}), m34) = \frac{m34 \cdot [cLUX_m]}{\text{vol}(\text{def})} \quad (205)$$


$$\text{function_4_cLUX_m_degr_1}([cLUX_m], \text{vol}(\text{def}), m34) = \frac{m34 \cdot [cLUX_m]}{\text{vol}(\text{def})} \quad (206)$$

9.37 Reaction cLUX_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cLUX_trsl

Reaction equation



Modifiers

Table 79: Properties of each modifier.

Id	Name	SBO
cLUX_m	cLUX_m	
cLUX_m	cLUX_m	

Product

Table 80: Properties of each product.

Id	Name	SBO
cLUX	cLUX	

Kinetic Law

Derived unit contains undeclared units

$$v_{37} = \text{vol}(\text{def}) \cdot \text{function_4_cLUX_trsl_1}([\text{cLUX_m}], \text{vol}(\text{def}), \text{p27}) \quad (208)$$

$$\text{function_4_cLUX_trsl_1}([\text{cLUX_m}], \text{vol}(\text{def}), \text{p27}) = \frac{\text{p27} \cdot [\text{cLUX_m}]}{\text{vol}(\text{def})} \quad (209)$$


$$\text{function_4_cLUX_trsl_1}([\text{cLUX_m}], \text{vol}(\text{def}), \text{p27}) = \frac{\text{p27} \cdot [\text{cLUX_m}]}{\text{vol}(\text{def})} \quad (210)$$

9.38 Reaction cLUX_degr

This is an irreversible reaction of one reactant forming no product influenced by nine modifiers.

Name cLUX_degr

Reaction equation



Reactant

Table 81: Properties of each reactant.

Id	Name	SBO
cLUX	cLUX	

Modifiers

Table 82: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cLUX	cLUX	

Kinetic Law

Derived unit contains undeclared units

$$v_{38} = \text{vol}(\text{def}) \cdot \text{function_4_cLUX_degr_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], \text{vol}(\text{def}), m36, m37, m39, p21, p25, p26) \quad (212)$$

$$\text{function_4_cLUX_degr_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], \text{vol}(\text{def}), m36, m37, m39, p21, p25, p26) = \frac{m39 \cdot [cLUX] + \frac{p26 \cdot [cLUX] \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]}}{\text{vol}(\text{def})} \quad (213)$$

$$\text{function_4_cLUX_degr_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], \text{vol}(\text{def}), m36, m37, m39, p21, p25, p26) = \frac{m39 \cdot [cLUX] + \frac{p26 \cdot [cLUX] \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]}}{\text{vol}(\text{def})} \quad (214)$$

9.39 Reaction cCOP1c_trsl

This is an irreversible reaction of no reactant forming one product.

Name cCOP1c.trsl

Reaction equation



Product

Table 83: Properties of each product.

Id	Name	SBO
cCOP1c	cCOP1c	

Kinetic Law

Derived unit contains undeclared units

$$v_{39} = \text{vol}(\text{def}) \cdot \text{function_4_cCOP1c_trsl_1}(\text{vol}(\text{def}), n5) \quad (216)$$

$$\text{function_4_cCOP1c_trsl_1}(\text{vol}(\text{def}), n5) = \frac{n5}{\text{vol}(\text{def})} \quad (217)$$


$$\text{function_4_cCOP1c_trsl_1}(\text{vol}(\text{def}), n5) = \frac{n5}{\text{vol}(\text{def})} \quad (218)$$

9.40 Reaction cCOP1c_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cCOP1c_degr

Reaction equation



Reactant

Table 84: Properties of each reactant.

Id	Name	SBO
cCOP1c	cCOP1c	

Modifier

Table 85: Properties of each modifier.

Id	Name	SBO
cCOP1c	cCOP1c	

Kinetic Law

Derived unit contains undeclared units

$$v_{40} = \text{vol}(\text{def}) \cdot \text{function_4_cCOP1c_degr}(L, [\text{cCOP1c}], \text{vol}(\text{def}), m27, p15) \quad (220)$$

$$\text{function_4_cCOP1c_degr}(L, [\text{cCOP1c}], \text{vol}(\text{def}), m27, p15) = \frac{m27 \cdot [\text{cCOP1c}] \cdot (1 + p15 \cdot L)}{\text{vol}(\text{def})} \quad (221)$$

$$\text{function_4_cCOP1c_degr}(L, [\text{cCOP1c}], \text{vol}(\text{def}), m27, p15) = \frac{m27 \cdot [\text{cCOP1c}] \cdot (1 + p15 \cdot L)}{\text{vol}(\text{def})} \quad (222)$$

9.41 Reaction cCOP1n_import

This is an irreversible reaction of one reactant forming one product influenced by one modifier.

Name cCOP1n_import

Reaction equation



Reactant

Table 86: Properties of each reactant.

Id	Name	SBO
cCOP1c	cCOP1c	

Modifier

Table 87: Properties of each modifier.

Id	Name	SBO
cCOP1c	cCOP1c	

Product

Table 88: Properties of each product.

Id	Name	SBO
cCOP1n	cCOP1n	

Kinetic Law

Derived unit contains undeclared units

$$v_{41} = \text{vol}(\text{def}) \cdot \text{function_4_cCOP1n_import_1}([\text{cCOP1c}], \text{vol}(\text{def}), p6) \quad (224)$$

$$\text{function_4_cCOP1n_import_1}([\text{cCOP1c}], \text{vol}(\text{def}), p6) = \frac{p6 \cdot [\text{cCOP1c}]}{\text{vol}(\text{def})} \quad (225)$$

$$\text{function_4_cCOP1n_import_1}([\text{cCOP1c}], \text{vol}(\text{def}), p6) = \frac{p6 \cdot [\text{cCOP1c}]}{\text{vol}(\text{def})} \quad (226)$$

9.42 Reaction cCOP1n_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cCOP1n_degr

Reaction equation



Reactant

Table 89: Properties of each reactant.

Id	Name	SBO
cCOP1n	cCOP1n	

Modifier

Table 90: Properties of each modifier.

Id	Name	SBO
cCOP1n	cCOP1n	

Kinetic Law

Derived unit contains undeclared units

$$v_{42} = \text{vol}(\text{def}) \cdot \text{function_4_cCOP1n_degr}(\text{L}, [\text{cCOP1n}], \text{vol}(\text{def}), \text{m27}, \text{p15}) \quad (228)$$

$$\text{function_4_cCOP1n_degr}(\text{L}, [\text{cCOP1n}], \text{vol}(\text{def}), \text{m27}, \text{p15}) = \frac{\text{m27} \cdot [\text{cCOP1n}] \cdot (1 + \text{p15} \cdot \text{L})}{\text{vol}(\text{def})} \quad (229)$$

$$\text{function_4_cCOP1n_degr}(\text{L}, [\text{cCOP1n}], \text{vol}(\text{def}), \text{m27}, \text{p15}) = \frac{\text{m27} \cdot [\text{cCOP1n}] \cdot (1 + \text{p15} \cdot \text{L})}{\text{vol}(\text{def})} \quad (230)$$

9.43 Reaction cCOP1d_activ

This is an irreversible reaction of one reactant forming one product influenced by three modifiers.

Name cCOP1d_activ

Reaction equation



Reactant

Table 91: Properties of each reactant.

Id	Name	SBO
cCOP1n	cCOP1n	

Modifiers

Table 92: Properties of each modifier.

Id	Name	SBO
cP	cP	
cCOP1n	cCOP1n	
cP	cP	

Product

Table 93: Properties of each product.

Id	Name	SBO
cCOP1d	cCOP1d	

Kinetic Law

Derived unit contains undeclared units

$$v_{43} = \text{vol}(\text{def}) \cdot \text{function_4_cCOP1d_activ}(L, [\text{cCOP1n}], [\text{cP}], \text{vol}(\text{def}), n14, n6) \quad (232)$$

$$\begin{aligned} & \text{function_4_cCOP1d_activ}(L, [\text{cCOP1n}], [\text{cP}], \text{vol}(\text{def}), n14, n6) \\ &= \frac{n6 \cdot L \cdot [\text{cP}] \cdot [\text{cCOP1n}] + n14 \cdot [\text{cCOP1n}]}{\text{vol}(\text{def})} \end{aligned} \quad (233)$$


$$\begin{aligned} & \text{function_4_cCOP1d_activ}(L, [\text{cCOP1n}], [\text{cP}], \text{vol}(\text{def}), n14, n6) \\ &= \frac{n6 \cdot L \cdot [\text{cP}] \cdot [\text{cCOP1n}] + n14 \cdot [\text{cCOP1n}]}{\text{vol}(\text{def})} \end{aligned} \quad (234)$$

9.44 Reaction cCOP1d_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cCOP1d_degr

Reaction equation



Reactant

Table 94: Properties of each reactant.

Id	Name	SBO
cCOP1d	cCOP1d	

Modifier

Table 95: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	

Kinetic Law

Derived unit contains undeclared units

$$v_{44} = \text{vol}(\text{def}) \cdot \text{function_4_cCOP1d_degr}(D, [\text{cCOP1d}], \text{vol}(\text{def}), m_{31}, m_{33}) \quad (236)$$

$$\begin{aligned} & \text{function_4_cCOP1d_degr}(D, [\text{cCOP1d}], \text{vol}(\text{def}), m_{31}, m_{33}) \\ &= \frac{m_{31} \cdot (1 + m_{33} \cdot D) \cdot [\text{cCOP1d}]}{\text{vol}(\text{def})} \end{aligned} \quad (237)$$


$$\begin{aligned} & \text{function_4_cCOP1d_degr}(D, [\text{cCOP1d}], \text{vol}(\text{def}), m_{31}, m_{33}) \\ &= \frac{m_{31} \cdot (1 + m_{33} \cdot D) \cdot [\text{cCOP1d}]}{\text{vol}(\text{def})} \end{aligned} \quad (238)$$

9.45 Reaction cG_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by six modifiers.

Name cG_m_trscr

Reaction equation



Modifiers

Table 96: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cP	cP	
cEC	cEC	
cL	cL	
cP	cP	

Product

Table 97: Properties of each product.

Id	Name	SBO
cG_m	cG_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{45} = \text{vol}(\text{def}) \cdot \text{function_4_cG_m_trscr_1}(L, [\text{cEC}], [\text{cL}], [\text{cP}], \text{vol}(\text{def}), e, g_{14}, g_{15}, n_{12}, q_2) \quad (240)$$

$$\begin{aligned} & \text{function_4_cG_m_trscr_1}(L, [\text{cEC}], [\text{cL}], [\text{cP}], \text{vol}(\text{def}), e, g_{14}, g_{15}, n_{12}, q_2) \\ &= \frac{L \cdot q_2 \cdot [\text{cP}] + \frac{n_{12} \cdot g_{14}}{[\text{cEC}] + g_{14}} \cdot g_{15}^e}{\text{vol}(\text{def})} \end{aligned} \quad (241)$$

$$\begin{aligned} & \text{function_4_cG_m_trscr_1}(L, [\text{cEC}], [\text{cL}], [\text{cP}], \text{vol}(\text{def}), e, g_{14}, g_{15}, n_{12}, q_2) \\ &= \frac{L \cdot q_2 \cdot [\text{cP}] + \frac{n_{12} \cdot g_{14}}{[\text{cEC}] + g_{14}} \cdot g_{15}^e}{\text{vol}(\text{def})} \end{aligned} \quad (242)$$

9.46 Reaction cG_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cG_m_degr

Reaction equation



Reactant

Table 98: Properties of each reactant.

Id	Name	SBO
cG_m	cG_m	

Modifier

Table 99: Properties of each modifier.

Id	Name	SBO
cG_m	cG_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{46} = \text{vol}(\text{def}) \cdot \text{function_4_cG_m_degr_1}([cG_m], \text{vol}(\text{def}), m18) \quad (244)$$

$$\text{function_4_cG_m_degr_1}([cG_m], \text{vol}(\text{def}), m18) = \frac{m18 \cdot [cG_m]}{\text{vol}(\text{def})} \quad (245)$$

$$\text{function_4_cG_m_degr_1}([cG_m], \text{vol}(\text{def}), m18) = \frac{m18 \cdot [cG_m]}{\text{vol}(\text{def})} \quad (246)$$

9.47 Reaction cG_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cG_trsl

Reaction equation



Modifiers

Table 100: Properties of each modifier.

Id	Name	SBO
cG_m	cG_m	
cG_m	cG_m	

Product

Table 101: Properties of each product.

Id	Name	SBO
cG	cG	

Kinetic Law

Derived unit contains undeclared units

$$v_{47} = \text{vol}(\text{def}) \cdot \text{function_4_cG_trsl_1}([cG_m], \text{vol}(\text{def}), p11) \quad (248)$$

$$\text{function_4_cG_trsl_1}([cG_m], \text{vol}(\text{def}), p11) = \frac{p11 \cdot [cG_m]}{\text{vol}(\text{def})} \quad (249)$$

$$\text{function_4_cG_trsl_1}([cG_m], \text{vol}(\text{def}), p11) = \frac{p11 \cdot [cG_m]}{\text{vol}(\text{def})} \quad (250)$$

9.48 Reaction cG_degr

This is an irreversible reaction of one reactant forming no product influenced by three modifiers.

Name cG_degr

Reaction equation



Reactant

Table 102: Properties of each reactant.

Id	Name	SBO
cG	cG	

Modifiers

Table 103: Properties of each modifier.

Id	Name	SBO
cE3n	cE3n	
cE3n	cE3n	
cG	cG	

Kinetic Law

Derived unit contains undeclared units

$$v_{48} = \text{vol}(\text{def}) \cdot \text{function_4_cG_degr_1}([cE3n], [cG], \text{vol}(\text{def}), m19, p17, p28, p29) \quad (252)$$

$$\begin{aligned} & \text{function_4_cG_degr_1}([cE3n], [cG], \text{vol}(\text{def}), m19, p17, p28, p29) \\ &= \frac{m19 \cdot [cG] + p28 \cdot [cG] - \frac{p29 \cdot p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]}}{\text{vol}(\text{def})} \end{aligned} \quad (253)$$

$$\begin{aligned} & \text{function_4_cG_degr_1}([cE3n], [cG], \text{vol}(\text{def}), m19, p17, p28, p29) \\ &= \frac{m19 \cdot [cG] + p28 \cdot [cG] - \frac{p29 \cdot p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]}}{\text{vol}(\text{def})} \end{aligned} \quad (254)$$

9.49 Reaction cG_cZTL_assoc

This is a reversible reaction of two reactants forming one product influenced by three modifiers.

Name cG_cZTL_assoc

Reaction equation



Reactants

Table 104: Properties of each reactant.

Id	Name	SBO
cG	cG	
cZTL	cZTL	

Modifiers

Table 105: Properties of each modifier.

Id	Name	SBO
cG	cG	
cZG	cZG	
cZTL	cZTL	

Product

Table 106: Properties of each product.

Id	Name	SBO
cZG	cZG	

Kinetic Law

Derived unit contains undeclared units

$$v_{49} = \text{vol}(\text{def}) \cdot \text{function_4_cG_cZTL_assoc}(\text{D}, \text{L}, [\text{cG}], [\text{cZG}], [\text{cZTL}], \text{vol}(\text{def}), \text{p12}, \text{p13}) \quad (256)$$

$$\begin{aligned} & \text{function_4_cG_cZTL_assoc}(\text{D}, \text{L}, [\text{cG}], [\text{cZG}], [\text{cZTL}], \text{vol}(\text{def}), \text{p12}, \text{p13}) \\ &= \frac{\text{p12} \cdot \text{L} \cdot [\text{cZTL}] \cdot [\text{cG}] - \text{p13} \cdot \text{D} \cdot [\text{cZG}]}{\text{vol}(\text{def})} \end{aligned} \quad (257)$$

$$\begin{aligned} & \text{function_4_cG_cZTL_assoc}(\text{D}, \text{L}, [\text{cG}], [\text{cZG}], [\text{cZTL}], \text{vol}(\text{def}), \text{p12}, \text{p13}) \\ &= \frac{\text{p12} \cdot \text{L} \cdot [\text{cZTL}] \cdot [\text{cG}] - \text{p13} \cdot \text{D} \cdot [\text{cZG}]}{\text{vol}(\text{def})} \end{aligned} \quad (258)$$

9.50 Reaction cZTL_trsl

This is an irreversible reaction of no reactant forming one product.

Name cZTL_trsl

Reaction equation



Product

Table 107: Properties of each product.

Id	Name	SBO
cZTL	cZTL	

Kinetic Law

Derived unit contains undeclared units

$$v_{50} = \text{vol}(\text{def}) \cdot \text{function_4_cZTL_trsl_1}(\text{vol}(\text{def}), p14) \quad (260)$$

$$\text{function_4_cZTL_trsl_1}(\text{vol}(\text{def}), p14) = \frac{p14}{\text{vol}(\text{def})} \quad (261)$$

$$\text{function_4_cZTL_trsl_1}(\text{vol}(\text{def}), p14) = \frac{p14}{\text{vol}(\text{def})} \quad (262)$$

9.51 Reaction cZTL_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cZTL_degr

Reaction equation



Reactant

Table 108: Properties of each reactant.

Id	Name	SBO
cZTL	cZTL	

Modifier

Table 109: Properties of each modifier.

Id	Name	SBO
cZTL	cZTL	

Kinetic Law

Derived unit contains undeclared units

$$v_{51} = \text{vol}(\text{def}) \cdot \text{function_4_cZTL_degr_1}([\text{cZTL}], \text{vol}(\text{def}), \text{m20}) \quad (264)$$

$$\text{function_4_cZTL_degr_1}([\text{cZTL}], \text{vol}(\text{def}), \text{m20}) = \frac{\text{m20} \cdot [\text{cZTL}]}{\text{vol}(\text{def})} \quad (265)$$

$$\text{function_4_cZTL_degr_1}([\text{cZTL}], \text{vol}(\text{def}), \text{m20}) = \frac{\text{m20} \cdot [\text{cZTL}]}{\text{vol}(\text{def})} \quad (266)$$

9.52 Reaction cZG_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cZG_degr

Reaction equation



Reactant

Table 110: Properties of each reactant.

Id	Name	SBO
cZG	cZG	

Modifier

Table 111: Properties of each modifier.

Id	Name	SBO
cZG	cZG	

Kinetic Law

Derived unit contains undeclared units

$$v_{52} = \text{vol}(\text{def}) \cdot \text{function_4_cZG_degr_1}([\text{cZG}], \text{vol}(\text{def}), \text{m21}) \quad (268)$$

$$\text{function_4_cZG_degr_1}([cZG], \text{vol}(\text{def}), m21) = \frac{m21 \cdot [cZG]}{\text{vol}(\text{def})} \quad (269)$$

$$\text{function_4_cZG_degr_1}([cZG], \text{vol}(\text{def}), m21) = \frac{m21 \cdot [cZG]}{\text{vol}(\text{def})} \quad (270)$$

9.53 Reaction cG_cE3_assoc

This is an irreversible reaction of two reactants forming one product influenced by two modifiers.

Name cG_cE3_assoc

Reaction equation



Reactants

Table 112: Properties of each reactant.

Id	Name	SBO
cE3	cE3	
cG	cG	

Modifiers

Table 113: Properties of each modifier.

Id	Name	SBO
cE3	cE3	
cG	cG	

Product

Table 114: Properties of each product.

Id	Name	SBO
cEG	cEG	

Kinetic Law

Derived unit contains undeclared units

$$v_{53} = \text{vol}(\text{def}) \cdot \text{function_4_cG_cE3_assoc_1}([cE3], [cG], \text{vol}(\text{def}), p17) \quad (272)$$

$$\text{function_4_cG_cE3_assoc_1}([cE3], [cG], \text{vol}(\text{def}), p17) = \frac{p17 \cdot [cE3] \cdot [cG]}{\text{vol}(\text{def})} \quad (273)$$


$$\text{function_4_cG_cE3_assoc_1}([cE3], [cG], \text{vol}(\text{def}), p17) = \frac{p17 \cdot [cE3] \cdot [cG]}{\text{vol}(\text{def})} \quad (274)$$

9.54 Reaction cEG_degr

This is an irreversible reaction of one reactant forming no product influenced by eleven modifiers.

Name cEG_degr

Reaction equation



Reactant

Table 115: Properties of each reactant.

Id	Name	SBO
cEG	cEG	

Modifiers

Table 116: Properties of each modifier.

Id	Name	SBO
cCOP1c	cCOP1c	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cG	cG	
cCOP1c	cCOP1c	

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cEG	cEG	
cG	cG	

Kinetic Law

Derived unit contains undeclared units

$$v_{54} = \text{vol}(\text{def}) \cdot \text{function_4_cEG_degr_1}([cCOP1c], [cCOP1d], [cCOP1n], [cE3n], [cEG], [cG], \text{vol}(\text{def}), m10, m19, m9, p17, p18, p28, p29, p31) \quad (276)$$

$$\begin{aligned} &\text{function_4_cEG_degr_1}([cCOP1c], [cCOP1d], [cCOP1n], [cE3n], \\ &[cEG], [cG], \text{vol}(\text{def}), m10, m19, m9, p17, p18, p28, p29, \\ &p31) = \frac{m9 \cdot [cEG] \cdot [cCOP1c] + p18 \cdot [cEG] - \frac{p31 \cdot (p18 \cdot [cEG] + \frac{p17 \cdot [cE3n] \cdot p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]})}{m9 \cdot [cCOP1n] + m10 \cdot [cCOP1d] + p31}}{\text{vol}(\text{def})} \end{aligned} \quad (277)$$


$$\begin{aligned} &\text{function_4_cEG_degr_1}([cCOP1c], [cCOP1d], [cCOP1n], [cE3n], \\ &[cEG], [cG], \text{vol}(\text{def}), m10, m19, m9, p17, p18, p28, p29, \\ &p31) = \frac{m9 \cdot [cEG] \cdot [cCOP1c] + p18 \cdot [cEG] - \frac{p31 \cdot (p18 \cdot [cEG] + \frac{p17 \cdot [cE3n] \cdot p28 \cdot [cG]}{p29 + m19 + p17 \cdot [cE3n]})}{m9 \cdot [cCOP1n] + m10 \cdot [cCOP1d] + p31}}{\text{vol}(\text{def})} \end{aligned} \quad (278)$$

9.55 Reaction cEC_form

This is an irreversible reaction of no reactant forming one product influenced by ten modifiers.

Name cEC_form

Reaction equation



Modifiers

Table 117: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cLUX	cLUX	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cLUX	cLUX	

Product

Table 118: Properties of each product.

Id	Name	SBO
cEC	cEC	

Kinetic Law

Derived unit contains undeclared units

$$v_{55} = \text{vol}(\text{def}) \cdot \text{function_4_cEC_form_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], \text{vol}(\text{def}), m36, m37, p21, p25, p26) \quad (280)$$

$$\text{function_4_cEC_form_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], \text{vol}(\text{def}), m36, m37, p21, p25, p26) = \frac{p26 \cdot [cLUX] \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]} \quad (281)$$

$$\text{function_4_cEC_form_1}([cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], \text{vol}(\text{def}), m36, m37, p21, p25, p26) = \frac{p26 \cdot [cLUX] \cdot p25 \cdot [cE4] \cdot [cE3n]}{p26 \cdot [cLUX] + p21 + m37 \cdot [cCOP1d] + m36 \cdot [cCOP1n]} \quad (282)$$

9.56 Reaction cEC_degr

This is an irreversible reaction of one reactant forming no product influenced by eleven modifiers.

Name cEC_degr

Reaction equation



Reactant

Table 119: Properties of each reactant.

Id	Name	SBO
cEC	cEC	

Modifiers

Table 120: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cEG	cEG	
cG	cG	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cEC	cEC	
cEG	cEG	
cG	cG	

Kinetic Law

Derived unit contains undeclared units

$$v_{56} = \text{vol}(\text{def}) \cdot \text{function_4_cEC_degr}(\text{L}, [\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cEC}], [\text{cEG}], \quad (284)$$

$$[\text{cG}], \text{d}, \text{vol}(\text{def}), \text{g7}, \text{m10}, \text{m19}, \text{m32}, \text{m36}, \text{m37}, \text{m9}, \text{p17}, \text{p18}, \text{p24}, \text{p28}, \text{p29},$$

$$\text{p31})$$

$$\begin{aligned} &\text{function_4_cEC_degr}(L, [\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cEC}], [\text{cEG}], [\text{cG}], \\ &d, \text{vol}(\text{def}), g7, m10, m19, m32, m36, m37, m9, p17, p18, p24, p28, p29, p31) \end{aligned} \quad (285)$$

$$\begin{aligned} &m36 \cdot [\text{cCOP1n}] \cdot [\text{cEC}] + m37 \cdot [\text{cCOP1d}] \cdot [\text{cEC}] + m32 \cdot [\text{cEC}] \cdot \left(1 + \frac{p24 \cdot L \cdot \left(\frac{p28 \cdot [\text{cG}]}{p29 + m19 + p17 \cdot [\text{cE3n}]} + \frac{p18 \cdot [\text{cEG}] + \frac{p17 \cdot [\text{cE3n}] \cdot p28 \cdot [\text{cG}]}{p29 + m19 + p17 \cdot [\text{cE3n}]} + \frac{p17 \cdot [\text{cE3n}] \cdot p28 \cdot [\text{cG}]}{m9 \cdot [\text{cCOP1n}] + m10 \cdot [\text{cCOP1d}] + p31} \right)}{\left(\frac{p28 \cdot [\text{cG}]}{p29 + m19 + p17 \cdot [\text{cE3n}]} + \frac{p18 \cdot [\text{cEG}] + \frac{p17 \cdot [\text{cE3n}] \cdot p28 \cdot [\text{cG}]}{p29 + m19 + p17 \cdot [\text{cE3n}]} + \frac{p17 \cdot [\text{cE3n}] \cdot p28 \cdot [\text{cG}]}{m9 \cdot [\text{cCOP1n}] + m10 \cdot [\text{cCOP1d}] + p31} \right)^d} \right) \\ &= \frac{\quad}{\text{vol}(\text{def})} \end{aligned}$$

$$\begin{aligned} &\text{function_4_cEC_degr}(L, [\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cEC}], [\text{cEG}], [\text{cG}], \\ &d, \text{vol}(\text{def}), g7, m10, m19, m32, m36, m37, m9, p17, p18, p24, p28, p29, p31) \end{aligned} \quad (286)$$

$$\begin{aligned} &m36 \cdot [\text{cCOP1n}] \cdot [\text{cEC}] + m37 \cdot [\text{cCOP1d}] \cdot [\text{cEC}] + m32 \cdot [\text{cEC}] \cdot \left(1 + \frac{p24 \cdot L \cdot \left(\frac{p28 \cdot [\text{cG}]}{p29 + m19 + p17 \cdot [\text{cE3n}]} + \frac{p18 \cdot [\text{cEG}] + \frac{p17 \cdot [\text{cE3n}] \cdot p28 \cdot [\text{cG}]}{p29 + m19 + p17 \cdot [\text{cE3n}]} + \frac{p17 \cdot [\text{cE3n}] \cdot p28 \cdot [\text{cG}]}{m9 \cdot [\text{cCOP1n}] + m10 \cdot [\text{cCOP1d}] + p31} \right)}{\left(\frac{p28 \cdot [\text{cG}]}{p29 + m19 + p17 \cdot [\text{cE3n}]} + \frac{p18 \cdot [\text{cEG}] + \frac{p17 \cdot [\text{cE3n}] \cdot p28 \cdot [\text{cG}]}{p29 + m19 + p17 \cdot [\text{cE3n}]} + \frac{p17 \cdot [\text{cE3n}] \cdot p28 \cdot [\text{cG}]}{m9 \cdot [\text{cCOP1n}] + m10 \cdot [\text{cCOP1d}] + p31} \right)^d} \right) \\ &= \frac{\quad}{\text{vol}(\text{def})} \end{aligned}$$

10 Derived Rate Equations

When interpreted as an ordinary differential equation framework, this model implies the following set of equations for the rates of change of each species.

Identifiers for kinetic laws highlighted in gray cannot be verified to evaluate to units of SBML substance per time. As a result, some SBML interpreters may not be able to verify the consistency of the units on quantities in the model. Please check if

- parameters without an unit definition are involved or
- volume correction is necessary because the `hasOnlySubstanceUnits` flag may be set to `false` and `spacialDimensions` > 0 for certain species.

10.1 Species `cCOP1c`

Name `cCOP1c`

Initial concentration $0.3269 \text{ nmol} \cdot \mu\text{l}^{-1}$

This species takes part in nine reactions (as a reactant in `cCOP1c_degr`, `cCOP1n_import` and as a product in `cCOP1c_trsl` and as a modifier in `cE3_degr`, `cE3_degr`, `cCOP1c_degr`, `cCOP1n_import`, `cEG_degr`, `cEG_degr`).

$$\frac{d}{dt} \text{cCOP1c} = v_{39} - v_{40} - v_{41} \quad (287)$$

10.2 Species cCOP1d

Name cCOP1d

Initial concentration 0.2566 nmol · μl⁻¹

This species takes part in 15 reactions (as a reactant in [cCOP1d_degr](#) and as a product in [cCOP1d_activ](#) and as a modifier in [cE4_degr](#), [cE4_degr](#), [cE3n_degr](#), [cE3n_degr](#), [cLUX_degr](#), [cLUX_degr](#), [cCOP1d_degr](#), [cEG_degr](#), [cEG_degr](#), [cEC_form](#), [cEC_form](#), [cEC_degr](#), [cEC_degr](#)).

$$\frac{d}{dt}cCOP1d = v_{43} - v_{44} \quad (288)$$

10.3 Species cCOP1n

Name cCOP1n

Initial concentration 0.65 nmol · μl⁻¹

This species takes part in 17 reactions (as a reactant in [cCOP1n_degr](#), [cCOP1d_activ](#) and as a product in [cCOP1n_import](#) and as a modifier in [cE4_degr](#), [cE4_degr](#), [cE3n_degr](#), [cE3n_degr](#), [cLUX_degr](#), [cLUX_degr](#), [cCOP1n_degr](#), [cCOP1d_activ](#), [cEG_degr](#), [cEG_degr](#), [cEC_form](#), [cEC_form](#), [cEC_degr](#), [cEC_degr](#)).

$$\frac{d}{dt}cCOP1n = v_{41} - v_{42} - v_{43} \quad (289)$$

10.4 Species cE3

Name cE3

Initial concentration 0.1503 nmol · μl⁻¹

This species takes part in seven reactions (as a reactant in [cE3_degr](#), [cE3n_import](#), [cG_cE3_assoc](#) and as a product in [cE3_trsl](#) and as a modifier in [cE3_degr](#), [cE3n_import](#), [cG_cE3_assoc](#)).

$$\frac{d}{dt}cE3 = v_{31} - v_{32} - v_{33} - v_{53} \quad (290)$$

10.5 Species cE3_m

Name cE3_m

Initial concentration 0.2991 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cE3_m_degr](#) and as a product in [cE3_m_trscr](#) and as a modifier in [cE3_m_degr](#), [cE3_trsl](#), [cE3_trsl](#)).

$$\frac{d}{dt}cE3_m = v_{29} - v_{30} \quad (291)$$

10.6 Species cE3n

Name cE3n

Initial concentration 0.0286 nmol · μl⁻¹

This species takes part in 16 reactions (as a reactant in [cE3n_degr](#) and as a product in [cE3n_import](#) and as a modifier in [cE4_degr](#), [cE4_degr](#), [cE3n_import](#), [cE3n_degr](#), [cLUX_degr](#), [cLUX_degr](#), [cG_degr](#), [cG_degr](#), [cEG_degr](#), [cEG_degr](#), [cEC_form](#), [cEC_form](#), [cEC_degr](#), [cEC_degr](#)).

$$\frac{d}{dt}cE3n = v_{33} - v_{34} \quad (292)$$

10.7 Species cE4

Name cE4

Initial concentration 0.207 nmol · μl⁻¹

This species takes part in nine reactions (as a reactant in [cE4_degr](#) and as a product in [cE4_trsl](#) and as a modifier in [cE4_degr](#), [cE3n_degr](#), [cE3n_degr](#), [cLUX_degr](#), [cLUX_degr](#), [cEC_form](#), [cEC_form](#)).

$$\frac{d}{dt}cE4 = v_{27} - v_{28} \quad (293)$$

10.8 Species cE4_m

Name cE4_m

Initial concentration 0.1012 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cE4_m_degr](#) and as a product in [cE4_m_trscr](#) and as a modifier in [cE4_m_degr](#), [cE4_trsl](#), [cE4_trsl](#)).

$$\frac{d}{dt}cE4_m = v_{25} - v_{26} \quad (294)$$

10.9 Species cEC

Name cEC

Initial concentration 0.0709 nmol · μl⁻¹

This species takes part in 13 reactions (as a reactant in [cEC_degr](#) and as a product in [cEC_form](#) and as a modifier in [cP9_m_trscr](#), [cP9_m_trscr](#), [cT_m_trscr](#), [cT_m_trscr](#), [cE4_m_trscr](#), [cE4_m_trscr](#), [cLUX_m_trscr](#), [cLUX_m_trscr](#), [cG_m_trscr](#), [cG_m_trscr](#), [cEC_degr](#)).

$$\frac{d}{dt}cEC = v_{55} - v_{56} \quad (295)$$

10.10 Species cEG

Name cEG

Initial concentration 0.0041 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cEG_degr](#) and as a product in [cG_cE3_assoc](#) and as a modifier in [cEG_degr](#), [cEC_degr](#), [cEC_degr](#)).

$$\frac{d}{dt}cEG = v_{53} - v_{54} \quad (296)$$

10.11 Species cG

Name cG

Initial concentration 0.0196 nmol · μl⁻¹

This species takes part in 13 reactions (as a reactant in [cG_degr](#), [cG_cZTL_assoc](#), [cG_cE3_assoc](#) and as a product in [cG_trsl](#) and as a modifier in [cE3n_degr](#), [cE3n_degr](#), [cG_degr](#), [cG_cZTL_assoc](#), [cG_cE3_assoc](#), [cEG_degr](#), [cEG_degr](#), [cEC_degr](#), [cEC_degr](#)).

$$\frac{d}{dt}cG = v_{47} - v_{48} - v_{49} - v_{53} \quad (297)$$

10.12 Species cG_m

Name cG_m

Initial concentration 0.1017 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cG_m_degr](#) and as a product in [cG_m_trscr](#) and as a modifier in [cG_m_degr](#), [cG_trsl](#), [cG_trsl](#)).

$$\frac{d}{dt}cG_m = v_{45} - v_{46} \quad (298)$$

10.13 Species cL

Name cL

Initial concentration 0.506 nmol · μl⁻¹

This species takes part in 19 reactions (as a reactant in [cL_degr](#) and as a product in [cL_trsl](#) and as a modifier in [cL_degr](#), [cL_modif](#), [cL_modif](#), [cP9_m_trscr](#), [cP9_m_trscr](#), [cP7_m_trscr](#), [cP7_m_trscr](#), [cT_m_trscr](#), [cT_m_trscr](#), [cE4_m_trscr](#), [cE4_m_trscr](#), [cE3_m_trscr](#), [cE3_m_trscr](#), [cLUX_m_trscr](#), [cLUX_m_trscr](#), [cG_m_trscr](#), [cG_m_trscr](#)).

$$\frac{d}{dt}cL = v_3 - v_4 \quad (299)$$

10.14 Species cLUX

Name cLUX

Initial concentration $0.576 \text{ nmol} \cdot \mu\text{l}^{-1}$

This species takes part in nine reactions (as a reactant in [cLUX_degr](#) and as a product in [cLUX_trsl](#) and as a modifier in [cE4_degr](#), [cE4_degr](#), [cE3n_degr](#), [cE3n_degr](#), [cLUX_degr](#), [cEC_form](#), [cEC_form](#)).

$$\frac{d}{dt}cLUX = v_{37} - v_{38} \quad (300)$$

10.15 Species cLUX_m

Name cLUX_m

Initial concentration $0.1012 \text{ nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in [cLUX_m_degr](#) and as a product in [cLUX_m_trscr](#) and as a modifier in [cLUX_m_degr](#), [cLUX_trsl](#), [cLUX_trsl](#)).

$$\frac{d}{dt}cLUX_m = v_{35} - v_{36} \quad (301)$$

10.16 Species cL_m

Name cL_m

Initial concentration $1.0151 \text{ nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in [cL_m_degr](#) and as a product in [cL_m_trscr](#) and as a modifier in [cL_m_degr](#), [cL_trsl](#), [cL_trsl](#)).

$$\frac{d}{dt}cL_m = v_1 - v_2 \quad (302)$$

10.17 Species cLm

Name cLm

Initial concentration $0.0788 \text{ nmol} \cdot \mu\text{l}^{-1}$

This species takes part in seven reactions (as a reactant in [cLm_degr](#) and as a product in [cL_modif](#) and as a modifier in [cLm_degr](#), [cP7_m_trscr](#), [cP7_m_trscr](#), [cNI_m_trscr](#), [cNI_m_trscr](#)).

$$\frac{d}{dt}cLm = v_5 - v_6 \quad (303)$$

10.18 Species cNI

Name cNI

Initial concentration 0.0697 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cNI_degr](#) and as a product in [cNI_trsl](#) and as a modifier in [cL_m_trscr](#), [cL_m_trscr](#), [cNI_degr](#)).

$$\frac{d}{dt}cNI = v_{19} - v_{20} \quad (304)$$

10.19 Species cNI_m

Name cNI_m

Initial concentration 0.0731 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cNI_m_degr](#) and as a product in [cNI_m_trscr](#) and as a modifier in [cNI_m_degr](#), [cNI_trsl](#), [cNI_trsl](#)).

$$\frac{d}{dt}cNI_m = v_{17} - v_{18} \quad (305)$$

10.20 Species cP

Name cP

Initial concentration 0.956 nmol · μl⁻¹

This species takes part in twelve reactions (as a reactant in [cP_degr](#) and as a product in [cP_trsl](#) and as a modifier in [cL_m_trscr](#), [cL_m_trscr](#), [cP_trsl](#), [cP_degr](#), [cP9_m_trscr](#), [cP9_m_trscr](#), [cCOP1d_activ](#), [cCOP1d_activ](#), [cG_m_trscr](#), [cG_m_trscr](#)).

$$\frac{d}{dt}cP = v_7 - v_8 \quad (306)$$

10.21 Species cP7

Name cP7

Initial concentration 0.1167 nmol · μl⁻¹

This species takes part in seven reactions (as a reactant in [cP7_degr](#) and as a product in [cP7_trsl](#) and as a modifier in [cL_m_trscr](#), [cL_m_trscr](#), [cP7_degr](#), [cNI_m_trscr](#), [cNI_m_trscr](#)).

$$\frac{d}{dt}cP7 = v_{15} - v_{16} \quad (307)$$

10.22 Species cP7_m

Name cP7_m

Initial concentration 0.4016 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cP7_m_degr](#) and as a product in [cP7_m_trscr](#) and as a modifier in [cP7_m_degr](#), [cP7_trsl](#), [cP7_trsl](#)).

$$\frac{d}{dt}cP7_m = v_{13} - v_{14} \quad (308)$$

10.23 Species cP9

Name cP9

Initial concentration 0.0238 nmol · μl⁻¹

This species takes part in seven reactions (as a reactant in [cP9_degr](#) and as a product in [cP9_trsl](#) and as a modifier in [cL_m_trscr](#), [cL_m_trscr](#), [cP9_degr](#), [cP7_m_trscr](#), [cP7_m_trscr](#)).

$$\frac{d}{dt}cP9 = v_{11} - v_{12} \quad (309)$$

10.24 Species cP9_m

Name cP9_m

Initial concentration 0.0658 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cP9_m_degr](#) and as a product in [cP9_m_trscr](#) and as a modifier in [cP9_m_degr](#), [cP9_trsl](#), [cP9_trsl](#)).

$$\frac{d}{dt}cP9_m = v_9 - v_{10} \quad (310)$$

10.25 Species cT

Name cT

Initial concentration 0.0435 nmol · μl⁻¹

This species takes part in five reactions (as a reactant in [cT_degr](#) and as a product in [cT_trsl](#) and as a modifier in [cL_m_trscr](#), [cL_m_trscr](#), [cT_degr](#)).

$$\frac{d}{dt}cT = v_{23} - v_{24} \quad (311)$$

10.26 Species cT_m

Name cT_m

Initial concentration 0.0977 nmol · µl⁻¹

This species takes part in five reactions (as a reactant in [cT_m_degr](#) and as a product in [cT_m_trscr](#) and as a modifier in [cT_m_degr](#), [cT_trsl](#), [cT_trsl](#)).

$$\frac{d}{dt}cT_m = v_{21} - v_{22} \quad (312)$$

10.27 Species cZG

Name cZG

Initial concentration 0.0755 nmol · µl⁻¹

This species takes part in six reactions (as a reactant in [cZG_degr](#) and as a product in [cG_cZTL_assoc](#) and as a modifier in [cT_degr](#), [cT_degr](#), [cG_cZTL_assoc](#), [cZG_degr](#)).

$$\frac{d}{dt}cZG = v_{49} - v_{52} \quad (313)$$

10.28 Species cZTL

Name cZTL

Initial concentration 0.2505 nmol · µl⁻¹

This species takes part in seven reactions (as a reactant in [cG_cZTL_assoc](#), [cZTL_degr](#) and as a product in [cZTL_trsl](#) and as a modifier in [cT_degr](#), [cT_degr](#), [cG_cZTL_assoc](#), [cZTL_degr](#)).

$$\frac{d}{dt}cZTL = v_{50} - v_{49} - v_{51} \quad (314)$$

SBML²TeX was developed by Andreas Dräger^a, Hannes Planatscher^a, Dieudonné M Wouamba^a, Adrian Schröder^a, Michael Hucka^b, Lukas Endler^c, Martin Golebiewski^d and Andreas Zell^a. Please see <http://www.ra.cs.uni-tuebingen.de/software/SBML2LaTeX> for more information.

^aCenter for Bioinformatics Tübingen (ZBIT), Germany

^bCalifornia Institute of Technology, Beckman Institute BNMC, Pasadena, United States

^cEuropean Bioinformatics Institute, Wellcome Trust Genome Campus, Hinxton, United Kingdom

^dEML Research gGmbH, Heidelberg, Germany