

predict and margins

Andy Grogan-Kaylor

20 Oct 2020 14:54:46

Background

Odds ratios, or coefficients showing the association of the independent variables with the log odds, represent the most immediate output of a logistic regression. However, for a variety of reasons, it may make sense to not only report odds ratios, but also to investigate predicted probabilities.

The Data

The data are an extract of the *National Survey of Children's Health, 2018*. The data contain information on children's current depression status, their exposure to various *Adverse Childhood Experiences* (ACEs) and their sex and race.

```
. clear all

. cd "/Users/agrogan/Desktop/newstuff/categorical/predict-and-margins"
/Users/agrogan/Desktop/newstuff/categorical/predict-and-margins

. use "NSCH_ACES.dta", clear

. describe depress ace1R ace3R ace4R ace5R ace6R ace7R ace8R ace9R
```

variable name	storage type	display format	value label	variable label
depress	byte	%9.0g		RECODE of k2q32b (Depression Currently)
ace1R	byte	%9.0g		RECODE of ace1 (Hard to Cover Basics Like Food or Housing)
ace3R	byte	%9.0g		RECODE of ace3 (Child Experienced - Parent or Guardian Divorced)
ace4R	byte	%9.0g		RECODE of ace4 (Child Experienced - Parent or Guardian Died)
ace5R	byte	%9.0g		RECODE of ace5 (Child Experienced - Parent or Guardian Time in Jail)
ace6R	byte	%9.0g		RECODE of ace6 (Child Experienced - Adults Slap, Hit, Kick, Punch Others)
ace7R	byte	%9.0g		RECODE of ace7 (Child Experienced - Victim of Violence)
ace8R	byte	%9.0g		RECODE of ace8 (Child Experienced - Lived with Mentally Ill)
ace9R	byte	%9.0g		RECODE of ace9 (Child Experienced - Lived with Person with Alcohol/Drug Problem)

Logistic Regression

We estimate a logistic regression using `logit` to ask for *odds ratios*.

```
. logit depress ace1R ace3R ace4R ace5R ace6R ace7R ace8R ace9R i.sc_race_r i.
> sc_sex, or

Iteration 0:   log likelihood = -760.76202
Iteration 1:   log likelihood = -739.43605
Iteration 2:   log likelihood = -739.012
Iteration 3:   log likelihood = -739.01149
Iteration 4:   log likelihood = -739.01149

Logistic regression               Number of obs   =       1,442
                                LR chi2(15)        =       43.50
                                Prob > chi2         =       0.0001
                                Pseudo R2          =       0.0286

Log likelihood = -739.01149
```

depress	Odds Ratio	Std. Err.	z	P> z	[95% Conf. Interval]	
ace1R	1.275539	.177745	1.75	0.081	.970688	1.67613
ace3R	.8328396	.1225773	-1.24	0.214	.6241393	1.111325
ace4R	1.03589	.2559531	0.14	0.887	.6382551	1.681253
ace5R	1.238661	.2620121	1.01	0.312	.8182749	1.87502
ace6R	1.242079	.284433	0.95	0.344	.7929142	1.945684
ace7R	1.438336	.3249996	1.61	0.108	.9236915	2.23972
ace8R	1.931751	.3179664	4.00	0.000	1.399082	2.667221
ace9R	.6476801	.1088199	-2.59	0.010	.4659572	.9002747
sc_race_r						
Black or ..	1.150371	.3258065	0.49	0.621	.6603312	2.004075
American ..	.7002442	.4236335	-0.59	0.556	.213939	2.291971
Asian alone	1.222781	.5325791	0.46	0.644	.5207269	2.871358
Native Ha..	.2318806	.3550441	-0.95	0.340	.0115331	4.662103
Some Othe..	.7923493	.3360807	-0.55	0.583	.3450431	1.819533
Two or Mo..	.7852821	.1983556	-0.96	0.339	.4786515	1.288345
sc_sex						
Female	1.36572	.1769313	2.41	0.016	1.059466	1.760501
_cons	2.357814	.3247614	6.23	0.000	1.799975	3.088536

Note: _cons estimates baseline odds.

Predicted Probabilities

Predicted probabilities are *each participant's individual predicted probability* of experiencing depression based upon the independent variables included in the model. We often denote such predicted probabilities with \hat{y}

```
. predict yhat
(option pr assumed; Pr(depress))
(1,558 missing values generated)
```

yhat is a variable in the data, just like any other variable, and we can tabulate and graph it.

```
. tabulate sc_race_r, summarize(yhat)
```

Race of Selected Child, Detailed	Summary of Pr(depress)		
	Mean	Std. Dev.	Freq.
White alo	.75045109	.05197594	22,445
Black or	.78322165	.04940146	1,881
American	.69508786	.07204945	235
Asian alo	.78128584	.03714901	1,377
Native Ha	.40799774	.06911794	73
Some Othe	.71235484	.05558899	763
Two or Mo	.70971281	.06233783	2,198

	Total	.74863835	.05781597	28,972
<pre> . graph bar yhat, /// > over(sc_race_r, label(angle(forty_five))) /// > title("Predicted Probability of Depression") /// > scheme(michigan) . graph export mybar.png, width(500) replace (file mybar.png written in PNG format) </pre>				




Figure 1: Bar Graph of Predicted Probabilities

Predicted Margins (Over A Variable of Interest)

In their simplest form, predictive margins are *average predicted probabilities* were everyone in the sample were treated as if they were of a particular race.

```

. margins sc_race_r // predictive margins
Predictive margins                                Number of obs      =      1,442
Model VCE      : OIM
Expression     : Pr(depress), predict()

```

	Delta-method				[95% Conf. Interval]	
	Margin	Std. Err.	z	P> z		
sc_race_r						
White alone	.7819423	.011883	65.80	0.000	.758652	.8052326
Black or ..	.8043012	.0419853	19.16	0.000	.7220115	.8865909
American ..	.7173792	.1176945	6.10	0.000	.4867023	.9480561
Asian alone	.8135006	.0635869	12.79	0.000	.6888727	.9381286
Native Ha..	.4675318	.3641302	1.28	0.199	-.2461503	1.181214
Some Othe..	.7409869	.0777287	9.53	0.000	.5886414	.8933323
Two or Mo..	.7393176	.0451682	16.37	0.000	.6507896	.8278456

We could also evaluate margins holding other variables at their *mean* values using the `atmeans`

option. You can also read about obtaining `margins` for various combinations of the independent variables by typing `help margins` at the Stata prompt.

The essential graphing command is `marginsplot`, which will usually produce a perfectly useable graph. The other graphing options are added for clarification and aesthetic purposes.

```
. marginsplot, ///
> title("Predicted Probability of Depression") ///
> ylabel(, labsize(small) angle(horizontal)) ///
> xlabel(, angle(forty_five)) ///
> scheme(michigan)

Variables that uniquely identify margins: sc_race_r

. graph export mymargins.png, width(500) replace
(file mymargins.png written in PNG format)
```




Figure 2: Margins Plot of Predicted Probabilities