

Acceptance and Integration Testing

Prof. Dr. Dirk Riehle

Friedrich-Alexander University Erlangen-Nürnberg

ADAP B03

Licensed under [CC BY 4.0 International](https://creativecommons.org/licenses/by/4.0/)

Types of Tests [1] (Recap)

- **Components tests** (a.k.a. unit tests)
 - Focus on testing one component out of context
- **Acceptance tests** (a.k.a. functional tests)
 - Focus on testing one cross-cutting functionality
- **Integration tests** (a.k.a. system tests)
 - Focus on testing end-to-end system integrity

Acceptance Tests

- Object under test is the system or a non-trivial subsystem
 - This is in contrast to unit testing, which isolates one component
- The tests focus on the system's observable functionality
 - The PRD (product backlog) serves as the specification
- Test set-up has to cordon off rest of the system

Tell-a-Friend Acceptance Test

```
public void testTellFriendMakeWebPart() {  
    Map<String, String> args = new HashMap<String, String>();  
    ...  
    args.put(TellFriendFormHandler.EMAIL_SUBJECT, "Oh well...");  
    handler.handlePost(session, args);  
  
    part = handler.makeWebPart(session);  
    assertEquals(part.getValue(TFFH.EMAIL_SUBJECT), "Oh well...");  
}
```

```
public void testTellFriendPost() {  
    EmailAddress from = EmailAddress.getFromString("i@w.org");  
    EmailAddress to = EmailAddress.getFromString("fan@yahoo.com");  
    String subject = "Coolest website ever!";  
    ...  
    Map<String, String> args = new HashMap<String, String>();  
    args.put(TellFriendFormHandler.EMAIL_FROM, from.asString());
```

Test Set-up Example (JUnit 3.8)

```
public class HandlerTestSetup extends TestSetup {
    public UserSession session;

    protected void setUp() throws Exception {
        super.setUp();
        session = createUserSession();
        ContextManager.setThreadLocalContext(session);

        Test test = getTest();
        if (test instanceof HandlerTest) {
            HandlerTest handlerTest = (HandlerTest) test;
            handlerTest.setUserSession(session);
        }
    }

    protected UserSession createUserSession() {
        Wahlzeit.configurePartHandlers();
    }
}
```

How to Write Acceptance Tests

- Think from specification (through user interface)
- Sequentially test all relevant parameters
- Cover all functional edge cases

Tell-a-Friend Acceptance Test Example

```
public void testTellFriendMakeWebPart() {
    Map<String, String> args = new HashMap<String, String>();
    ...
    args.put(TellFriendFormHandler.EMAIL_SUBJECT, "Oh well...");
    handler.handlePost(session, args);

    part = handler.makeWebPart(session);
    assertEquals(part.getValue(TellFriendFormHandler.EMAIL_SUBJECT), "Oh well...");
}

public void testTellFriendPost() {
    EmailAddress from = EmailAddress.fromString("me@ow.org");
    EmailAddress to = EmailAddress.fromString("man@yahoo.com");
    String subject = "Coolest website ever";
    ...
    Map<String, String> args = new HashMap<String, String>();
    args.put(TellFriendFormHandler.EMAIL_FROM, from.asString());
```

Model-View-Separation and Testing

- Model-view-separation
 - Cleanly separates the domain model from its user interface(s)
 - Is a common simplification of the MVC pattern
 - Significantly simplifies functional testing of domain model
- Programmatic testing needs a clean model interface (API)
 - API = application programming interface
 - Wahlzeit provides a clean in-Java interface
 - Better would be a language independent API

Base URL Fast Slow    

Test Case

Tell-a-friend

Table Source

Command	Target	Value
open	/x1ac2.html	
clickAndWait	name=tellFriendLink	
type	name=emailFrom	here@there.org
type	name=emailTo	there@here.org
type	name=emailSubject	Yahoo!
clickAndWait	name=tell	

Command Target Value

Find

Runs: 2

Failures: 0

Log Reference UI-Element Rollup

Info ▼ Clear

[info] Changed test case

Advanced Testing Concepts (Recap)

- Handling complex system set-ups
 - Mocking, stubbing, nulling
 - Dependency injection
- Testing specific system aspects
 - Concurrency
 - Legacy code
- Test structure and practicality
 - Extent of tests run, run-time


The Addison-Wesley Signature Series

XUNIT TEST PATTERNS

REFACTORING TEST CODE

GERARD MESZAROS

A MARTIN FOWLER SIGNATURE
BOOK



Review / Summary of Session

- Acceptance and integration tests
- Ways of implementing these tests
- Challenges of complex testing

Thank you! Questions?

dirk.riehle@fau.de – <http://osr.cs.fau.de>

dirk@riehle.org – <http://dirkriehle.com> – [@dirkriehle](#)

Credits and License

- Original version
 - © 2012-2019 [Dirk Riehle](#), some rights reserved
 - Licensed under [Creative Commons Attribution 4.0 International License](#)
- Contributions
 - ...