



الامتحانات النهائية للفصل الأول
من العام الجامعي 2020-2019
Statistics and probability

Exercise 1:

A social scientist is studying the use of iPods by college students. A sample of 45 students revealed they played the following number of songs yesterday.

4	6	8	7	9	6	3	7	7	6	7	1	4	7	7
4	6	4	10	2	4	6	3	4	6	8	4	3	3	6
8	8	4	6	4	6	5	5	9	6	8	8	6	5	10

Organize the above information into a frequency distribution.

- How many classes would you suggest?
- What is the most suitable class interval?
- What is the lower limit of the initial class?
- Create the frequency distribution.

Exercise 2:

Wellstone Inc. produces and markets replacement covers for cell phones in a variety of colors. The company would like to allocate its production plans to five different colors: bright white, metallic black, magnetic lime, tangerine orange, and fusion red. The company set up a kiosk in the Mall of America for several hours and asked randomly selected people which cover color was their favorite. The results follow:

Bright white	130
Magnetic lime	325
Metallic black	104
Tangerine orange	455
Fusion red	286

- Is the data qualitative or quantitative? Why?
- What type of charts we can use to represent the information? Draw one of them.

Exercise 3:

The Apollo space program lasted from 1967 until 1972 and included 13 missions. The missions lasted from as little as 7 hours to as long as 301 hours. The duration of each flight is listed below.

9	195	241	301	216	260	7	244	192	147	10	295	142
---	-----	-----	-----	-----	-----	---	-----	-----	-----	----	-----	-----

- a. Is this a sample or a population?
- b. Find the mean and median of the flight times.
- c. Find the range and the standard deviation of the flight times.
- d. Find the first, second and third quartile.
- e. Find the 65th percentile

Exercise 4:

According to the Insurance Institute of America, a family of four spends between \$400 and \$3,800 per year on all types of insurance. Suppose the money spent is uniformly distributed between these amounts.


- a. What is the mean amount spent on insurance?
- b. What is the standard deviation of the amount spent?
- c. If we select a family at random, what is the probability they spend less than \$2,000 per year on insurance per year?
- d. What is the probability a family spends more than \$3,000 per year?

Exercise 5:

A study of the attendance at the University of Alabama's basketball games revealed that the distribution of attendance is normally distributed with a mean of 10,000 and a standard deviation of 2,000.

- a. What is the probability a particular game has an attendance of 13,500 or more?
 - b. What percent of the games have an attendance between 8,000 and 11,500?
 - c. Ten percent of the games have an attendance of how many or less?
-

Example:
If $z = 1.96$, then
 $P(0 \text{ to } z) = 0.4750$.



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990