Session 1

Mohamed Emary

March 3, 2024

1 Introduction

In web development we use three main technologies: HTML, CSS, and JavaScript.

HTML defines the structure of your website. The basic building blocks of HTML are elements, which are created using tags.

CSS defines the style of your website.

JavaScript defines the behavior of your website.

HTML & CSS are not programming languages, they are markup languages, but JavaScript is a programming language.

Visual Studio Code is a text editor developed by Microsoft for Windows, Linux and macOS. It includes support for debugging, embedded Git control, syntax highlighting, intelligent code completion, snippets, and code refactoring.

To see your HTML, CSS, and JavaScript code in action, you need to open them in a web browser.

Tim Berners-Lee invented the World Wide Web in 1989.

2 Some HTML Tags and Their Syntax

HTML has paired tags and self-closing tags.

<html> is the parent of all other elements (all other elements are children of it), <head> and <body> are siblings.

2 SOME HTML TAGS AND THEIR SYNTAX

To save use ctrl + s, but it's better to activate autosave in the settings.

2.1 SEO (Search Engine Optimization)

SEO is Search Engine Optimization, it's used to rank your website higher in search engines.

We should stick to some rules when making our websites so that search engines rank them higher.

One of these rules is that one HTML page should never have more than one h1 tag.

2.2 Image Tag

 is a self-closing tag, it doesn't have a closing tag.

src is the source of the image, and alt is the alternative text for the image.

alt is used when the image can't be displayed, and it's used by screen readers to describe the image to the user. It's also important for SEO.

Google tag SEO guidelines.

2.3 Anchor Tag

<a> is the anchor tag, it's used to create hyperlinks.

href is the hyperlink reference, it's the URL of the page you want to link to.

target="_blank" is used to open the link in a new tab. For security reasons it's used with rel="noopener noreferrer" to prevent the new tab from accessing the window.opener object.

2.4 Lists

We have two types of lists in HTML: ordered lists and unordered lists.

2.4.1 Ordered List

Ordered lists has an attribute called type which can be 1, A, a, I, or i.

2.4.2 Unordered List

2.5 Tables

Tables in HTML are created using the tag and have three main elements: <thead>, , and <tfoot>.

```
<thead>
2
    Header 1
     Header 2
6
   </thead>
   8
    Row 1, Cell 1
10
     Row 1, Cell 2
11
    12
    13
     Row 2, Cell 1
14
     Row 2, Cell 2
15
    16
   17
   <tfoot>
18
    19
     Footer 1
20
     Footer 2
21
    22
   </tfoot>
23
```

Table element has a border attribute which is used to specify the width of the border around the table, for example border="1".

You can control the width or height of the table using the width and height attributes.

You can make the table take the full width of the page using the width attribute and setting it to 100%.

You can make a cell span multiple columns using the colspan attribute, and you can make a cell span multiple rows using the rowspan attribute.

To give the table a background color, you can use the style attribute and set the background-color property. You can also set the color property to change the text color.

3 Summary

- HTML defines the structure of your website.
- **CSS** defines the style of your website.
- **JavaScript** defines the behavior of your website.
- Visual Studio Code is a text editor developed by Microsoft for Windows, Linux and macOS.
- Tim Berners-Lee invented the World Wide Web in 1989.
- SEO is used to rank your website higher in search engines.

3.1 Tag

Table 1: Tags Summary

Tag	Description
<html></html>	The root element of an HTML page.
<head></head>	Contains metadata about the HTML page.
<title></td><td>Specifies the title of the page.</td></tr><tr><td><body></td><td>Contains the visible page content.</td></tr><tr><td><h1></td><td>Defines a level 1 heading. We have <h1> to <h6>.</td></tr><tr><td></td><td>Embeds an image into the page.</td></tr><tr><td><a></td><td>Creates a hyperlink.</td></tr><tr><td></td><td>Defines an ordered list.</td></tr><tr><td></td><td>Defines an unordered list.</td></tr><tr><td><</td><td>Defines a list item.</td></tr><tr><td></td><td>Defines a table.</td></tr><tr><td><thead></td><td>Groups the header content in a table.</td></tr><tr><td></td><td>Groups the body content in a table.</td></tr><tr><td><tfoot></td><td>Groups the footer content in a table.</td></tr><tr><td></td><td>Defines a row in a table.</td></tr><tr><td></td><td>Defines a header cell in a table.</td></tr><tr><td>></td><td>Defines a cell in a table.</td></tr></tbody></table></title>	

3.2 Attribute

Table 2: Attributes Summary

Attribute	Description
src	Specifies the source of an image.
alt	Specifies an alternate text for an image when the image cannot be displayed.
href	Specifies the URL of the page the link goes to.
target	Specifies where to open the linked document.

3 SUMMARY

Attribute	Description
rel	Specifies the relationship between the current document and the linked document.
type	Specifies the type of numbering for list items.
border	Specifies the width of the table border.
width	Specifies the width of the table.
height	Specifies the height of the table.
colspan	Specifies the number of columns a cell should span.
rowspan	Specifies the number of rows a cell should span.