



Polar Coordinates ★

39/115 challenges solved

Rank: 76672 | Points: 535

Your Polar Coordinates submission got 10.00 points. [مشاركة](#)[Tweet](#)[Try the next challenge](#) | [Try a Random Challenge](#)

Problem


Submissions

Leaderboard

Editorial

Polar coordinates are an alternative way of representing Cartesian coordinates or [Complex Numbers](#).A complex number z

$$z = x + yj$$

is completely determined by its real part x and imaginary part y .Here, j is the [imaginary unit](#).A polar coordinate (r, φ) is completely determined by modulus r and phase angle φ .If we convert complex number z to its polar coordinate, we find: r : Distance from z to origin, i.e., $\sqrt{x^2 + y^2}$ φ : Counter clockwise angle measured from the positive x -axis to the line segment that joins z to the origin.Python's [cmath](#) module provides access to the mathematical functions for complex numbers.***cmath.phase***This tool returns the phase of complex number z (also known as the argument of z).

```
>>> phase(complex(-1.0, 0.0))
3.1415926535897931
```

absThis tool returns the modulus (absolute value) of complex number z .

```
>>> abs(complex(-1.0, 0.0))
1.0
```

TaskYou are given a complex z . Your task is to convert it to polar coordinates.**Input Format**

A single line containing the complex number z . Note: `complex()` function can be used in python to convert the input as a complex number.

Constraints

Given number is a valid complex number

Output Format

Output two lines:

The first line should contain the value of r .

The second line should contain the value of φ .

Sample Input

```
1+2j
```

Sample Output

```
2.23606797749979
1.1071487177940904
```

Note: The output should be correct up to 3 decimal places.

[Change Theme](#)

Language

Python 3



```
1 import cmath
2 print(*cmath.polar(complex(input())),sep="\n")
```

Line: 2 Col: 47

Upload Code as File

☐ Test against custom input

Run Code

Submit Code



