



Problem A: Teach Kid Luffy How To Count

time limit per test: 1 second

memory limit per test: 256 megabytes

input: standard input output: standard output

Monkey D. Garp, the Marines Hero, noticed that his grandkid Luffy can't count how much the groceries cost. Turns out little luffy doesn't know how to add nor multiply numbers. Garp is a busy old man so he couldn't teach his grandkid so he wants you to teach him how. Luffy would give you an operation that you need to evaluate for him. Help luffy out with this task.

Input:

one line that contains the first number N, the operation OP which is either '+' for addition or "* for multiplication, and the second number $M \ 1 \le N$, $M \le 10^9$

Output:

Output The result of this operation.

Be aware of integer overflow. Use a 64-bit integer datatype if you're using Java or C or C++ (long for java, long long for C and C++ and %lld). The int data type is a 32-bit integer with a maximum value of 2147483647

Example:

Input:

10 + 12

Output:

22

Input:

100 * 200

Output:

20000





Problem B: Kizaru the Sloth

time limit per test: 1 second memory limit per test: 256 megabytes input: standard input

output: standard output

Kizaru is a strong marine admiral. One may say he is the strongest out there maybe even more than Garp the marine hero himself. However, there is one problem with him. He is a sloth. An admiral doesn't only have to fight pirates but also have to take care of a lot of paper work. Kizaru is too lazy to do it by himself. So, he asks Dr Vegapunk so he can build him a robot that write down whatever kizaru says a number oftimes as he demands.

As the new assisstant of Dr Vegapunk, you are tasked with writing the robot's program for him.

Input:

The first line contains the number *N* the number of sentences he will say. $1 \le N \le 1000$

The next **N** lines, each contains a number *len* the length of the sentence, a string *S* the sentence to be written and the number *M* the number of times the sentence will be repeated. $1 \le len \le 1000$, $0 \le M \le 1000$

Output:

Output the sentences written by the robot.

Example:

Input:

```
5 kizaru 10
2 No 4
```

Output:

 ${\tt kizarukizarukizarukizarukizarukizarukizarukizarukizaru}$ NoNoNoNo

Input:

```
3
1 I 10
9 Sentomaru 1
```

Output:

```
IIIIIIIII Sentomaru
```