Curriculum

# SE Foundations Average: 137.49%

You have a captain's log due before 2024-04-21 (in 1 day)! Log it now! (/captain\_logs/5596018/edit)

# 0x01. Shell, permissions

DevOps Shell Bash

- Weight: 1
- Project over took place from Jul 6, 2023 6:00 AM to Jul 7, 2023 6:00 AM
- ☑ An auto review will be launched at the deadline

### In a nutshell...

- Auto QA review: 70.0/70 mandatory & 20.0/20 optional
- Altogether: 200.0%
  - Mandatory: 100.0%Optional: 100.0%
  - Calculation: 100.0% + (100.0% \* 100.0%) == 200.0%

# **About Bash projects**

Unless stated, all your projects will be auto-corrected with Ubuntu 20.04 LTS.

# Resources

## Read or watch:

Permissions (/rltoken/aQmRB6ms-SDHUhqY0Rsa3g)

#### man or help:





- chmod (/)• sudo
  - su
  - chown
  - chgrp
  - id
  - groups
  - whoami
  - adduser
  - useradd
  - addgroup

# **Learning Objectives**

At the end of this project, you are expected to be able to explain to anyone (/rltoken/ku9cNLQc4XzHnVXH6YFE7A), without the help of Google:

# **Permissions**

- What do the commands chmod, sudo, su, chown, chgrp do
- · Linux file permissions
- · How to represent each of the three sets of permissions (owner, group, and other) as a single digit
- How to change permissions, owner and group of a file
- Why can't a normal user chown a file
- How to run a command with root privileges
- How to change user ID or become superuser

# **Other Man Pages**

- How to create a user
- How to create a group
- How to print real and effective user and group IDs
- · How to print the groups a user is in
- · How to print the effective userid

# Copyright - Plagiarism

- You are tasked to come up with solutions for the tasks below yourself to meet with the above learning objectives.
- You will not be able to meet the objectives of this or any following project by copying and pasting someone else's work.
- You are not allowed to publish any content of this project.
- Any form of plagiarism is strictly forbidden and will result in removal from the program.

# Requirements

# General

- Allowed editors: vi , vim , emacs
- All your scripts will be tested on Ubuntu 20.04 LTS
- All your scripts should be exactly two lines long (\$ wc -1 file should print 2)
- All your files should end with a new line (why? (http://unix.stackexchange.com/questions/18743/whats-the-point-in-adding-a-new-line-to-the-end-of-a-file/18789))
- The first line of all your files should be exactly #!/bin/bash
- A README.md file, at the root of the folder of the project, describing what each script is doing
- You are not allowed to use backticks, && , || or ;
- · All your files must be executable

## **Quiz questions**

Great! You've completed the quiz successfully! Keep going! (Show quiz)

# **Tasks**

# 0. My name is Betty

mandatory

Score: 100.0% (Checks completed: 100.0%)


Create a script that switches the current user to the user betty.


- You should use exactly 8 characters for your command (+1 character for the new line)
- You can assume that the user betty will exist when we will run your script

```
julien@ubuntu:/tmp/h$ tail -1 0-iam_betty | wc -c
9
julien@ubuntu:/tmp/h$
```

# Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 0-iam\_betty





Write a script that changes the owner of the file hello to the user betty.

```
julien@ubuntu:/tmp/h$ ls -l
total 4
-rwxrw-r-- 1 julien julien 30 Sep 20 14:23 3-new_owner
-rw-rw-r-- 1 julien julien 0 Sep 20 14:18 hello
julien@ubuntu:/tmp/h$ sudo ./3-new_owner
julien@ubuntu:/tmp/h$ ls -l
total 4
-rwxrw-r-- 1 julien julien 30 Sep 20 14:23 3-new_owner
-rw-rw-r-- 1 betty julien 0 Sep 20 14:18 hello
julien@ubuntu:/tmp/h$
```

#### Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 3-new\_owner

# 4. Empty! mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that creates an empty file called hello.

#### Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 4-empty

5(Execute mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that adds execute permission to the owner of the file hello.

• The file hello will be in the working directory

```
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:26 5-execute
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./hello
bash: ./hello: Permission denied
julien@ubuntu:/tmp/h$ ./5-execute
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:26 5-execute
-rwxrw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

### Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 5-execute

# 6. Multiple permissions

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that adds execute permission to the owner and the group owner, and read permission to other users, to the file hello.

• The file hello will be in the working directory

```
involved in the image of t
```

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 6-multiple\_permissions

☑ Done!

Check your code

>\_ Get a sandbox

QA Review

# 7. Everybody!

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that adds execution permission to the owner, the group owner and the other users, to the file hello

- The file hello will be in the working directory
- You are not allowed to use commas for this script

```
julien@ubuntu:/tmp/h$ ls -1
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:35 7-everybody
-rw-r---- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./7-everybody
julien@ubuntu:/tmp/h$ ls -1
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:35 7-everybody
-rwxr-x--x 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

#### Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 7-everybody

>\_ Get a sandbox

**QA Review** 

## 8. James Bond

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that sets the permission to the file hello as follows:

- Owner: no permission at all
- Group: no permission at all
- Other users: all the permissions

The file hello will be in the working directory You are not allowed to use commas for this script

```
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:40 8-James_Bond
-rwxr-x--x 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./8-James_Bond
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 28 Sep 20 14:40 8-James_Bond
-----rwx 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

#### Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 8-James\_Bond

☑ Done!

Check your code

>\_ Get a sandbox

QA Review

#### 9. John Doe

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that sets the mode of the file hello to this:

Q

-rwxr-x-wx 1 julien julien 23 Sep 20 14:25 hello

- The file hello will be in the working directory
- You are not allowed to use commas for this script



- GitHub repository: alx-system engineering-devops
- Directory: 0x01-shell\_permissions
- File: 9-John\_Doe

☑ Done!

Check your code

>\_ Get a sandbox

QA Review

## 10. Look in the mirror

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that sets the mode of the file hello the same as olleh 's mode.

- The file hello will be in the working directory
- The file olleh will be in the working directory

```
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 42 Sep 20 14:45 10-mirror_permissions
-rwxr-x-wx 1 julien julien 23 Sep 20 14:25 hello
-rw-rw-r-- 1 julien julien 0 Sep 20 14:43 olleh
julien@ubuntu:/tmp/h$ ./10-mirror_permissions
julien@ubuntu:/tmp/h$ ls -l
total 8
-rwxrw-r-- 1 julien julien 42 Sep 20 14:45 10-mirror_permissions
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
-rw-rw-r-- 1 julien julien 0 Sep 20 14:43 olleh
julien@ubuntu:/tmp/h$
```

Note: the mode of olleh will not always be 664. Make sure your script works for any mode.

#### Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell permissions
- File: 10-mirror permissions

☑ Done!

Check your code

>\_ Get a sandbox

**QA Review** 

Q

11. Directories

mandatory

Create a script that adds execute permission to all subdirectories of the **current directory** for the owner, the group owner and all other users.

Regular files should not be changed.

```
julien@ubuntu:/tmp/h$ ls -1
total 20
-rwxrwxr-x 1 julien julien 24 Sep 20 14:53 11-directories_permissions
drwx----- 2 julien julien 4096 Sep 20 14:49 dir0
drwx----- 2 julien julien 4096 Sep 20 14:49 dir1
drwx----- 2 julien julien 4096 Sep 20 14:49 dir2
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./11-directories permissions
julien@ubuntu:/tmp/h$ ls -1
total 20
-rwxrwxr-x 1 julien julien 24 Sep 20 14:53 11-directories_permissions
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

#### Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 11-directories\_permissions

☑ Done! Check your code > Get a sandbox QA Review

## 12. More directories

mandatory

Score: 100.0% (Checks completed: 100.0%)

Create a script that creates a directory called my\_dir with permissions 751 in the working directory.

```
jylien@ubuntu:/tmp/h$ ls -1
total 20
-rwxrwxr-x 1 julien julien 39 Sep 20 14:59 12-directory_permissions
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ ./12-directory_permission s
julien@ubuntu:/tmp/h$ ls -1
total 24
-rwxrwxr-x 1 julien julien 39 Sep 20 14:59 12-directory_permissions
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
drwxr-x--x 2 julien julien 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 12-directory\_permissions

### 13. Change group

mandatory

Score: 100.0% (Checks completed: 100.0%)

Write a script that changes the group owner to school for the file hello

The file hello will be in the working directory

```
jylien@ubuntu:/tmp/h$ ls -1
total 24
-rwxrwxr-x 1 julien julien 34 Sep 20 15:03 13-change_group
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
drwxr-x--x 2 julien julien 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ sudo ./13-change_group
julien@ubuntu:/tmp/h$ ls -1
total 24
-rwxrwxr-x 1 julien julien
                               34 Sep 20 15:03 13-change_group
drwx--x--x 2 julien julien
                             4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
drwxr-x--x 2 julien julien 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 julien school
                            23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 13-change\_group

## 14. Owner and group

#advanced

Score: 100.0% (Checks completed: 100.0%)

Write a script that changes the owner to vincent and the group owner to staff for all the files and directories in the working directory.

```
jylien@ubuntu:/tmp/h$ ls -1
total 24
-rwxrwxr-x 1 julien julien 36 Sep 20 15:06 100-change_owner_and_group
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir0
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir1
drwx--x--x 2 julien julien 4096 Sep 20 14:49 dir2
drwxr-x--x 2 julien julien 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 julien julien 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$ sudo ./100-change_owner_and_group
julien@ubuntu:/tmp/h$ ls -1
total 24
-rwxrwxr-x 1 vincent staff 36 Sep 20 15:06 100-change_owner_and_group
drwx--x--x 2 vincent staff 4096 Sep 20 14:49 dir0
drwx--x--x 2 vincent staff 4096 Sep 20 14:49 dir1
drwx--x--x 2 vincent staff 4096 Sep 20 14:49 dir2
drwxr-x--x 2 vincent staff 4096 Sep 20 14:59 my_dir
-rw-rw-r-- 1 vincent staff 23 Sep 20 14:25 hello
julien@ubuntu:/tmp/h$
```

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 100-change owner and group

### 15. Symbolic links

#advanced

Score: 100.0% (Checks completed: 100.0%)

Write a script that changes the owner and the group owner of hello to vincent and staff respectively.

- The file hello is in the working directory
- The file hello is a symbolic link

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 101-symbolic\_link\_permissions

# 16. If only

#advanced


Score: 100.0% (Checks completed: 100.0%)

Write a script that changes the owner of the file hello to betty only if it is owned by the user guillaume.

The file hello will be in the working directory

#### Repo:

- GitHub repository: alx-system\_engineering-devops
- Directory: 0x01-shell\_permissions
- File: 102-if\_only



Copyright © 2024 ALX, All rights reserved.