

# Rajalakshmi Engineering College

Name: I Mohammed Hamza  
Email: 240701326@rajalakshmi.edu.in  
Roll no: 240701326  
Phone: 7358328592  
Branch: REC  
Department: I CSE AH  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

### REC\_DS using C\_Week 1\_COD\_Question 4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

##### ***Input Format***

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

##### ***Output Format***

The output prints the singly linked list elements, after inserting them at the beginning.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 5

78 89 34 51 67

Output: 67 51 34 89 78

### **Answer**

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
struct Node {  
    int data;  
    struct Node* next;  
};
```

```
struct Node* createNode(int data)  
{  
    struct Node* newNode=(struct Node*)malloc(sizeof(struct Node));  
    newNode->data = data;  
    newNode->next=NULL;  
    return newNode;  
}
```

```
void insertAtFront(struct Node** head, int data)  
{  
    struct Node* newNode=createNode(data);  
    newNode->next=*head;  
    *head = newNode;  
}
```

```
void printList(struct Node* head)  
{  
    struct Node* current = head;  
    while(current != NULL)  
    {  
        printf("%d ", current->data);  
        current = current->next;  
    }
```

```

    }
    printf("\n");
}
/*
int main()
{
    int N;
    scanf("%d",&N);
    int data;
    struct Node* head=NULL;
    for(int i=0;i<N;i++)
    {
        scanf("%d",&data);
        insertAtBeginning(&head,data);
    }
    printList(head);
    return 0;
}

*/

```

```

int main(){
    struct Node* head = NULL;

    int n;
    scanf("%d", &n);

    for (int i = 0; i < n; i++) {
        int activity;
        scanf("%d", &activity);
        insertAtFront(&head, activity);
    }

    printList(head);
    struct Node* current = head;
    while (current != NULL) {
        struct Node* temp = current;
        current = current->next;
        free(temp);
    }
}

```

```
} return 0;
```

**Status :** Correct

**Marks :** 10/10