Duration: 1 m 12.957 s Start: Sep 01, 5:52:55.661 PM End: Sep 01, 5:54:08.618 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 2 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 Pass % 70 20 20 20 80 80 80 90 90 10 50 % 100 100


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
To be Verify the E2E Functionality in KBL website	1 m 12.957 s	1	0	1	0	4	2	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	To be Verify the E2E Functionality in KBL website	To Validate the PDP page to Cart Page for Guest user


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Case6	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	To be Verify the E2E Functionality in KBL website	1	0	1	0	1 m 12.957 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To be Verify the E2E Functionality in KBL website	To Validate the PDP page to Cart Page for Guest user	4	2	1	1	1 m 12.953 s

DETAILED SECTION -- 7 --

To be Verify the E2E Functionality in KBL website

Scenarios		Steps	
Total - 1		Total - 4	
Pass - 0	1	Pass - 2	I <u> </u>
Fail - 1		Fail - 1	🚺 ' 🏉
Skip - 0		Skip - 1	
	Total - 1 Pass - 0 Fall - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1 Total - 4 Pass - 2 Fail - 1

To Validate the PDP page to Cart Page for Guest user



#	Step / Hook Details	Status	Duration
1	Given User open the Home page	PASSED	0.049 s
2	When User go to the listing page	PASSED	34.717 s
3	And On click Buy now CTA or any product cards in listing page	FAILED	25.854 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3ff6efdaed1f160bc8a89365e32b8d64, actions {actions=[org.openqa.selenium.interactions.Sequence@4b5a078a]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.140, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:\Windows\SystemTemp\scope}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60868}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60868/devtoo, se:cdpVersion: 139.0.7258.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ff6efdaed1f160bc8a89365e32b8d64 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.lambda\$new\$2(JsonOutput.java:169) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184)		

#	Step / Hook Details	Status	Duration
	at java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:175)		
	at java.util.Iterator.forEachRemaining(Iterator.java:116)		
	at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)		
	at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482)		
	at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)		
	at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151)		
	at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174)		
	at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)		
	at org.base.Ultilityclass.moveToElement(Ultilityclass.java:257)		
	at org.steps.KBLSteps.on_click_buy_now_cta_or_any_product_cards_in_listing_page(KBLSteps.java:494)		
	at ?.On click Buy now CTA or any product cards in listing page(file:///E:/KBL-Project/KBL-Business%20flow/src/test/resources/Feature/E2E.		
	feature:66)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.2', revision:		
	'826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: driver.version:		
	RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.		
	toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa. selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.		
	DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.		
	DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.		
	execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.		
	openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.		
	java:536) at org.base.Ultilityclass.moveToElement(Ultilityclass.java:257) at org.steps.KBLSteps.		
	on_click_buy_now_cta_or_any_product_cards_in_listing_page(KBLSteps.java:494) at sun.reflect.NativeMethodAccessorImpl.		

#	Step / Hook Details	Status	Duration
#	invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java.62) at sun.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java.43) at java.lang.reflect.Method.invoke(Method.java.498) at io.cucumber.java.lanvoker.java.folio	Status	Duration
	at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)		
	at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151)		
	at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174)		
	at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	3 1 1 2 322 222 224 224 224 224 224 224 224 2		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)		
	at org.base.Ultilityclass.moveToElement(Ultilityclass.java:257)		
	at org.steps.KBLSteps.on_click_buy_now_cta_or_any_product_cards_in_listing_page(KBLSteps.java:494)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:363)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:363)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from		
	disconnected: unable to send message to renderer (Session info: chrome=139.0.7258.140) Build info: version: '4.8.2', revision: '826dbfc730'		
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.		
	ChromeDriver Command: [3ff6efdaed1f160bc8a89365e32b8d64, findElement {using=xpath, value=(//div[@class='product-item-info'])[1]}]		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.140, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:\Windows\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions:		
	{debuggerAddress: localhost:60868}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(),		
	se:cdp: ws://localhost:60868/devtoo, se:cdpVersion: 139.0.7258.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 3ff6efdaed1f160bc8a89365e32b8d64		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy37.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) * Not displayable characters are replaced by '?'.		
4	Then verify the PDP page features and products prices & do the add to cart. Then, go to cart page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ff6efdaed1f160bc8a89365e32b8d64, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.140, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:\Windows\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost.60868/devtoo, sec.udpVersion: 139.0.7258.140, set\Windows\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost.60868/devtoo, sec.udp\scopentalDiricities.}, sec.udp\scopenta	FAILED	0.314 s