```
#include <iostream>
#include <vector>
using namespace std;
struct Process
{
    char Pname[3];
    int memory;
    bool allocated = false;
};
struct Block
{
    int size;
    bool used = false;
    int rem;
    struct Process processAllocated;
};
int main()
{
    cout << "No. of block : ";</pre>
    int n;
    cin >> n;
    vector<Block> blocks;
    cout << "Enter Size of the " << n << " Blocks: ";</pre>
    for (int i = 0; i < n; i++)</pre>
    {
        Block tempBlock;
        cin >> tempBlock.size;
        tempBlock.rem = tempBlock.size;
        blocks.push_back(tempBlock);
    }
    cout << "No. of Process : ";</pre>
    int m;
    cin >> m;
    vector<Process> Processes;
    cout << "Enter Name and size of the Processes: ";</pre>
    for (int i = 0; i < m; i++)
    {
        Process tempProcess;
        cin >> tempProcess.Pname;
```

```
cin >> tempProcess.memory;
        Processes.push back(tempProcess);
    }
    // memory allocation
    for (int i = 0; i < m; i++)</pre>
    {
        for (int j = 0; j < n; j++)</pre>
        {
             if (Processes[i].memory <= blocks[j].rem)</pre>
             {
                 Processes[i].allocated = true;
                 blocks[j].used = true;
                 blocks[j].rem = blocks[j].size - Processes[i].memory;
                 blocks[j].processAllocated = Processes[i];
                 break;
             }
             else
             {
                 continue;
             }
        }
    }
    cout << "\tBlock Number\tSize\tProcess Allocated\tInternal Fragmentation"</pre>
<< endl;
    for (int i = 0; i < n; i++)</pre>
    {
        if (blocks[i].used == true)
        {
             cout << "\t\t" << i + 1 << "\t" << blocks[i].size << "\t\t" <<</pre>
blocks[i].processAllocated.Pname << "\t\t\t" << blocks[i].rem << endl;</pre>
        }
        else
        {
             cout << "\t\t" << i + 1 << "\t" << blocks[i].size << "\t\t"</pre>
                  << "---"
                  << "\t\t\t"
                  << "---" << endl;
        }
    }
    bool flag = true;
    for (int i = 0; i < m; i++)</pre>
    {
```

```
if (Processes[i].allocated == false)
    {
        flag = false;
        break;
    }
    else
    {
        continue;
    }
}
int IF = 0, EF = 0;
for (int i = 0; i < n; i++)
{
    if (blocks[i].used == true)
    {
        IF += blocks[i].rem;
    }
    else
    {
        if (flag == false)
        {
             EF += blocks[i].rem;
        }
    }
}
cout<<"Total Internal Fragmentation = "<<IF<<endl;</pre>
cout<<"Total External Fragmentation = "<<EF<<endl;</pre>
return 0;
```

## Output

}

```
No. of block: 5
Enter Size of the 5 Blocks: 200 100 300 400 500
No. of Process: 4
Enter Name and size of the Processes: p1 250 p2 200 p3 100 p4 350
                                Process Allocated
        Block Number
                       Size
                                                      Internal Fragmentation
                1
                        200
                                        p2
                                                                0
                2
                        100
                                                                0
                                        p3
                3
                        300
                                        p1
                                                                50
                4
                        400
                                        р4
                                                                50
                5
                        500
Total Internal Fragmentation = 100
Total External Fragmentation = 0
```

No. of block : 5 Enter Size of the 5 Blocks: 200 100 300 400 500 No. of Process : 4			
Enter Name and size of the Processes: p1 450 p2 210 p3 210 p4 250			
			Internal Fragmentation
1	200		
2	100		
3	300	p2	90
4	400	p3	190
5	500	p1	50
Total Internal Fragmentation = 330			
Total External Fragmentation = 300			

Thank you