

Pimpri Chinchwad College of Engineering, Pune

Defaulter Task

Department – Computer Engineering Semester – V Academic Year- 2021-22 Subject – Web Technology

By-

Name – Mohini Anandrao Shinde
Roll No – TECOC378
Class- TE C
Github- https://github.com/MohiniShinde2103/WT-Assignments/tree/main/Reg%20%26%20Login(deafaulter)

1. index.html

Code

<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Home Page</title>

```
<style>
.content
{
text-align:center;
ul, li
display:inline-block;
padding:20px;
font-size:30px;
}
</style>
</head>
<body>
<div class="content">
<h1>Select Options</h1>
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
<a href="login.html">Login</a>
</div>
</body>
</html>
Output
w CSS Layout - infinit x | M Defaulter Task | Ti x | 🙆 Div C - Google D: x | w Trylit Editor v3.7 x | G Intent Color pricker x 🔗 Home Page x 2 gressy - What is II x | 10 28 HTML Form III x | + V - II X
```

Select Options

<u>Home Register User Update User Delete User Login</u>



```
.content
text-align:center;
padding:10px;
ul, li
display:inline-block;
padding:20px;
font-size:30px;
}
</style>
</head>
<body>
<div class="content">
<l
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
<a href="login.html">Login</a>
<h1>Register User</h1>
<form action="http://localhost:8081/Login and Registration/register">
<input type="text" name="roll" placeholder="Enter your roll no" required><br/><br/>
<input type="password" name="password" placeholder="Enter your password"</pre>
required><br/><br/>>
<input type="text" name="myname" placeholder="Enter your name" required><br/><br/>
<input type="text" name="mobile" placeholder="Enter your mobile no"</pre>
required><br/><br/>
<textarea name="add" placeholder="Enter your address" required></textarea><br/>br/><
Select class: <select name="class" required>
<option>FE</option>
<option>SE</option>
<option>TE</option>
<option>BE</option>
</select><br/><br/>>
<input type="submit" value="Register">
</form><br/>
Already have account? <a href="login.html">Login Here</a>
</div>
</body>
</html>
Output
```



Home Register User Update User Delete User Login

Register User





3. register.java

Code


```
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import java.io.*;
import java.sql.*;
/**
 * Servlet implementation class register
@WebServlet("/register")
public class register extends HttpServlet {
      private static final long serialVersionUID = 1L;
    /**
     * Default constructor.
     */
    public register() {
       // TODO Auto-generated constructor stub
       * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
             PrintWriter out=response.getWriter();
             out.println("<html><body>");
             int roll=Integer.parseInt(request.getParameter("roll"));
```

```
String pass=request.getParameter("password");
             String name=request.getParameter("myname");
             String mobile=request.getParameter("mobile");
             String address=request.getParameter("add");
             String classnm=request.getParameter("class");
             try
              {
                    Class.forName("com.mysql.jdbc.Driver");
                    Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/wt","root","root");
                    Statement st=con.createStatement();
                    st.executeUpdate("insert into defstudent values ('"+roll+"',
'"+pass+"', '"+name+"','"+mobile+"','"+address+"','"+classnm+"');");
                    out.println("Registration Success<br/><br/>);
                    out.println("<a href=\"index.html\">Home</a>");
             catch(Exception e)
                    out.println(e);
             out.println("</body></html");</pre>
      }
       * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
       */
      protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
             // TODO Auto-generated method stub
             doGet(request, response);
      }
}
Output
w' CSS layout - inlin : x | M Defaulter Task | Ti : x | & Div C - Google D: x | w' Tryit Editor v3.7 | x | G Intril color picker | x | G localhost 8081/L: x | £ jersey - What is P: x | 20 28 HTML Form Pi: x | + V - C | X
```

4. update.html

```
Code
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Update</title>
<style>
.content
text-align:center;
padding:10px;
}
ul, li
display:inline-block;
padding:20px;
font-size:30px;
}
</style>
</head>
<body>
<div class="content">
<l
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
<a href="login.html">Login</a>
<h1>Update User</h1>
<form action="http://localhost:8081/Login_and_Registration/update">
<input type="text" name="roll" placeholder="Enter your roll no"><br/>><br/>>
<input type="password" name="password" placeholder="Enter your password"><br/><br/>
<input type="text" name="myname" placeholder="Enter your name"><br/>><br/>
<input type="text" name="mobile" placeholder="Enter your mobile no"><br/><br/></pr>
<textarea name="add" placeholder="Enter your address"></textarea><br/>br/><
Select class: <select name="class">
<option>FE</option>
<option>SE</option>
<option>TE</option>
<option>BE</option>
</select><br/>
<input type="submit" value="Update">
</form><br/>
</div>
</body>
</html>
```

Output



Home Register User Update User Delete User Login

Update User





5. update.java

Code

```
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
 * Servlet implementation class update
@WebServlet("/update")
public class update extends HttpServlet {
      private static final long serialVersionUID = 1L;
    /**
     * @see HttpServlet#HttpServlet()
     */
    public update() {
        super();
        // TODO Auto-generated constructor stub
    }
```

```
* @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
             // TODO Auto-generated method stub
             PrintWriter out=response.getWriter();
             out.println("<html><body>");
             int roll=Integer.parseInt(request.getParameter("roll"));
             String pass=request.getParameter("password");
             String name=request.getParameter("myname");
             String mobile=request.getParameter("mobile");
             String address=request.getParameter("add");
             String classnm=request.getParameter("class");
             try
                   Class.forName("com.mysql.jdbc.Driver");
                   Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/wt","root","root");
                   Statement st=con.createStatement();
                    ResultSet rs=st.executeQuery("select * from defstudent where
roll=""+roll+"";");
                   if(rs.next())
                          st.executeUpdate("update defstudent set roll='"+roll+"',
password='"+pass+"',
name='"+name+"',mobile='"+mobile+"',address='"+address+"',class='"+classnm+"' where
roll='"+roll+"';");
                          out.println("Updatation Success<br/><br/>');
                          out.println("<a href=\"index.html\">Home</a>");
                    }
                   else
                    {
                          out.println("User does not exist<br/>><br/>");
                          out.println("<a href=\"index.html\">Home</a>");
                    }
             catch(Exception e)
                   out.println(e);
             out.println("</body></html");</pre>
      }
       * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
       */
      protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
             // TODO Auto-generated method stub
             doGet(request, response);
      }
```





6. delete.html

Code

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Delete</title>
<style>
.content
text-align:center;
padding:10px;
}
ul, li
display:inline-block;
padding:20px;
font-size:30px;
</style>
</head>
<body>
<div class="content">
<l
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
```

```
<a href="login.html">Login</a>
<h1>Delete User</h1>
<form action="http://localhost:8081/Login and Registration/delete">
<input type="text" name="roll" placeholder="Enter your roll no"><br/>><br/>><br/>
<input type="submit" value="Delete">
</form><br/>
</div>
</body>
</html>
Output
<u>Home Register User Update User</u>
                                             Delete User
                                                       Login
                                  Delete User
                                  Enter your roll no
                                     Delete
                                                              32°C ^ @ (€. Φ)) ■ 7:50 PM 4/24/2022 ₹
Type here to search
                    7. delete.java
Code
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
 * Servlet implementation class delete
```


@WebServlet("/delete")

```
public class delete extends HttpServlet {
      private static final long serialVersionUID = 1L;
     * @see HttpServlet#HttpServlet()
    */
   public delete() {
       super();
       // TODO Auto-generated constructor stub
   }
       * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
       */
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
            PrintWriter out=response.getWriter();
            out.println("<html><body>");
            int roll=Integer.parseInt(request.getParameter("roll"));
            try
            {
                   Class.forName("com.mysql.jdbc.Driver");
                   Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/wt","root");
                   Statement st=con.createStatement();
                   ResultSet rs=st.executeQuery("select * from defstudent where
roll='"+roll+"';");
                   if(rs.next())
                         st.executeUpdate("delete from defstudent where
roll='"+roll+"';");
                         "+roll+"<br/>');
                         out.println("<a href=\"index.html\">Home</a>");
                   else
                   {
                         out.println("User does not exist<br/>><br/>");
                         out.println("<a href=\"index.html\">Home</a>");
            catch(Exception e)
                   out.println(e);
            out.println("</body></html");</pre>
      }
       * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
      protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
            // TODO Auto-generated method stub
            doGet(request, response);
      }
```



8. login.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Login</title>
<style>
.content
text-align:center;
padding:10px;
}
ul, li
display:inline-block;
padding:20px;
font-size:30px;
</style>
</head>
<body>
<div class="content">
<l
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
<a href="login.html">Login</a>
```



```
public class login extends HttpServlet {
      private static final long serialVersionUID = 1L;
    /**
     * @see HttpServlet#HttpServlet()
     */
    public login() {
        super();
        // TODO Auto-generated constructor stub
    }
       * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
             // TODO Auto-generated method stub
             PrintWriter out=response.getWriter();
             out.println("<html><body>");
             int roll=Integer.parseInt(request.getParameter("roll"));
             String pass=request.getParameter("password");
             try
                    Class.forName("com.mysql.jdbc.Driver");
                   Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/wt","root","root");
                   Statement st=con.createStatement();
                    ResultSet rs=st.executeQuery("select * from defstudent where
roll='"+roll+"';");
                   if(rs.next())
                          if(rs.getString(2).equals(pass))
                                 out.println("Login Success<br/><br/>);
                                 out.println("<a href=\"home.html\">Enter</a>");
                          }
                          else
                          {
                                 out.println("Invalid Credentials<br/><br/>');
                                 out.println("<a href=\"index.html\">Home</a>");
                          }
                    }
                   else
                    {
                          out.println("User does not exist");
                          out.println("<a href=\"index.html\">Home</a>");
                    }
             catch(Exception e)
             {
                   out.println(e);
             out.println("</body></html");</pre>
      }
```

```
/**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
         // TODO Auto-generated method stub
         doGet(request, response);
    }
}
Output
Enter
                                                 32°C ∧ @ (@, Φ)) ₪ 7:55 PM
4/24/2022 ₽
Type here to search
```

