Syrian Arab Republic

Lattakia

Tishreen University

Department of Communication and electrical engineering

5 th , Network Programming : Homework No1



الجمهورية العربية السورية

وزارة التعليم العالي والبحث العلمي

جامعة تشرين

كلية الهمك

قسم هندسة الاتصالات والالكترونيات

السنة الخامسة

وظيفة برمجة الشبكات إعداد الطالب: محسن علي إشراف: الدكتور المهندس: مهند عيسي

Question 1: Python Basics?

A-If you have two lists, L1=['HTTP','HTTPS','FTP','DNS'] L2=[80,443,21,53], convert it to generate this dictionary d={'HTTP':80,'HTTPS':443,'FTP':21,'DNS':53}

```
Question-1-A.py > ...

1   L1 = ['HTTP','HTTPS','FTP','DNS']

2   L2 = [80,443,21,53]

3   d = dict(zip(L1, L2))

5   print(d)

7
```

استخدمت التابع ()dict لبناء القاموس d تم تمرير التابع ()zip كبارمتر داخل التابع وذلك لمقابلة قيم القائمتين حسب الفهارس، ومن ثم عن طريق الباني ()dict حولنا النتيجة لقاموس.

B- Write a Python program that calculates the factorial of a given number entered by user.

```
Question-1-B.py > ...
      def factorial(n):
 1
          if n < 0:
 3
              raise ValueError("n must be non-negative")
 4
          if n == 0:
 5
             return 1
 6
 7
          else:
              return n * factorial(n-1)
 8
 9
      number = int(input("Enter a non-negative number: "))
10
11
12
      try:
13
          result = factorial(number)
          print("The factorial of {} is {}".format(number, result))
14
      except ValueError as e:
15
          print("Error: {}".format(e))
16
17
```

```
Enter a non-negative number: 6
The factorial of 6 is 720
```

تم بناء التابع (factorial لحساب عاملي العدد

المدخل ثم باستخدام مفهوم العودية تم حساب العاملي وباستخدام بنية try- except تم معالجة الاستثناء الحاصل في حال إدخال عدد سالب.

C- L=['Network', 'Bio', 'Programming', 'Physics', 'Music'] In this exercise, you will implement a Python program that reads the items of the previous list and identifies the items that starts with 'B' letter, then print it on screen. Tips: using loop, 'len ()', startswith() methods.

```
Question-1-C.py > ...
1  L = ['Network' , 'Bio' , 'Programming', 'Physics' , 'Music']
2
3  v for item in L:
4  v  if item.startswith('B'):
5     print(item)
6
Bio
```

قمت بتعريف القائمة L وباستخدام الحلقة for قمنا بالمرور على عناصر القائمة واختبار بواسطة الميثود (startswith) الكلمات التي تبدأ ب

D: Using Dictionary comprehension, Generate this dictionary d={0:1,1:2,2:3,3:4,4:5,5:6,6:7,7:8,8:9,9:10,10:11}

```
Question-1-D.py > ...
1     d = {i: i+1 for i in range(11)}
2     print(d)
3
```

```
{0: 1, 1: 2, 2: 3, 3: 4, 4: 5, 5: 6, 6: 7, 7: 8, 8: 9, 9: 10, 10: 11}
```

Question 2: Convert from Binary to Decimal Write a Python program that converts a Binary number into its equivalent Decimal number. The program should start reading the binary number from the user. Then the decimal equivalent number must be calculated. Finally, the program must display the equivalent decimal number on the screen. Tips: solve input errors.

```
Question-2.py > ...
 1 def binary_to_decimal(binary):
             if not all(char in ('0', '1') for char in binary):
 3
               raise ValueError("Invalid binary string. Only '0' and '1' characters allowed.")
 4
 5
            decimal_value = int(binary, 2)
            return decimal value
 6
 7
        except ValueError as err:
 8
           print("Error: {}".format(err))
 9
            return None
10
    binary_number = input("Enter a binary number: ")
11
     decimal_equivalent = binary_to_decimal(binary_number)
     if decimal equivalent is not None:
15
         print("The decimal equivalent of {} is {}".format(binary number, decimal equivalent))
16
```

Enter a binary number: 111101 The decimal equivalent of 111101 is 61

Question 3: Working with Files" Quiz Program" Type python quiz program that takes a text or json or csv file as input for (20 (Questions, Answers)). It asks the questions and finally computes and prints user results and store user name and result in separate file csv or json file.

```
my_quiz.csv > data

1 how are you?,good

2 where are you from?,syria

3 14 > 5 ?, False

4 14 > 6 ?, False

5 14 > 7 ?, False

6 14 > 8 ?, False

7 14 > 58 ?, False

8 14 > 584 ?, False

9 14 > 59 ?, False
```

```
Question-3.py > ...
 1
      import csv
 2
 3
      with open ('my_quiz.csv') as file:
          do = csv.reader(file)
 4
 5
          questions = []
 6
          answers = []
          for i in do:
 7
 8
              questions.append(i[0])
 9
              answers.append(i[1])
10
11
      name = input("Write Your name: ")
12
13
      count = 0
14
15
      for i in range(len(questions)):
          answer = input(questions[i] + " ")
16
          if answer.lower() == answers[i].lower():
17
              print("correct")
18
              count += 1
19
20
          else:
21
              print("Incorrect answer !")
22
23
      print("YOU got :", count)
24
25
      with open ('my_quiz_results.csv', mode = 'a') as file:
26
          do = csv.writer(file)
          do.writerow([name, count])
27
28
```

Question 4: Object-Oriented Programming - Bank Class Define a class BankAccount with the following attributes and methods: Attributes: account_number (string), account_holder (string), balance (float, initialized to 0.0) Methods:deposit(amount), withdraw(amount), get_balance() - Create an instance of BankAccount, - Perform a deposit of \$1000, - Perform a withdrawal of \$500. - Print the current balance after each operation. - Define a subclass SavingsAccount that inherits from BankAccount and adds interest_rate Attribute and apply_interest() method that Applies interest to the balance based on the interest rate. And Override print() method to print the current balance and rate. - Create an instance of SavingsAccount, and call apply_interest() and print() functions.

```
Question-4.py > ...
   1 ∨ class BankAccount:
            def __init__(self, account_number, account_holder):
   3
   4
                self.account_number = account_number
   5
                self.account_holder = account_holder
   6
                self.balance = 0.0
   7
   8
           def deposit(self, amount):
   9
                self.balance += amount
                print("Deposited ${:.2f}. New balance: ${:.2f}".format(amount, self.balance))
  10
  11
            def withdraw(self, amount):
  12
                if amount > self.balance:
  13
  14
                    print("Insufficient funds. Current balance: ${:.2f}".format(self.balance))
  15
                else:
  16
                    self.balance -= amount
                    print("Withdrew ${:.2f}. New balance: ${:.2f}".format(amount, self.balance))
  17
  18
            def get_balance(self):
  19
  20
               return self.balance
  21
           def __str__(self):
  22 ~
                return "Account Holder: {}nAccount Number: {}nBalance: ${:.2f}".format(
  23 ∨
                    self.account_holder, self.account_number, self.balance
  24
  25
!8 ∨ class SavingsAccount(BankAccount):
19
        def __init__(self, account_number, account_holder, interest_rate):
0
1
             super().__init__(account_number, account_holder)
            self.interest_rate = interest_rate
12
13
        def apply_interest(self):
4
            interest = self.balance * self.interest_rate
15
            self.balance += interest
16
17
            print("Applied interest: ${:.2f}. New balance: ${:.2f}".format(interest, self.balance))
8
        def __str__(self):
9
             return "{}, Interest Rate: {:.2%}".format(
.0
                super().__str__(), self.interest_rate
.1
12
13
4
    my_account = BankAccount("1233438", "moh al")
.5
   my_account.deposit(1000.00)
-6
7
    my_account.withdraw(500.00)
8
   print("Current balance: ${:.2f}".format(my_account.get_balance()))
19
0
   savings_account = SavingsAccount("87321", "ss nn", 0.05)
1
   savings_account.apply_interest()
12
    print(savings_account)
13
```