# Software test protocol – PTGL 3.0 Web frontend

Functional tests / Black box

### Test

Tester (Name)	
Test date & time	
Notes on the test	Searching by graphlet similarity is not tested. Limited test against the REST API are run from the browser.

### **Testing environment**

Server	SuSE 13.1 64 Bit on kelvin.molbi (Apache 2.2, PHP 5.6, Postgres 9.2)
Software version (SVN rev.)	
Test data set on server (DB content)	All PDB files which are in <i>trunk/plcc/data/input/</i> at the revision listed above, and no other PDB files, are contained in the database. (See test preparation instructions below.)
Notes on settings for the server side	Searching by graphlet similarity is disabled in config file.
Client (OS, browser version)	
Notes on settings on the client side	JavaScript is enabled in the browser.

Tim Schäfer 1 / 30

### **Test preparation instructions – Server**

These instructions have to be followed before running the test on the server. They prepare the test environment and ensure the correct test data is in the database, so that the test cases lead to the expected results.

Task name	Description
Update and compile plcc	Checkout plcc, compile it in NetBeans, copy resulting JAR file and libs to trunk/plcc/testrun/ dir
Recreate database	Run plcc with option to recreate database: ./plcc NONE -r
Fill database with test data	Delete all PDB and DSSP files which may be in your testrun/ dir. Then copy all PDB and DSSP files from trunk/plcc/data/input/ to trunk/plcc/testrun/. Run the fill_database.sh shell script.
Update representative chain labels in DB	Update representative chains from the 40% sequence clustering (PDB XML file). This is done by running plcc with the following command line from <i>testrun</i> /dir: ./plcc NONEset-pdb-representative-chains/data/pdb/representatives.xml remove
Copy data to web dir	Copy the data (plcc output images anf graph files) from <i>testrun/</i> to the web application <i>data/</i> dir
Run maintenance tasks	User http:// <ptgl3>/maintenance.php to run the maintenance tasks (both <i>linnot</i> task and <i>content stats</i> task).</ptgl3>

Tim Schäfer 2 / 30

Page 1: Main page (including navigation bar and footer)

Test subject	Input data	<b>Expected output</b>	Test result
Text and image format	-	Text and images are formatted and displayed properly on the web page.	
Text and image format	JavaScript is turned off temporarily in the browser, then the page is reloaded.	A page notifying the user that JS is required is shown.	
Hyperlinks	-	All hyper links are non-dead and lead to proper pages. (This includes navigation bar links, footer links, and the help links in the SearchMotifs area.)	
Menu	-	The menu can be extended and all menu items can be clicked.	
Search area – keyword search – PDB ID	" <b>7</b> t"	<ul> <li>Auto-completion works and proper proteins are suggested, including "7tim".</li> <li>Clicking on the suggestion "7tim" places it in the input text box above, and closes the suggestion.</li> <li>Clicking the search button</li> </ul>	

Tim Schäfer 3 / 30

Test subject	Input data	Expected output	Test result
		now transfers the user to the Search page.	
Search area – keyword search – short entry	"7t" in the input field, ignoring the auto-completion results, and clicking the search button	<ul> <li>A message telling the user to enter at least 3 characters is shown</li> <li>The user is NOT transferred to the search page</li> </ul>	
Search area – keyword search – keyword	"intramol"	Auto-completion works and proper proteins are suggested, including "7tim – INTRAMOLECULAR OXIDUREDUCTASE"	

Tim Schäfer 4 / 30

Page 2.1: Search Page – From Main Page: Standard search ("PDB ID or keyword")

Test subject	Input data	Expected output	Test result
Search for specific PDB ID	Search for '7tim' from Main page	<ul> <li>Search type is keyword search.</li> <li>Both chains A and B of 7tim are listed, no other chains are listed.</li> <li>The CATH, PDB and FASTA links work.</li> <li>The result header is correct ("Showing results 1 to 2 (of 2 total)".</li> <li>The buttons above work and are labeled properly ("Load proteins", "Select all 2 protein chains", "Deselect all").</li> </ul>	
Search for a general keyword	Search for 'intramol' from Main page	<ul> <li>Search type is keyword search.</li> <li>A list of chains is shown, including both chains A and B of 7tim.</li> <li>The CATH, PDB and FASTA links</li> </ul>	

Tim Schäfer 5 / 30

Test subject	Input data	Expected output	Test result
		work.  The result header is correct ("Showing results x to y (of z total)".  The buttons above work and are labeled properly ("Load proteins", "Select all n protein chains", "Deselect all").	
Search box in navigation bar	"8icd"	<ul> <li>Auto- completion works in the nav bar search field</li> <li>Searching leads back to the current page, but with results for 8icd</li> </ul>	
Search box in navigation bar, short search term	"ic", ignoring suggestions, and clicking the search button	<ul> <li>A message telling the user to enter at least 3 characters is shown</li> <li>The user stays on the search page with the current result.</li> </ul>	

Tim Schäfer 6 / 30

Page 2.2: Search Page – From Main Page: Advanced search

Test subject	Input data	Expected output	Test result
Search for PDB ID only	"7tim" in advanced search field "PDB Identifier"	<ul> <li>The user is transferred to the results page</li> <li>Search type is advanced search</li> <li>Both chains "A" and "B" of 7tim are listed</li> <li>Result header is correct ("1 to 2 of 2")</li> </ul>	
Search for PDB ID, but input length is not 4	In advanced search field "PDB Identifier":  • None at all (just click button)  • "7t"  • "hallotoolong"	<ul> <li>Too short: an error message is shown on the main page that PDB ID has length 4</li> <li>Too long: cannot be entered</li> <li>The user is not transferred to the results page</li> </ul>	
Search for PDB ID which is not in the database	In advanced search field "PDB Identifier":  • "1xxx"	<ul> <li>The user is transferred to the results page</li> <li>Search type is advanced search</li> <li>No chains are listed</li> <li>A search hint message is shown, to try again with</li> </ul>	

Tim Schäfer 7 / 30

Test subject	Input data	Expected output	Test result
		<ul><li>other query</li><li>Result header</li><li>is correct ("0 to 0 of 0")</li></ul>	
Search for valid PDB ID and text that does occur in its title	<ul> <li>"7tim" in field</li> <li>"PDB Identifier"</li> <li>"triosephosphat</li> <li>e" in field "Title"</li> </ul>	Both chains of 7tim are shown on results page	
Search for valid PDB ID and text that does NOT occur in its title	<ul><li> "7tim" in field</li><li> "PDB Identifier"</li><li> "oxygen" in field "Title"</li></ul>	The search result in empty	
Search for valid PDB ID with ligand, ligand search	<ul> <li>"7tim" in field</li> <li>"PDB Identifier"</li> <li>Field "Has Ligand" set to "Yes"</li> </ul>	Both chains of 7tim are shown on results page	
Search for valid PDB ID with ligand, ligand search	<ul> <li>"7tim" in field</li> <li>"PDB Identifier"</li> <li>Field "Has Ligand" set to</li> <li>"No"</li> </ul>	The search result in empty	
Search for valid PDB ID without ligand, ligand search	<ul> <li>"1aar" in field</li> <li>"PDB Identifier"</li> <li>Field "Has Ligand" set to "Yes"</li> </ul>	The search result in empty	
Search for valid PDB ID without ligand, ligand search	<ul> <li>"1aar" in field</li> <li>"PDB Identifier"</li> <li>Field "Has Ligand" set to "No"</li> </ul>	Both chains "A" and "B" of 1aar are shown on results page	
Search by ligand name	<ul><li> "ICT" in field "Ligand Name"</li><li> Box "Has Ligand"= "Both"</li></ul>	A list of chains, including 8icd chain A, is shown on the search page	
Search by ligand name	<ul><li>"ICT" in field "Ligand Name"</li></ul>	A list of chains, including 8icd chain A,	

Tim Schäfer 8 / 30

Test subject	Input data	Expected output	Test result
	<ul><li>Box "Has Ligand" = "Yes"</li></ul>	is shown on the search page	
Search by molecule	<ul> <li>"ASPARAGINE SYNTHETASE" in field molecule</li> </ul>	<ul> <li>Only 12as is contained in the result list</li> </ul>	
Search by molecule, not contained	"TEST2345" in field molecule	The search result is empty	
Search by ligand name	<ul> <li>"ICT" in field</li> <li>"Ligand Name"</li> <li>Box "Has</li> <li>Ligand" set to</li> <li>to "No"</li> </ul>	The result set is empty	
Combination	<ul> <li>"8icd" in field "PDB Identifier"</li> <li>"Regulation" in field "Title"</li> <li>Box "Has Ligand" set to "Yes"</li> <li>"ICT" in field "Ligand Name"</li> </ul>	8icd chain A is the only chain in the result list	

Tim Schäfer 9 / 30

Page 2.3: Search Page – From Main Page: Motif search

Test subject	Input data	Expected output	Test result
Four Helix Bundle search	Expand motif search and select Four Helix Bundle	<ul> <li>3nwm chain A is contained in result set</li> </ul>	
Globin Fold search	Expand motif search and select Globin Fold	<ul> <li>3whm chains B and F are contained in the result set (hemoglobin)</li> </ul>	
Up and Down Barrel search	Expand motif search and select Up and Down Barrel	<ul> <li>1ave (avidin) is contained in the result set</li> </ul>	
Immunoglobulin Fold search	Expand motif search and select Immunoglobulin Fold	<ul> <li>1igt and 1hzh antibodies are contained in the result list</li> </ul>	
Beta Propeller search	Expand motif search and select Beta Propeller	<ul> <li>1nr0, chain A is contained in the result list</li> </ul>	
Jelly Roll search	Expand motif search and select Jelly Roll	<ul> <li>1ayn is contained in the result list</li> </ul>	

Tim Schäfer 10 / 30

### Page 2.4: Search Page – From Main Page: Custom linnot search

Note: Using the 'and similar' checkbox means that like '%<input>%' is used instead of '= '<input>".

Test subject	Input data	Expected output	Test result
ADJ	<ul> <li>Notation: "ADJ"</li> <li>graph: "albelig"</li> <li>query: "h,2ph"</li> <li>similar: on</li> </ul>	<ul> <li>Contains 7tim chain A, due to FG #1: [h,2ph]</li> <li>Contains 4w2c, chain L, due to FG #0: {e,2pe,-5pe,1ae,1ae,1 mh,1mh,3pe,1z e,2mh,2ph,-1me}</li> </ul>	
ADJ	<ul><li>Notation: "ADJ"</li><li>graph: "albelig"</li><li>query: "h,2ph"</li><li>similar: off</li></ul>	The result set is empty	
ADJ	<ul><li>Notation: "ADJ"</li><li>graph: "albelig"</li><li>query: "[h,2ph]"</li><li>similar: off</li></ul>	<ul> <li>Contains 7tim chain A, due to FG #1: [h,2ph]</li> <li>Does NOT contain 4w2c, chain L</li> </ul>	
SEQ	<ul> <li>Notation:     "SEQ"</li> <li>graph: "albe"</li> <li>query:     "3h,1e,1e,1h"</li> <li>similar: on</li> </ul>	<ul> <li>Search result contains 12as, due to {h,1e,3h,1e,1e, 1h,1h,1e,1e,1e,4e,1h}</li> <li>and nothing else</li> </ul>	

Tim Schäfer 11 / 30

Page 2.4: Search Page – From Main Page: Random search

Test subject	Input data	Expected output	Test result
Random 5	• 5 chains	<ul> <li>5 random chains are shown</li> </ul>	
Random 50, navigation	• 20 chains	<ul> <li>25 random chains are shown</li> </ul>	

Tim Schäfer 12 / 30

Page 3: About Page

Test subject	Input data	Expected output	Test result
Text and image format	-	Text and images are formatted and displayed properly on the web page.	
Hyperlinks	-	All hyper links are non-dead and lead to proper pages.	

Note in the page *User Guide*: this page is part of the Main page and has thus alreay been tested.

Tim Schäfer 13 / 30

Page 4: Retrieve – All protein graphs of a chain

Test subject	Input data	Expected output	Test result
Text and image format	-	Text and images are formatted and displayed properly on the web page.	
Search (valid)	"7timA" as PCB chain	<ul> <li>The user is transferred to the results.php page</li> <li>The URL shows the correct query (results.php? q=7timA)</li> </ul>	
Search (invalid)	<ul> <li>– (leave PDB chain empty)</li> </ul>	<ul> <li>A pop-up message notifying the user that input should have exactly 5 letters is shown</li> <li>User stays on page</li> </ul>	
Search (invalid)	<ul><li>"waytoolong" as PDB chain</li></ul>	The input cannot be entered, as a max of 5 chars is allowed by the form	

Tim Schäfer 14 / 30

Page 5: Retrieve – All folding graphs of a protein graph

Test subject	Input data	Expected output	Test result
Text and image format	-	Text and images are formatted and displayed properly on the web page.	
Search (valid)	<ul> <li>"7timA" as PCB chain</li> <li>graph type "Alpha"</li> <li>notation "ADJ"</li> </ul>	<ul> <li>The page is reloaded ans the search results show up</li> <li>The selections in the dropdown boxes have been saved</li> <li>The URL shows the correct query (foldinggraphs. php? pdbchain=7tim A&amp;graphtype_i nt=1&amp;notationt ype=adj)</li> <li>The table is displayed correctly and its links work</li> <li>The FG images below are shown and formatted properly</li> <li>The download links for the images and graph files work</li> <li>For FGs consisting of</li> </ul>	

Tim Schäfer 15 / 30

Test subject	Input data	Expected output	Test result
		only 1 vertex, no images are shown, but an info text explaining why is shown instead	
Search (invalid)	<ul> <li>– (leave PDB chain empty)</li> <li>rest does not matter</li> </ul>	<ul> <li>A pop-up message notifying the user that input should have exactly 5 letters is shown</li> <li>User stays on page</li> </ul>	
Search (invalid)	<ul><li> "waytoolong" as PDB chain</li><li> rest does not matter</li></ul>	The input cannot be entered, as a max of 5 chars is allowed by the form	

Tim Schäfer 16 / 30

Page 6: Retrieve – All linear notations of a folding graph

Test subject	Input data	Expected output	Test result
Text and image format	-	Text and images are formatted and displayed properly on the web page.	
Search (valid)	<ul> <li>"7timA" as PCB chain</li> <li>graph type "Alpha"</li> </ul>	<ul> <li>The page is reloaded and results are displayed</li> <li>The selections in the dropdown boxes have been saved</li> <li>The URL shows the correct query (linnots_of_fold inggraph.php? pdbchain=7tim A&amp;graphtype_i nt=1)</li> <li>The table is shown correctly and its links work</li> <li>The images for all 4 notations are listed below and image content is correctly</li> <li>If KEY is undef, no KEY image is shown</li> </ul>	
Search (invalid)	<ul><li>– (leave PDB</li></ul>	A pop-up	

Tim Schäfer 17 / 30

Test subject	Input data	Expected output	Test result
	chain empty) • rest does not matter	message notifying the user that input should have exactly 5 letters is shown • User stays on page	
Search (invalid)	<ul><li> "waytoolong" as PDB chain</li><li> rest does not matter</li></ul>	<ul> <li>The input cannot be entered, as a max of 5 chars is allowed by the form</li> </ul>	

Tim Schäfer 18 / 30

Page 7: Results (Protein graphs) – URL set to: results.php? q=7timA+7timB+1xxxF+8icdA

Test subject	Input data	Expected output	Test result
Base text format	See URL above	Text and images are formatted and displayed properly on the web page in the sections above and below the actual search results. This excludes results (image sliders and SSE table), which are tested below.	
Changing between result chains (with the arrow navigation elements on the left and right)	See URL above click the left and right arrows	<ul> <li>All chains         listed in the         URL appear         (including         1xxxF, which is         not contained         in DB, and         8icdA, which         comes after it)</li> <li>The pages for         1xxxF and         8icdA (like all         others) are         both displayed         and formatted         properly</li> </ul>	
Protein graph display	Navigate to the result chain 7tim A	<ul> <li>The active graph image (alpha graph) and the 6 thumbnails for all graph types are displayed properly</li> <li>One can switch between the 6</li> </ul>	

Tim Schäfer 19 / 30

Test subject	Input data	Expected output	Test result
		images using the thumbnails, and the proper one is shown enlarged in the main image section  The 3D-View / JMOL link works (that page is tested separately later, just check link)  The link "Go to folding graphs" works properly  The image and graph text file download links all work and lead to the currently selected graph type (check with all 6 graph types selected)	
SSE table	Navigate to the result chain 7tim A	<ul> <li>The SSE table shows all 22 SSEs of 7tim chain A</li> <li>The SSE numbers and labels match the data in the image (for all 6 images)</li> </ul>	

Tim Schäfer 20 / 30

Page 8: Database content overview

Test subject	Input data	Expected output	Test result
Page format	-	Text and images are formatted and displayed properly on the web page. This includes the JS plots.	
Content	-	<ul> <li>The displayed numbers and data fit the DB contents</li> <li>The number of non-redundant protein chains is not 0</li> </ul>	

Tim Schäfer 21 / 30

Page 9: Database – All linear notations

Test subject	Input data	Expected output	Test result
Page format	-	Text and images are formatted and displayed properly on the web page.	
Content	-	<ul> <li>The displayed numbers and data fit the DB contents</li> <li>The number of non-redundant protein chains is not 0</li> </ul>	
Search	<ul> <li>Graph type:     "Beta"</li> <li>Notation:     "KEY"</li> </ul>	<ul> <li>The page is reloaded and a properly formatted result list is shown</li> <li>The selections in the dropdown boxes have been saved (Beta+KEY)</li> <li>Clicking a linnot string leads to the results page (search.php), the url indicates search for correct data, and the result list is nonempty</li> </ul>	
Search	<ul><li>Graph type: "Alpha-Beta</li></ul>	The page is reloaded and a	

Tim Schäfer 22 / 30

Test subject	Input data	Expected output	Test result
	• Notation: "ADJ"	properly formatted result list is shown  The selections in the dropdown boxes have been saved (Alpha-Beta Ligand+ADJ)  Clicking a linnot string leads to the results page (search.php), the urlindicates search for correct data, and the result list is nonempty  One can navigate between the results using 'next' and 'previous' buttons, and the selections in the dropdown are saved (Alpha-Beta Ligand+ADJ)	

Tim Schäfer 23 / 30

Page 10: Database – Motif overview

Test subject	Input data	Expected output	Test result
Page format	-	Text and images are formatted and displayed properly on the web page.	
Content	-	<ul> <li>The displayed numbers and data fit the DB contents</li> <li>The motif info links in the top table work</li> </ul>	
Function		<ul> <li>The motif         search links in         the table work,         and show the         expected         number of         result chains</li> </ul>	

Tim Schäfer 24 / 30

Page 11: Database – REST API

Test subject	Input data	Expected output	Test result
Page format	-	<ul> <li>Text and images are formatted and displayed properly on the web page.</li> <li>A working link to the API documentation in given at the bottom of the page.</li> </ul>	

Tim Schäfer 25 / 30

Page 12: Meta – Publications

Test subject	Input data	Expected output	Test result
Page format and links	_	<ul> <li>Text and images are formatted and displayed properly on the web page.</li> <li>The links work</li> </ul>	

Tim Schäfer 26 / 30

# Page 13: Meta – Citing

Test subject	Input data	Expected output	Test result
Page format and links	_	<ul> <li>Text and images are formatted and displayed properly on the web page.</li> <li>The links work</li> </ul>	

Tim Schäfer 27 / 30

Page 14: Meta – Contact

Test subject	Input data	Expected output	Test result
Page format and links	-	<ul> <li>Text and images are formatted and displayed properly on the web page.</li> <li>Contact data is up-to-date and correct</li> <li>The links work</li> </ul>	

Tim Schäfer 28 / 30

Page 15: Meta – Imprint

Test subject	Input data	Expected output	Test result
Page format and links	-	<ul> <li>Text and images are formatted and displayed properly on the web page.</li> <li>Contact data is up-to-date and correct</li> <li>The links work</li> </ul>	

Tim Schäfer 29 / 30

### Page 16: REST API documentation (/api/)

Note on testing result data format: You should use an online JSON and XML validator to ensure that result data is in correct format. (Try JSONLint and the W3C XML validator.)

Test subject	Input data	Expected output	Test result
Page format, links	-	<ul> <li>Text and images are formatted and displayed properly on the web page.</li> <li>The links work</li> </ul>	
API calls via links in page	Clicking the links provided in the following sections:  • Usage examples  • Metadata queries  • Collection queries	<ul> <li>The data returned is in the correct format</li> <li>Usage examples</li> <li>protein graphs(GML / JSON / XML)</li> <li>folding graphs (GML / JSON / XML)</li> <li>Linear notation s (img / JSON)</li> <li>Metadata queries (JSON)</li> <li>Collection queries (JSON)</li> </ul>	

Tim Schäfer 30 / 30