

Lab Assignment - 5

Name :- Tanishq Chauhan

Roll No :- 21C4184

Subject :- Database Management System (CER4C4)

Semester :- 4th Semester

Branch :- Computer Science & Engineering (CS-B)

Chauhan

Lab - Assignment - 5

Consider the following database schema and example instance:

recipe

<u>name</u>	<u>inventor</u>	<u>kitchen</u>
Pasta and Meatballs	Le cook	Italian
Cheese Soup	The French	French
Burger	Cowboys	American

ingredient

<u>recipe</u>	<u>foodItem</u>	<u>ounces</u>
Pasta and Meatballs	Pasta	50
Pasta and Meatballs	Meatballs	10
Pasta and Meatballs	Tomato Sauce	5
Pasta and Meatballs	Onions	1
Cheese Soup	Onions	4
Cheese Soup	Cheese	15
Cheese Soup	Bread	20
Burger	Bread	10
Burger	Ground Beef	20

foodItem

<u>item</u>	<u>type</u>	<u>calories</u>
Pasta	Wheat Product	20
Meatballs	Meat	40
Tomato Sauce	Sauce	5
Onions	Vegetables	1
Cheese	Dairy	30
Bread	Wheat Product	25
Ground Beef	Meat	45

stock

<u>foodItem</u>	<u>shop</u>	<u>price</u>
Pasta	Aldi	5
Meatballs	Aldi	10
Tomato Sauce	Aldi	3
Tomato Sauce	Walmart	3
Cheese	Treasury Island	15

Lab Assignment - 5

Question 1 : Write a relational algebra expression that returns the food items required to cook the recipe "Pasta and Meat-balls". For each such food item return the item paired with the number of ounces required by the recipe.

Solution 1 : $\pi_{\text{foodItem}, \text{ounces}} (\sigma_{\text{recipe} = \text{'Pasta and Meatballs' (ingredient)}}$

Question 2 : Write a relational algebra expression that return food items that are sold at "Aldi" and their price.

Solution 2 : $\pi_{\text{foodItem}, \text{price}} (\sigma_{\text{shop} = \text{'Aldi' (stock)}}$

Question 3 : Write a relational algebra expression that returns food items (item) that are of type "Wheat product" or of type "Meat" and have at least 20 calories per ounce (attribute calories).

Solution 3 : $\pi_{\text{item}} (\sigma_{(\text{type} = \text{'Wheat product'} \vee \text{type} = \text{'Meat'})} \wedge \text{calories} \geq 20 (\text{foodItem}))$

Question 4 : Write a relational algebra expression that returns the items and their price for all items of type "Wheat product" sold at Aldi.

Solution 4 : $\pi_{\text{item}, \text{price}} (\sigma_{\text{shop} = 'Aldi' \wedge \text{type} = 'Wheat product'} (\text{foodItem} \bowtie \text{pitem} \leftarrow \text{foodItem}(\text{stock})))$.

Question 5 : Write a relational algebra expression that returns the names of all recipes that contain meat products (food items of type "Meat").

Solution 5 : $\pi_{\text{recipe}} (\sigma_{\text{type} = 'Meat'} (\text{ingredient} \bowtie_{\text{foodItem} = \text{item foodItem}} \text{foodItem}))$.

Question 6 : Write a relational algebra expression that returns all recipes that contain both "Onions" and "Cheese".

Solution 6 : $\pi_{\text{recipe}} (\sigma_{\text{foodItem} = 'Onions'} (\text{ingredient})) \cap \pi_{\text{recipe}} (\sigma_{\text{foodItem} = 'cheese'} (\text{ingredient}))$.

Question 7 : Write a relational algebra expression that returns the food items that are ingredients for "Cheese Soup" but not for "Burgers".

Solution 7 : $\pi_{\text{foodItem}} (\sigma_{\text{recipe} = \text{'Cheese Soup'}} (\text{ingredient}))$
 $-$
 $\pi_{\text{foodItem}} (\sigma_{\text{recipe} = \text{'Burger'}} (\text{ingredient}))$

Question 8 : Write a relational algebra expression that returns the total number of ounce for all ingredients per recipe.

Solution 8 : $\text{recipe} \rhd \text{sum}(\text{ounces}) (\text{ingredient})$

Question 9 : Write a relational algebra expression that returns the average price of food items per type. For example, this expression should return tuples like (Wheat product, 34.5).

Solution 9 : $\text{typePrice} \leftarrow \text{foodItem} \bowtie \text{item} = \text{foodItem Stock}$
 $q \leftarrow \text{type} (\text{avg}(\text{price})) (\text{typePrice})$

Question 10 : Write a relational algebra expression that returns the number of food item types for which the average calories for all food items of this type is higher than 40.

Solution 10 : $avgC \leftarrow type, avg(calories)(foodItem)$

$\pi_{count(*)}(\sigma_{avg(calories) > 40}(avgC)).$