## A Term Assignment for Natural Deduction Formulation of Elle

```
vars, n, a, x, y, z, w, m, o
ivar, i, k, j, l
const, b
A, B, C
                              UnitS
                              A \triangleright B
                              A \rightharpoonup B
                              A \leftarrow B
                              \mathsf{F} X
X, Y, Z
                              В
                              UnitT
                              X \otimes Y
                              X \multimap Y
                              GA
T
                      \boldsymbol{A}
                              X
                     ::=
                              trivT
                              trivS
                              p\otimes p'
                              p \triangleright p'
                              \mathsf{F}p
                              \mathsf{G} p
                     ::=
                              \boldsymbol{x}
                              b
                              trivS
                              let s_1: T be p in s_2
                              let t: T be p in s
```

```
\lambda_r x : A.s
                                                    app_l s_1 s_2
                                                    app_r s_1 s_2
                                                    derelict t
                                                    \operatorname{ex} s_1, s_2 \operatorname{with} x_1, x_2 \operatorname{in} s_3
                                                    (s)
                                                    \boldsymbol{x}
                                                    b
                                                    trivT
                                                    \mathsf{let}\, t_1: X\,\mathsf{be}\, p\,\mathsf{in}\, t_2
                                                   t_1 \otimes t_2
                                                    \lambda x : X.t
                                                    app t_1 t_2
                                                    \operatorname{ex} t_1, t_2 \operatorname{with} x_1, x_2 \operatorname{in} t_3
                                                                                                                             S
                                                    Gs
 Φ, Ψ
                                                    \Phi_1, \Phi_2
                                                    x: X
                                                    (Φ)
                                                                                                                             S
 Γ, Δ
                                                    x:A
                                                    \Gamma_1,\Gamma_2
                                                    (Γ)
                                                                                                                             S
\Phi \vdash_C t : X
                                                                                                            \overline{x:X\vdash_C x:X}
                                                                                                                                                         T_UNITI
                                                                                                   \overline{\cdot \vdash_{C} \mathsf{trivT} : \mathsf{UnitT}}
                                                                     \frac{\Phi \vdash_{C} t_{1}: \mathsf{UnitT} \quad \Psi \vdash_{C} t_{2}: Y}{\Phi, \Psi \vdash_{C} \mathsf{let} \, t_{1}: \mathsf{UnitT} \, \mathsf{be} \, \mathsf{trivT} \, \mathsf{in} \, t_{2}: Y}
                                                                                      \frac{\Phi \vdash_C t_1 : X \quad \Psi \vdash_C t_2 : Y}{\Phi, \Psi \vdash_C t_1 \otimes t_2 : X \otimes Y} \quad \text{T.tenI}
                                                           \begin{split} \Phi \vdash_C t_1 : X \otimes Y & \quad \Psi_1, x : X, y : Y, \Psi_2 \vdash_C t_2 : Z \\ \Psi_1, \Phi, \Psi_2 \vdash_C \mathsf{let} t_1 : X \otimes Y \mathsf{be} \, x \otimes y \mathsf{in} \, t_2 : Z \end{split}
```

 $s_1 \triangleright s_2$  $\lambda_l x : A.s$ 

$$\frac{\Phi,x:X \vdash_{C} t:Y}{\Phi \vdash_{C} \lambda x:X.t:X \multimap Y} \quad \text{$\mathsf{T}$\_IMPI}$$

$$\frac{\Phi \vdash_{C} t_{1}:X \multimap Y \quad \Psi \vdash_{C} t_{2}:X}{\Phi,\Psi \vdash_{C} \operatorname{app} t_{1} t_{2}:Y} \quad \text{$\mathsf{T}$\_IMPE}$$

$$\frac{\Phi \vdash_{\mathcal{L}} s:A}{\Phi \vdash_{C} \operatorname{Gs}:\operatorname{GA}} \quad \text{$\mathsf{T}$\_GI}$$

$$\frac{\Phi,x:X,y:Y,\Psi \vdash_{C} t:Z}{\Phi,z:Y,w:X,\Psi \vdash_{C} \operatorname{ex} w,z \operatorname{with} x,y \operatorname{in} t:Z} \quad \text{$\mathsf{T}$\_BET.}$$

$$\frac{\Phi \vdash_{C} t_{1}:X \quad \Psi_{1},x:X,\Psi_{2} \vdash_{C} t_{2}:Y}{\Psi_{1},\Phi,\Psi_{2} \vdash_{C} [t_{1}/x]t_{2}:Y} \quad \text{$\mathsf{T}$\_CUT}$$

$$\frac{\overline{x:A \vdash_{\mathcal{L}} x:A} \quad \text{$\mathsf{S}$\_ID}}{\overline{\cdot} \vdash_{\mathcal{L}} \operatorname{trivS}:\operatorname{UnitS}} \quad \text{$\mathsf{S}$\_UNITI}$$

 $\Gamma \vdash_{\mathcal{L}} s : A$ 

$$\frac{\Phi \vdash_{\mathcal{L}} \text{trivS} : \text{UnitS}}{\vdash_{\mathcal{L}} \text{trivS} : \text{UnitT}} \quad \text{S_{LUNITI}}$$

$$\frac{\Phi \vdash_{\mathcal{C}} t : \text{UnitT} \quad \Gamma \vdash_{\mathcal{L}} s : A}{\Phi, \Gamma \vdash_{\mathcal{L}} \text{let } t : \text{UnitT} \text{be trivT in } s : A} \quad \text{S_{LUNITE1}}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_1 : \text{UnitS} \quad \Delta \vdash_{\mathcal{L}} s_2 : A}{\Gamma, \Delta \vdash_{\mathcal{L}} \text{let } s_1 : \text{UnitS be trivS in } s_2 : A} \quad \text{S_{LUNITE2}}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_1 : A \quad \Delta \vdash_{\mathcal{L}} s_2 : B}{\Gamma, \Delta \vdash_{\mathcal{L}} s_1 \vdash_{\mathcal{S}} s_1 \vdash_{\mathcal{S}} s_2 : A \vdash_{\mathcal{B}}} \quad \text{S_{LTENI}}$$

$$\frac{\Phi \vdash_{\mathcal{C}} t : X \otimes Y \quad \Gamma_1, x : X, y : Y, \Gamma_2 \vdash_{\mathcal{L}} s : A}{\Gamma_1, \Phi, \Gamma_2 \vdash_{\mathcal{L}} \text{let } t : X \otimes Y \text{be } x \otimes y \text{in } s : A} \quad \text{S_{LTENE1}}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_1 : A \vdash_{\mathcal{B}} B \quad \Delta_1, x : A, y : B, \Delta_2 \vdash_{\mathcal{L}} s_2 : C}{\Delta_1, \Gamma, \Delta_2 \vdash_{\mathcal{L}} \text{let } s_1 : A \vdash_{\mathcal{B}} B \text{be } x \vdash_{\mathcal{Y}} y \text{in } s_2 : C} \quad \text{S_{LTENE2}}$$

$$\frac{\Gamma, x : A \vdash_{\mathcal{L}} s : B}{\Gamma \vdash_{\mathcal{L}} \lambda_{\mathcal{L}} x : A : A : A \to_{\mathcal{B}}} \quad \text{S_{LIMPRI}}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_1 : A \rightharpoonup_{\mathcal{B}} \Delta \vdash_{\mathcal{L}} s_2 : A}{\Gamma, \Delta \vdash_{\mathcal{L}} \text{app}_r s_1 s_2 : B} \quad \text{S_{LIMPRI}}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_1 : B \vdash_{\mathcal{A}} \Delta \vdash_{\mathcal{L}} s_2 : A}{\Delta, \Gamma \vdash_{\mathcal{L}} \text{app}_r s_1 s_2 : B} \quad \text{S_{LIMPLE}}$$

$$\frac{\Phi \vdash_{\mathcal{C}} t : X}{\Phi \vdash_{\mathcal{L}} \text{tapp}_r s_1 s_2 : B} \quad \text{S_{LIMPLE}}$$

$$\frac{\Phi \vdash_{\mathcal{C}} t : X}{\Phi \vdash_{\mathcal{L}} \text{tapp}_r s_1 s_2 : A} \quad \text{S_{LIMPLE}}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_1 : FX \quad \Delta_1, x : X, \Delta_2 \vdash_{\mathcal{L}} s_2 : A}{\Phi \vdash_{\mathcal{L}} \text{tapp}_r s_1 s_2 : A} \quad \text{S_{LIMPLE}}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_1 : FX \quad \Delta_1, x : X, \Delta_2 \vdash_{\mathcal{L}} s_2 : A}{\Phi \vdash_{\mathcal{L}} \text{tapp}_r s_1 s_2 : A} \quad \text{S_{LIMPLE}}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_1 : FX \quad \Delta_1, x : X, \Delta_2 \vdash_{\mathcal{L}} s_2 : A}{\Phi \vdash_{\mathcal{L}} \text{tapp}_r s_1 s_2 : A} \quad \text{S_{LIMPLE}}$$

$$\begin{array}{c} \Gamma, x: X, y: Y, \Delta \vdash_{\mathcal{L}} s: A \\ \hline \Gamma, z: Y, w: X, \Delta \vdash_{\mathcal{L}} \mathsf{ex} \, w, z \, \mathsf{with} \, x, y \, \mathsf{in} \, s: A \end{array} \quad \text{S\_BETA} \\ \frac{\Phi \vdash_{C} t: X \quad \Gamma_{1}, x: X, \Gamma_{2} \vdash_{\mathcal{L}} s: A}{\Gamma_{1}, \Phi, \Gamma_{1} \vdash_{\mathcal{L}} [t/x] s: A} \quad \text{S\_CUT1} \\ \frac{\Gamma \vdash_{\mathcal{L}} s_{1}: A \quad \Delta_{1}, x: A, \Delta_{2} \vdash_{\mathcal{L}} s_{2}: B}{\Delta_{1}, \Gamma, \Delta_{2} \vdash_{\mathcal{L}} [s_{1}/x] s_{2}: B} \quad \text{S\_CUT2} \end{array}$$

 $t_1 \rightsquigarrow t_2$ 

 $s_1 \rightsquigarrow s_2$ 

Sred\_letU1  $\overline{\text{let trivS}: \text{UnitS be trivS in } s \leadsto s}$ Sred\_letU2  $\overline{\text{let trivT}: \text{UnitT be trivT in } s \leadsto s}$  $\overline{\text{let } t_1 \otimes t_2 : X \otimes Y \text{ be } x \triangleright y \text{ in } s_3 \leadsto [t_1/x][t_2/y]s_3}$  $\overline{\text{let } s_1 \triangleright s_2 : A \triangleright B \text{ be } x \triangleright y \text{ in } s_3 \leadsto [s_1/x][s_2/y]s_3}$  $Sred\_letF$  $\overline{\text{let F}x: \text{F}X \text{ be F}y \text{ in } s \rightsquigarrow [y/x]s}$  $Sred\_lamL$  $\overline{\mathsf{app}_l(\lambda_l x : A.s_1) \, s_2 \leadsto [s_2/x] s_1}$ SRED\_LAMR  $\overline{\mathsf{app}_r(\lambda_r x : A.s_1) \, s_2 \leadsto [s_2/x] s_1}$  $\frac{s_1 \leadsto s_1'}{\mathsf{app}_l \, s_1 \, s_2 \leadsto \mathsf{app}_l \, s_1' \, s_2} \quad \mathsf{Sred\_appl1}$  $\frac{s_2 \leadsto s_2'}{\mathsf{app}_l \, s_1 \, s_2 \leadsto \mathsf{app}_l \, s_1 \, s_2'} \quad \mathsf{Sred\_appl.2}$  $\frac{s_1 \leadsto s_1'}{\mathsf{app}_r \, s_1 \, s_2 \leadsto \mathsf{app}_r \, s_1' \, s_2} \quad \mathsf{Sred\_appr1}$  $\frac{s_2 \leadsto s_2'}{\mathsf{app}_r \, s_1 \, s_2 \leadsto \mathsf{app}_r \, s_1 \, s_2'} \quad \mathsf{Sred\_appr2}$  $\frac{}{\text{derelict G} s \sim s}$  Sred\_derelict