A Term Assignment for Natural Deduction Formulation of Elle

```
vars, n, a, x, y, z, w, m, o
ivar, i, k, j, l
const, b
A, B, C
                              UnitS
                              A \triangleright B
                              A \rightharpoonup B
                              A \leftarrow B
                              \mathsf{F} X
X, Y, Z
                              В
                              UnitT
                              X \otimes Y
                              X \multimap Y
                              GA
T
                      \boldsymbol{A}
                              X
                     ::=
                              trivT
                              trivS
                              p\otimes p'
                              p \triangleright p'
                              \mathsf{F}p
                              \mathsf{G} p
                     ::=
                              \boldsymbol{x}
                              b
                              trivS
                              let s_1: T be p in s_2
                              let t: T be p in s
```

```
\lambda_r x : A.s
                                                    app_l s_1 s_2
                                                    app_r s_1 s_2
                                                    derelict t
                                                    \operatorname{ex} s_1, s_2 \operatorname{with} x_1, x_2 \operatorname{in} s_3
                                                    (s)
                                                    \boldsymbol{x}
                                                    b
                                                    trivT
                                                    \mathsf{let}\, t_1: X\,\mathsf{be}\, p\,\mathsf{in}\, t_2
                                                   t_1 \otimes t_2
                                                    \lambda x : X.t
                                                    app t_1 t_2
                                                    \operatorname{ex} t_1, t_2 \operatorname{with} x_1, x_2 \operatorname{in} t_3
                                                                                                                             S
                                                    Gs
 Φ, Ψ
                                                    \Phi_1, \Phi_2
                                                    x: X
                                                    (Φ)
                                                                                                                             S
 Γ, Δ
                                                    x:A
                                                    \Gamma_1,\Gamma_2
                                                    (Γ)
                                                                                                                             S
\Phi \vdash_C t : X
                                                                                                            \overline{x:X\vdash_C x:X}
                                                                                                                                                         T_UNITI
                                                                                                   \overline{\cdot \vdash_{C} \mathsf{trivT} : \mathsf{UnitT}}
                                                                     \frac{\Phi \vdash_{C} t_{1}: \mathsf{UnitT} \quad \Psi \vdash_{C} t_{2}: Y}{\Phi, \Psi \vdash_{C} \mathsf{let} \, t_{1}: \mathsf{UnitT} \, \mathsf{be} \, \mathsf{trivT} \, \mathsf{in} \, t_{2}: Y}
                                                                                      \frac{\Phi \vdash_C t_1 : X \quad \Psi \vdash_C t_2 : Y}{\Phi, \Psi \vdash_C t_1 \otimes t_2 : X \otimes Y} \quad \text{T.tenI}
                                                           \begin{split} \Phi \vdash_C t_1 : X \otimes Y & \quad \Psi_1, x : X, y : Y, \Psi_2 \vdash_C t_2 : Z \\ \Psi_1, \Phi, \Psi_2 \vdash_C \mathsf{let} t_1 : X \otimes Y \mathsf{be} \, x \otimes y \mathsf{in} \, t_2 : Z \end{split}
```

 $s_1 \triangleright s_2$ $\lambda_l x : A.s$

$$\frac{\Phi,x:X \vdash_{C} t:Y}{\Phi \vdash_{C} \lambda x:X.t:X \multimap Y} \quad \text{T_{IMPI}}$$

$$\frac{\Phi \vdash_{C} t_{1}:X \multimap Y \quad \Psi \vdash_{C} t_{2}:X}{\Phi,\Psi \vdash_{C} \text{app } t_{1} t_{2}:Y} \quad \text{T_{IMPE}}$$

$$\frac{\Phi \vdash_{\mathcal{L}} s:A}{\Phi \vdash_{C} \text{G} s:\text{GA}} \quad \text{$T_{\text{-}GI}$}$$

$$\frac{\Phi \vdash_{\mathcal{L}} s:X,y:Y,\Psi \vdash_{C} t:Z}{\Phi,z:Y,w:X,\Psi \vdash_{C} \text{ex } w,z \text{ with } x,y \text{ in } t:Z} \quad \text{$T_{\text{-}BET/A}$}$$

$$\frac{\Phi \vdash_{C} t_{1}:X \quad \Psi_{1},x:X,\Psi_{2} \vdash_{C} t_{2}:Y}{\Psi_{1},\Phi,\Psi_{2} \vdash_{C} [t_{1}/x]t_{2}:Y} \quad \text{$T_{\text{-}CUT}$}$$

$$\frac{x:A \vdash_{\mathcal{L}} x:A}{\vdash_{\mathcal{L}} \text{trivS}:\text{UnitS}} \quad \text{$S_{\text{-}UNITI}$}$$

$$\frac{\Gamma \vdash_{\mathcal{L}} s_{1}:\text{UnitS} \quad \Delta \vdash_{\mathcal{L}} s_{2}:A}{\Gamma,\Delta \vdash_{\mathcal{L}} \text{let} s_{1}:\text{UnitS} \text{ be trivS in } s_{2}:A} \quad \text{$S_{\text{-}UNITE1}$}$$

 $\Gamma \vdash_{\mathcal{L}} s : A$

$$\begin{array}{c} \Gamma, x: X, y: Y, \Delta \vdash_{\mathcal{L}} s: A \\ \hline \Gamma, z: Y, w: X, \Delta \vdash_{\mathcal{L}} \mathsf{ex} \, w, z \, \mathsf{with} \, x, y \, \mathsf{in} \, s: A \\ \hline \\ \frac{\Phi \vdash_{C} t: X \quad \Gamma_{1}, x: X, \Gamma_{2} \vdash_{\mathcal{L}} s: A}{\Gamma_{1}, \Phi, \Gamma_{1} \vdash_{\mathcal{L}} [t/x] s: A} \quad \text{S_cut1} \\ \hline \\ \frac{\Gamma \vdash_{\mathcal{L}} s_{1}: A \quad \Delta_{1}, x: A, \Delta_{2} \vdash_{\mathcal{L}} s_{2}: B}{\Delta_{1}, \Gamma, \Delta_{2} \vdash_{\mathcal{L}} [s_{1}/x] s_{2}: B} \quad \text{S_cut2} \end{array}$$

 $t_1 \rightsquigarrow t_2$

 $s_1 \rightsquigarrow s_2$

Sred_letU1 $\overline{\text{let trivS}: \text{UnitS be trivS in } s \leadsto s}$ Sred_letU2 $\overline{\mathsf{let}\,\mathsf{trivT}:\mathsf{UnitT}\,\mathsf{be}\,\mathsf{trivT}\,\mathsf{in}\,s\leadsto s}$ $\overline{\operatorname{let} s_1 \triangleright s_2 : A \triangleright B \operatorname{be} x \triangleright y \operatorname{in} s_3 \rightsquigarrow [s_1/x][s_2/y]s_3}$ $\overline{\text{let } t_1 \otimes t_2 : X \otimes Y \text{ be } x \triangleright y \text{ in } s_3 \leadsto [\mathsf{F} t_1/x][\mathsf{F} t_2/y] s_3}$ $Sred_LetF$ $\overline{\operatorname{let} \mathsf{F} t : \mathsf{F} X \operatorname{be} \mathsf{F} x \operatorname{in} s \leadsto [t/x] s}$ $Sred_lamL$ $\overline{\mathsf{app}_{l}(\lambda_{l}x:A.s_{1})\,s_{2} \leadsto [s_{2}/x]s_{1}}$ $\overline{\mathsf{app}_r \left(\lambda_r x : A.s_1 \right) s_2 \leadsto [s_2/x] s_1}$ $\frac{s_1 \leadsto s_1'}{\mathsf{app}_l \, s_1 \, s_2 \leadsto \mathsf{app}_l \, s_1' \, s_2} \quad \mathsf{Sred_appl1}$ $\frac{s_2 \leadsto s_2'}{\mathsf{app}_l \, s_1 \, s_2 \leadsto \mathsf{app}_l \, s_1 \, s_2'} \quad \mathsf{Sred_appl.2}$ $\frac{s_1 \leadsto s_1'}{\mathsf{app}_r \, s_1 \, s_2 \leadsto \mathsf{app}_r \, s_1' \, s_2} \quad \mathsf{Sred_appr1}$ $\frac{s_2 \leadsto s_2'}{\mathsf{app}_r \, s_1 \, s_2 \leadsto \mathsf{app}_r \, s_1 \, s_2'} \quad \mathsf{Sred_appr2}$ $\frac{}{\text{derelict G} s \sim s}$ Sred_derelict