



jQuery Effect Methods

[< Previous](#)[Next >](#)

jQuery Effect Methods

The following table lists all the jQuery methods for creating animation effects.


Method	Description
<u>animate()</u>	Runs a custom animation on the selected elements
<u>clearQueue()</u>	Removes all remaining queued functions from the selected elements
<u>delay()</u>	Sets a delay for all queued functions on the selected elements
<u>dequeue()</u>	Removes the next function from the queue, and then executes the function

<u>fadeIn()</u> .	Fades in the selected elements
<u>fadeOut()</u> .	Fades out the selected elements
<u>fadeTo()</u> .	Fades in/out the selected elements to a given opacity
<u>fadeToggle()</u> .	Toggles between the fadeIn() and fadeOut() methods
<u>finish()</u> .	Stops, removes and completes all queued animations for the selected elements
<u>hide()</u> .	Hides the selected elements
<u>queue()</u> .	Shows the queued functions on the selected elements
<u>show()</u> .	Shows the selected elements
<u>slideDown()</u> .	Slides-down (shows) the selected elements
<u>slideToggle()</u> .	Toggles between the slideUp() and slideDown() methods
<u>slideUp()</u> .	Slides-up (hides) the selected elements
<u>stop()</u> .	Stops the currently running animation for the selected elements
<u>toggle()</u> .	Toggles between the hide() and show() methods

[< Previous](#)[Next >](#)

NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a course today!



Get started

CODE GAME



Play Game

[Report Error](#)

[Forum](#)

[About](#)

[Shop](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Web Courses

[HTML Course](#)
[CSS Course](#)
[JavaScript Course](#)
[Front End Course](#)
[SQL Course](#)
[Python Course](#)
[PHP Course](#)
[jQuery Course](#)
[Java Course](#)
[C++ Course](#)
[C# Course](#)
[XML Course](#)

[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

