



HTML

CSS

JAVASCRIPT

SQL

PYTHON



jQuery Event Methods

[< Previous](#)[Next >](#)

jQuery Event Methods

Event methods trigger or attach a function to an event handler for the selected elements.

The following table lists all the jQuery methods used to handle events.

Method / Property	Description
<u>bind()</u>	Deprecated in version 3.0. Use the <u>on()</u> method instead. Attaches event handlers to elements
<u>blur()</u>	Attaches/Triggers the blur event

<u>change()</u>	Attaches/Triggers the change event
<u>click()</u>	Attaches/Triggers the click event
<u>dblclick()</u>	Attaches/Triggers the double click event
<u>delegate()</u>	Deprecated in version 3.0. Use the <u>on()</u> method instead. Attaches a handler to current, or future, specified child elements of the matching elements
<u>die()</u>	Removed in version 1.9. Removes all event handlers added with the live() method
<u>error()</u>	Removed in version 3.0. Attaches/Triggers the error event
<u>event.currentTarget</u>	The current DOM element within the event bubbling phase
<u>event.data</u>	Contains the optional data passed to an event method when the current executing handler is bound
<u>event.delegateTarget</u>	Returns the element where the currently-called jQuery event handler was attached
<u>event.isDefaultPrevented()</u>	Returns whether event.preventDefault() was called for the event object
<u>event.isImmediatePropagationStopped()</u>	Returns whether event.stopImmediatePropagation() was called for the event object
<u>event.isPropagationStopped()</u>	Returns whether event.stopPropagation() was called for the event object
<u>event.namespace</u>	Returns the namespace specified when the event was triggered
<u>event.pageX</u>	Returns the mouse position relative to the left edge of the document
<u>event.pageY</u>	Returns the mouse position relative to the top edge of the document

<u>event.preventDefault()</u>	Prevents the default action of the event
<u>event.relatedTarget</u>	Returns which element being entered or exited on mouse movement
<u>event.result</u>	Contains the last/previous value returned by an event handler triggered by the specified event
<u>event.stopImmediatePropagation()</u>	Prevents other event handlers from being called
<u>event.stopPropagation()</u>	Prevents the event from bubbling up the DOM tree, preventing any parent handlers from being notified of the event
<u>event.target</u>	Returns which DOM element triggered the event
<u>event.timeStamp</u>	Returns the number of milliseconds since January 1, 1970, when the event is triggered
<u>event.type</u>	Returns which event type was triggered
<u>event.which</u>	Returns which keyboard key or mouse button was pressed for the event
<u>focus()</u>	Attaches/Triggers the focus event
<u>focusin()</u>	Attaches an event handler to the focusin event
<u>focusout()</u>	Attaches an event handler to the focusout event
<u>hover()</u>	Attaches two event handlers to the hover event
<u>keydown()</u>	Attaches/Triggers the keydown event
<u>keypress()</u>	Attaches/Triggers the keypress event
<u>keyup()</u>	Attaches/Triggers the keyup event


<u>live()</u>	Removed in version 1.9. Adds one or more event handlers to current, or future, selected elements
<u>load()</u>	Removed in version 3.0. Attaches an event handler to the load event
<u>mousedown()</u>	Attaches/Triggers the mousedown event
<u>mouseenter()</u>	Attaches/Triggers the mouseenter event
<u>mouseleave()</u>	Attaches/Triggers the mouseleave event
<u>mousemove()</u>	Attaches/Triggers the mousemove event
<u>mouseout()</u>	Attaches/Triggers the mouseout event
<u>mouseover()</u>	Attaches/Triggers the mouseover event
<u>mouseup()</u>	Attaches/Triggers the mouseup event
<u>off()</u>	Removes event handlers attached with the on() method
<u>on()</u>	Attaches event handlers to elements
<u>one()</u>	Adds one or more event handlers to selected elements. This handler can only be triggered once per element
<u>\$.proxy()</u>	Takes an existing function and returns a new one with a particular context
<u>ready()</u>	Specifies a function to execute when the DOM is fully loaded
<u>resize()</u>	Attaches/Triggers the resize event
<u>scroll()</u>	Attaches/Triggers the scroll event
<u>select()</u>	Attaches/Triggers the select event

<u>submit()</u> .	Attaches/Triggers the submit event
<u>toggle()</u> .	Removed in version 1.9. Attaches two or more functions to toggle between for the click event
<u>trigger()</u> .	Triggers all events bound to the selected elements
<u>triggerHandler()</u> .	Triggers all functions bound to a specified event for the selected elements
<u>unbind()</u> .	Deprecated in version 3.0. Use the <u>off()</u> . method instead. Removes an added event handler from selected elements
<u>undelegate()</u> .	Deprecated in version 3.0. Use the <u>off()</u> . method instead. Removes an event handler to selected elements, now or in the future
<u>unload()</u> .	Removed in version 3.0. Attaches an event handler to the unload event

[< Previous](#)
[Next >](#)

NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a course today!



Get started

CODE GAME



Play Game

[Report Error](#)

[Forum](#)

[About](#)

[Shop](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Web Courses

[HTML Course](#)
[CSS Course](#)
[JavaScript Course](#)
[Front End Course](#)
[SQL Course](#)
[Python Course](#)
[PHP Course](#)
[jQuery Course](#)
[Java Course](#)
[C++ Course](#)
[C# Course](#)
[XML Course](#)

[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

