SCI 238 — Introduction to Astronomy

Kevin James (and Nik) Winter 2015

Contents

1	Chapter 1 – Our Place in the Universe		
	1.1 Overview	. 2	
	1.2 The Big Bang and the Expanding Universe	. 2	
	1.3 The Birth of Stars	. 4	
	1.4 Modelling the Universe		
	1.4.1 Distance		
	1.4.2 Time		
	1.5 Motion of the Universe		
	1.6 Dark Matter and Dark Energy		
	1.7 Relative Galactic Movements		
2	Chapter 19 Life in the Universe		
_	Chapter 18 – Life in the Universe	4	
3	Definitions	4	
3	Definitions	6	
3	Definitions 3.1 Basic Astronomical Objects	. (
3	Definitions 3.1 Basic Astronomical Objects	. 6	
3	Definitions 3.1 Basic Astronomical Objects	. 6	
3	Definitions 3.1 Basic Astronomical Objects 3.2 Collections of Astronomical Objects 3.3 Astronomical Distance Units	. 6	
	Definitions 3.1 Basic Astronomical Objects	. 6	

1 Chapter 1 – Our Place in the Universe

1.1 Overview

A naive look at the sky, which seems to rotate around us, implies we live in a **geocentric** Universe, ie. that everything orbits around the Earth. We know now that this is untrue, but the path to this knowledge was a long one.

We can refer to our place in the Universe as our **cosmic address**, this is our **solar system**; which consists of the Sun and all objects that orbit it including rocky **asteroids** and icy **comets**. Our solar system, and all the stars we can see, make up a small portion of the **Milky Way** galaxy.

A galaxy is an island of stars in space containing anywhere between a few hundred million to trillions of stars. The Milky Way is a relatively large one, with 100 billion stars. We are located about halfway from the center of the Milky Way (the galactic center) to the edge of the galactic disk.

In summary: the Earth is a planet in the solar system, which is a collection of objects orbiting a star, which is in the milky way galaxy, which is a part of the **local group** of galaxies, which is part of the **local supercluster** of groups, which is somewhere in the **Universe**.

The local group contains about 40 galaxies, and is one of what we call **galactic clusters** – groups of galaxies with more than a few members. Superclusters are essentially clusters of galactic clusters, as the Universe seems to be arranged ingiant chains and sheets with large divides between them. The local group is on the edge of the local supercluster.

1.2 The Big Bang and the Expanding Universe

We have observed that the Universe seems to be *expanding*, that is, the distance between galaxies is increasing. By extrapolating backwards, we imagine that all matter must above existed at the same point in the past and exploded outward in a **Big Bang**. Based on the rate of expansion, we believe this happened approximately 14 billion years ago.

Note that though the distance between galaxies is increasing, the distances between objects within galaxies is *not*.

Most galaxies, including our own, formed within a few billion years of the Big Bang.

1.3 The Birth of Stars

A star is **born** when gravity compresses the material in a cloud of gas and dust until it is dense and hot enough to generate energy through **nuclear fusion**. The star lives so long as it has useable material to fuel its fusion and dies once it runs out.

A star dies by blowing much of its remaining content back into space in a supernova. This matter eventually becomes new stars and planets.

1.4 Modelling the Universe

1.4.1 Distance

We can imagine our solar system shrunk down to a manageable size. On the **Voyage** scale (a model solar system in Washington, D.C. where sizes are one billionth of the actual size), the Sun is roughly the size of a grapefruit, Jupiter the size of a marble, Earth the size of a pinhead. Obviously the Sun is far larger than any planet, in fact, it has more than 1000 times as much mass as all the planets in our system combined. Note that the planets also vary in size to a large extent: the "permanent" storm on Jupiter known as the **Giant Red Spot** is larger than the Earth.

We can also use this model to describe the distances between objects. On the same scale, the Earth is 15m from the Sun and the distance from the Sun to pluto is 600m. To have enough space for the orbit of each object in the system, we would need a grid of 300 football fields centered around the Sun.

The closest star (Alpha Centauri) is incredibly far away, on this scale it would be the difference between Washington, D.C. and California.

If we reduce this scale by another factor of one billion, we can start thinking about the size of the galaxy. On this scale, each light year is roughly a millimeter and the Milky Way is about the size of a football field. The distance between our star system and Alpha Centauri is smaller than the width of our pinky.

1.4.2 Time

We can also model the time between events by creating a **cosmic calendar**. If we set the Big Bang as January 1^{st} and the present day as Decembre 31^{st} , we can place each major event on specific days. By the age of the universe, each month represents just over a billion years.

On this scale, the Milky Way was formed sometime in February. Our solar system, though was, only formed in September – life on Earth flourished by the end of that month. Recognizeable animals only appeared in mid-December. Dinosaurs first appeared the day after Christmas and died off yesterday. Around 9PM today, early hominids began to walk upright.

The entire history of human civilization, then, occurred in the last half-minute of January 31st. The Egyptians built the pyramids in 11 seconds, Galileo proved the Earth orbited the Sun one second ago, and the average college student was born 0.05 seconds ago.

1.5 Motion of the Universe

The Earth has a daily rotation (its spin) and a yearly orbit (or revolution) around the Sun.

The Earth rotates each day around its **axis**, the imaginary line from the North to the South pole. It rotates from West to East – counter-clockwise when viewed from above the North pole. The speed is substantial; anywhere other than near the axes, an object whirls around the Earth at a speed greater than 1000km/h.

The Earth's average orbital distance is one **Astronomical Unit** (AU), which is approximately 150 million kilometers. At times, we race around the Sun in excess of one hundred thousand kilometers per hour.

Earth's orbital path defines the **eliptic plane**, and its axis is tilted by 23.5 degrees from a line perpendicular to this plane. The **axis tilt** happens to align our north pole with Polaris, the North Star.

Note that the Earth orbits the Sun in the same direction as it spins around its axis since it was formed from a spinning disk and both of these rotations are a remnant of this.

We also move relative to nearby stars at a rate of 70,000 kilometers per hour. We rotate around the Milky Way's galactic center once every 230 million years, which implies speeds of (on average) 800,000 kilometers per hour.

1.6 Dark Matter and Dark Energy

Since stars at different distance from the galactic center orbit at different speeds, we can learn how mass is distributed in the galaxy by measuring the differing speeds. Studies show that the mass of the stars in the galactic disk form only a small percentage of the total mass of the galaxy. Most of the galactic mass, then, seems to be located outside of the visible disk in the galaxy's halo. We call this mass dark matter, since we have not observed light being emitted from it. Similarly, we find that the bulk of the energy in the universe is dark energy. This seems to be the case in all observable galaxies.

1.7 Relative Galactic Movements

Within the local group, some galaxies move toward us and some move away. Outside of the local group, though, this changes; virtually every galaxy outside of the local group seems to be racing away from us at a speed proportional to its distance from us. This is the basis of our theory that of an **expanding universe**: that the space between galaxies is increasing.

Note that we observe this motion by measuring **Doppler shifts**, as detecting any difference in celestial position within our lifetimes is impossible.

2 Chapter 18 – Life in the Universe

- Reasons why life likely might exist elsewhere
 - Life arose quite quickly on Earth, so why not on other planets too
 - Chemicals on young Earth combined readily into complex organic compounds. This may also be true on other exoplanets.
 - We have discovered microorganisms that could survive on other planets in our solar system

• Timeline of development of life on Earth:

Years ago	Event
4.5 billion	Earth and moon form
3.85 billion	Carbon isotope evidence of life
3.5 billion	Oldest microfossil evidence of life
2.5 billion	earliest evidence of oxygen in the atmosphere
410 million	animals colonize land
230 million	mammals and dinosaurs appear

- Requirements for life (on Earth)
 - A source of nutrients
 - Energy to fuel the activities of life
 - Liquid water (* this is the only one that is difficult to achieve)
- Microbes living in extreme conditions (volcanic vents, deserts) imply that if not for a need for water life could exist almost anywhere
- Only likely candidates to have liquid water in our solar system are Mars and some jovian moons (e.g. Europa)
- What properties must a star system have to contain life
 - It must be older than several million years (that's how long life took to form after Earth's formation)
 - The star must not be much bigger than our Sun, because it would die off before life formed (still leaves about 99% of stars)
 - Planets must have stable orbits (far less likely in binary star systems, but not impossible)
 - Bigger star means larger habitable zone (the zone where liquid water could exist)
- A planet's spectra can give us the atmospheric makeup, allows us to look for water vapour, ozone, methane, etc.
- Rare-Earth hypothesis
 - The galaxy has a habitable zone, just like our solar system
 - Star systems further out contain far less non-hydrogen/helium elements, which almost completely compose terrestrial planets
 - Inner systems are subject to far more high supernovae, which would likely irradiate life
 - Leaves only about 10% of solar systems habitable
 - Impact rate in our solar system dropped off quickly, is the same true everywhere? In our solar system this was due to jovian planets ejecting small objects from the inner solar system

 Our atmosphere has been relatively stable due to plate tectonics (which might be rare on other planets) regulating the carbon dioxide, and our large moon regulates our axial tilt

• Counter-arguments include

- Earth is very small and wouldn't need a high abundance of heavy elements to form (relative to the mass of the star)
- We don't know if a supernova would be harmful to life
- If the Earth rotated faster it would also regulate our axial tilt without the Moon
- Large moons could exist other places, ours isn't that rare
- Life could adapt to a changing axial tilt
- Drake equation: Number of civilizations = $N_{\rm HP} * f_{\rm life} * f_{\rm civ} * f_{\rm now}$

 N_{HP} number of habitable planets in the galaxy that *could* have life

 f_{life} fraction of habitable planets that actually have life

 f_{civ} fraction of life-bearing planets upon which a civilization capable of interstellar communication has at some time arisen

 f_{now} fraction of civilization-bearing planets that currently have such a civilization

• Fermi paradox: If it's so likely that other civilizations exist than there are some millions of years ahead of us technologically. So where are they? Options: "we're alone", "every other civilization destroyed itself before it could settle the galaxy" or "they haven't revealed themselves to us yet"

3 Definitions

3.1 Basic Astronomical Objects

- a star is a large, glowing ball of gas that generates heat and light through nuclear fusion in its core. Our Sun is a star.
- a planet is a moderately large object that orbits a star and shines primarily by reflecting light from its star. According to a definition approved in 2006, an object can be considered a planet only if it (1) orbits a star; (2) is large enough for its own gravity to make it round; and (3) has cleared most other objects from its orbital path. An object that meets the first two criteria but has not cleared its orbital path, like Pluto, is designated a dwarf planet.
- a moon (or satellite) is an object that orbits a planet. The term satellite can refer to any object orbiting another object. asteroid A relatively small and rocky object that orbits a star
- a **comet** is a relatively small and ice-rich object that orbits a star.

3.2 Collections of Astronomical Objects

- a solar system is the Sun and all the material that orbits it, including the planets, dwarf planets, and small solar system bodies. Although the term solar system technically refers only to our own star system (solar means of the Sun), it is often applied to other star systems as well.
- a **star system** is a star (sometimes more than one star) and any planets and other materials that orbit it.
- a **galaxy** is a great island of stars in space, containing from a few hundred million to a trillion or more stars, all held together by gravity and orbiting a common center.
- a cluster (or group) of galaxies is a collection of galaxies bound together by gravity. Small collections (up to a few dozen galaxies) are generally called groups, while larger collections are called clusters.
- a **supercluster** is a gigantic region of space where many individual galaxies and many groups and clusters of galaxies are packed more closely together than elsewhere in the universe.
- the universe (or cosmos) are the sum total of all matter and energy that is, all galaxies and everything between them. observable universe The portion of the entire universe that can be seen from Earth, at least in principle. The observable universe is probably only a tiny portion of the entire universe.

3.3 Astronomical Distance Units

- an astronomical unit (AU) is the average distance between Earth and the Sun, which is about 150 million kilometers. More technically, 1 AU is the length of the semimajor axis of Earths orbit.
- a **light-year** is the distance that light can travel in 1 year, which is about 9.46 trillion kilometers.

3.4 Terms Relating to Motion

- **rotation** is the spinning of an object around its axis. For example, Earth rotates once each day around its axis, which is an imaginary line connecting the North Pole to the South Pole.
- **orbit** (**revolution**) is the orbital motion of one object around another. For example, Earth orbits around the Sun once each year.
- **expansion (of the universe)** is the increase in the average distance between galaxies as time progresses. Note that while the universe as a whole is expanding, individual galaxies and galaxy clusters do not expand.
- **Doppler shift** light is **bluer** if the object is moving **towards** the Earth, it is **redder** if the object is moving **away** from the Earth

3.5 Telescopes

Diffraction limit The angular resolution before interference of light itself causes problems

4 Formulae and Values

The **speed of light** is approximately 300,000 km/h. A **light-year** is the distance light can travel in one year: $9.46*10^{12}$ km, or roughly 10 trillion. Note that based on the speed of light, and since the universe formed roughly 14 billion years ago, the distance of 14 billion light-years forms the boundary of the **observable universe**. Note that this does not place a size limit on the entire universe, only on the portion that we can (and will ever be able to) see.

Our solar system was formed 4.5 billion years ago, when about 2% of the galaxy's original Hydrogen and Helium had been converted to heavier elements. Thus the cloud which formed our galaxy was roughly 98% Hydrogen and Helium. The 2% of other materials form the core of the rocky planets in our systems, ie. the Earth.

The **Andromeda galaxy** is roughly 2.5 million light-years away and about 100,000 light-years in diameter. **Sirius**, the brightest star visible in the night sky, is 8 light-years away. **Alpha Centauri**, the closest star system to our own (a three star system), is 4.4 light-years away.

- $E_k = \frac{1}{2}mv^2$
- $v = \lambda f$
- Energy = $hf = \frac{hc}{\lambda}$
- $v_{\text{radial}} = \frac{\Delta \lambda}{\lambda} c$
- $p^2 = \frac{4\pi^2}{(M_1 + M_2)*G} a^3$ (in our solar system years² = A.U.³)
- $L = 4\pi^2 R^2 \sigma_{SB} T^4$
- Angular separation (rad) = $\frac{\text{semi-major axis (AU)}}{\text{distance parsecs}}$
- $r_{\rm planet} \approx r_{\rm star} * \sqrt{\rm fraction~of~light~blocked}$
- Eccentricity of an ellipse: $e = \frac{f}{a}$ where f is the distance from the center to a focus
- \bullet momentum = mass * velocity
- $SA_{sphere} = 4\pi r^2$
- $\lambda_{\text{peak}}T = 2.898 * 10^{-3} m \cdot K$
- Time dilation: $t' = t * \sqrt{1 \left(\frac{v}{c}\right)^2}$
- Length contraction: $l' = l * \sqrt{1 \left(\frac{v}{c}\right)^2}$
- Mass increase: $m' = \frac{m}{\sqrt{1 \left(\frac{v}{c}\right)^2}}$

5 Data

Speed of light $2.998 * 10^8 m/s$

Light year $9.461 * 10^{15} \text{ m} = 63 \ 241 \ \text{AU}$

Average Earth-Moon distance $385~000~\mathrm{km}$

Average Earth-Sun distance (1 AU) $1.4959 * 10^{11}$ m

Diameter of the Sun $1.391 * 10^6 \text{ km}$

Planck's constant (h) $6.626 * 10^{-34} J \cdot s = 4.136 * 10^{-15} eV \cdot s$

Stefan Boltzmann constant $5.67*10^{-8} \frac{W}{m^2 K^4}$